

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

0.000min 0.000 ng/ml

response 0

(1) Tetrachloro-m-xylene #2 (SA)

2.915min 913.353 ng/ml

response 3232183909

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
 Data File : PD085212.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Sep 2024 13:54
 Operator : AR\AJ
 Sample : P3898-08RE
 Misc :
 ALS Vial : 14 Sample Multiplier: 1



Instrument :
 ECD_D
 ClientSampleId :
 DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
 Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 17 02:46:50 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 27 02:47:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.529min 26.987 ng/ml m

response 27295109

(1) Tetrachloro-m-xylene #2 (SA)

2.914min 908.733 ng/ml m

response 3215835328

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(2) alpha-BHC (A)
3.982min 12.726 ng/ml
response 21636262

(2) alpha-BHC #2 (A)
3.412min 11.985 ng/ml
response 60766592

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :

ECD_D

ClientSampleId :


DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(2) alpha-BHC (A)

3.980min 14.861 ng/ml m

response 25266280

(2) alpha-BHC #2 (A)

3.412min 11.985 ng/ml

response 60766592

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.743min 39.360 ng/ml

response 64551113

(7) delta-BHC #2 (B)

4.278min 23.664 ng/ml

response 117470003

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.741min 20.587 ng/ml m

response 33763496

(7) delta-BHC #2 (B)

4.276min 31.173 ng/ml m

response 154747005

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)

6.053min 33.153 ng/ml

response 45612023

(9) Endosulfan I #2 (A)

5.280min 13.279 ng/ml

response 50900790

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)
6.051min 38.937 ng/ml m
response 53569024

(9) Endosulfan I #2 (A)
5.278min 14.784 ng/ml m
response 56671349

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(10) trans-Chlordane (B)

5.954min -1.090 ng/ml

response -1536821

(10) trans-Chlordane #2 (B)

5.148min 34.282 ng/ml

response 141008597

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(10) trans-Chlordane (B)
5.906min 10.579 ng/ml m
response 14920020

(10) trans-Chlordane #2 (B)
5.146min 21.544 ng/ml m
response 88613700

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(11) cis-Chlordane (B)

6.053min 30.849 ng/ml

response 45612023

(11) cis-Chlordane #2 (B)

5.219min 13.836 ng/ml

response 58050236

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(11) cis-Chlordane (B)

5.994min 6.378 ng/ml m

response 9430345

(11) cis-Chlordane #2 (B)

5.217min 14.548 ng/ml m

response 61038308

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)

6.183min 7.668 ng/ml

response 9565072

(12) 4,4'-DDE #2 (B)

5.410min -1.232 ng/ml

response -4834219

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)
6.181min 10.598 ng/ml m
response 13220183

(12) 4,4'-DDE #2 (B)
5.408min 3.971 ng/ml m
response 15575405

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)
6.323min 14.990 ng/ml
response 22111023

(13) Dieldrin #2 (MA)
5.534min 20.300 ng/ml
response 87210371

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)
6.322min 15.586 ng/ml m
response 22991462

(13) Dieldrin #2 (MA)
5.533min 26.507 ng/ml m
response 113879905

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 18 05:49:17 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.031min 11.462 ng/ml

response 14970217

(27) Decachlorobiphenyl #2 (SA)

8.100min 11.394 ng/ml

response 39619200

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091624\
Data File : PD085212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Sep 2024 13:54
Operator : AR\AJ
Sample : P3898-08RE
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DDC58RE

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/17/2024
Supervised By :Ankita Jodhani 09/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 17 02:46:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.030min 12.723 ng/ml m

response 16616167

(27) Decachlorobiphenyl #2 (SA)

8.099min 13.422 ng/ml m

response 46669983