

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091825\
 Data File : PD090330.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2025 10:30
 Operator : AR\AJ
 Sample : PSTDI100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 05:14:05 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 19 04:54:40 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.876	313.2E6	2573.4E6	100.721	98.939
28)	SA Decachlor...	9.066	8.063	440.2E6	3041.6E6	96.353	100.356
Target Compounds							
2)	A alpha-BHC	3.995	3.388	753.2E6	4198.4E6	108.692	100.255
3)	MA gamma-BHC...	4.326	3.725	699.9E6	3901.1E6	107.277	100.303
4)	MA Heptachlor	4.925	4.077	677.2E6	3802.1E6	104.413	97.774
5)	MB Aldrin	5.266	4.363	653.8E6	3775.6E6	104.885	98.650
6)	B beta-BHC	4.513	4.020	248.2E6	1610.4E6	100.737	97.893
7)	B delta-BHC	4.761	4.257	690.1E6	3947.8E6	107.205	99.629
8)	B Heptachlo...	5.686	4.866	568.7E6	3365.8E6	103.008	96.492
9)	A Endosulfan I	6.070	5.241	535.6E6	3192.6E6	102.075	96.507
10)	B gamma-Chl...	5.941	5.119	581.4E6	3713.6E6	104.097	98.943
11)	B alpha-Chl...	6.022	5.184	577.5E6	3549.7E6	103.048	98.646
12)	B 4,4'-DDE	6.192	5.368	537.4E6	3612.4E6	104.785	98.468
13)	MA Dieldrin	6.342	5.506	587.8E6	3629.1E6	103.885	97.142
14)	MA Endrin	6.570	5.783	499.6E6	3276.5E6	104.285	96.306
15)	B Endosulfa...	6.782	6.074	486.4E6	3116.2E6	102.013	96.527
16)	A 4,4'-DDD	6.701	5.923	420.7E6	3030.5E6	104.811	97.729
17)	MA 4,4'-DDT	7.017	6.177	457.4E6	3310.0E6	104.609	99.546
18)	B Endrin al...	6.911	6.252	327.8E6	2165.3E6	99.079	95.545
19)	B Endosulfa...	7.145	6.476	448.8E6	3012.5E6	100.833	96.776
20)	A Methoxychlor	7.489	6.747	223.8E6	1580.6E6	99.333	95.358
21)	B Endrin ke...	7.626	6.985	489.1E6	3302.6E6	102.013	96.127
22)	Mirex	8.109	7.178	339.1E6	2515.9E6	97.222	97.045



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091825\
Data File : PD090330.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2025 10:30
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 05:14:05 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
Quant Title : GC Extractables
QLast Update : Fri Sep 19 04:54:40 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 313236095
Conc: 100.72 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.876 min
Delta R.T.: 0.000 min
Response: 2573409929
Conc: 98.94 ng/ml




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: 0.000 min
Response: 753174662
Conc: 108.69 ng/ml



#2 alpha-BHC


R.T.: 3.388 min
Delta R.T.: 0.000 min
Response: 4198372530
Conc: 100.25 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 699911882
Conc: 107.28 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.725 min
Delta R.T.: 0.000 min
Response: 3901117493
Conc: 100.30 ng/ml




#4 Heptachlor

R.T.: 4.925 min
Delta R.T.: 0.000 min
Response: 677240375
Conc: 104.41 ng/ml



#4 Heptachlor


R.T.: 4.077 min
Delta R.T.: 0.000 min
Response: 3802136026
Conc: 97.77 ng/ml



#5 Aldrin


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 653842811
Conc: 104.88 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.363 min
Delta R.T.: 0.000 min
Response: 3775585422
Conc: 98.65 ng/ml




#6 beta-BHC

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 248228452
Conc: 100.74 ng/ml



#6 beta-BHC


R.T.: 4.020 min
Delta R.T.: 0.000 min
Response: 1610423474
Conc: 97.89 ng/ml



#7 delta-BHC


R.T.: 4.761 min
Delta R.T.: 0.000 min
Response: 690054443
Conc: 107.20 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.257 min
Delta R.T.: 0.000 min
Response: 3947831686
Conc: 99.63 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: 0.000 min
Response: 568676489
Conc: 103.01 ng/ml



#8 Heptachlor epoxide


R.T.: 4.866 min
Delta R.T.: 0.000 min
Response: 3365839441
Conc: 96.49 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 535587092
Conc: 102.08 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 3192613538
Conc: 96.51 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 581369072
Conc: 104.10 ng/ml



#10 gamma-Chlordane


R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 3713621770
Conc: 98.94 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 577534554
Conc: 103.05 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.184 min
Delta R.T.: 0.000 min
Response: 3549655328
Conc: 98.65 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: 0.000 min
Response: 537414128
Conc: 104.79 ng/ml



#12 4,4'-DDE


R.T.: 5.368 min
Delta R.T.: 0.000 min
Response: 3612419195
Conc: 98.47 ng/ml



#13 Dieldrin


R.T.: 6.342 min
Delta R.T.: 0.000 min
Response: 587848394
Conc: 103.88 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.506 min
Delta R.T.: 0.000 min
Response: 3629120609
Conc: 97.14 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: 0.000 min
Response: 499607755
Conc: 104.28 ng/ml



#14 Endrin


R.T.: 5.783 min
Delta R.T.: 0.000 min
Response: 3276462498
Conc: 96.31 ng/ml



#15 Endosulfan II


R.T.: 6.782 min
Delta R.T.: 0.000 min
Response: 486380986
Conc: 102.01 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 3116180321
Conc: 96.53 ng/ml




#16 4,4'-DDD

R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 420714006
Conc: 104.81 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: 0.000 min
Response: 3030486626
Conc: 97.73 ng/ml



#17 4,4'-DDT


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 457432864
Conc: 104.61 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.001 min
Response: 3309989081
Conc: 99.55 ng/ml




#18 Endrin aldehyde

R.T.: 6.911 min
Delta R.T.: 0.000 min
Response: 327817162
Conc: 99.08 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 2165337183
Conc: 95.54 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.145 min
Delta R.T.: 0.000 min
Response: 448812546
Conc: 100.83 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.476 min
Delta R.T.: 0.000 min
Response: 3012520782
Conc: 96.78 ng/ml




#20 Methoxychlor

R.T.: 7.489 min
Delta R.T.: 0.000 min
Response: 223838930
Conc: 99.33 ng/ml



#20 Methoxychlor


R.T.: 6.747 min
Delta R.T.: 0.001 min
Response: 1580560582
Conc: 95.36 ng/ml



#21 Endrin ketone


R.T.: 7.626 min
Delta R.T.: 0.000 min
Response: 489092682
Conc: 102.01 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.985 min
Delta R.T.: 0.000 min
Response: 3302608203
Conc: 96.13 ng/ml




#22 Mirex

R.T.: 8.109 min
Delta R.T.: 0.000 min
Response: 339141918
Conc: 97.22 ng/ml



#22 Mirex


R.T.: 7.178 min
Delta R.T.: 0.000 min
Response: 2515886609
Conc: 97.04 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.066 min
Delta R.T.: -0.001 min
Response: 440225529
Conc: 96.35 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.063 min
Delta R.T.: 0.000 min
Response: 3041628295
Conc: 100.36 ng/ml