

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091825\
 Data File : PD090345.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Sep 2025 13:53
 Operator : AR\AJ
 Sample : PSTDICV050
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 19 05:54:43 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 19 05:52:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.876	157.4E6	1319.9E6	48.428	48.082
28)	SA Decachlor...	9.067	8.064	233.8E6	1568.0E6	48.465	48.375
Target Compounds							
2)	A alpha-BHC	3.996	3.388	351.7E6	2123.5E6	50.350	48.500
3)	MA gamma-BHC...	4.326	3.724	330.8E6	1969.8E6	49.987	48.355
4)	MA Heptachlor	4.925	4.076	325.8E6	1968.1E6	49.274	48.335
5)	MB Aldrin	5.266	4.362	315.4E6	1930.2E6	49.669	48.334
6)	B beta-BHC	4.513	4.020	124.9E6	831.7E6	48.395	47.975
7)	B delta-BHC	4.761	4.256	20673280	2001.0E6	3.201	48.457 #
8)	B Heptachlo...	5.687	4.866	279.1E6	1766.9E6	48.842	47.930
9)	A Endosulfan I	6.070	5.240	265.5E6	1670.3E6	49.149	48.268
10)	B gamma-Chl...	5.942	5.119	282.7E6	1894.5E6	49.490	48.224
11)	B alpha-Chl...	6.023	5.183	283.5E6	1815.3E6	49.204	48.195
12)	B 4,4'-DDE	6.192	5.368	259.4E6	1854.9E6	49.812	48.458
13)	MA Dieldrin	6.343	5.506	286.4E6	1884.9E6	49.683	48.397
14)	MA Endrin	6.570	5.782	242.8E6	1721.2E6	49.612	48.036
15)	B Endosulfa...	6.782	6.074	246.0E6	1633.1E6	50.439	48.386
16)	A 4,4'-DDD	6.702	5.923	204.5E6	1574.5E6	49.914	48.554
17)	MA 4,4'-DDT	7.017	6.177	223.7E6	1690.5E6	50.245	49.173
18)	B Endrin al...	6.912	6.252	171.2E6	1146.7E6	49.898	48.698
19)	B Endosulfa...	7.146	6.476	226.4E6	1576.6E6	49.206	48.229
20)	A Methoxychlor	7.490	6.747	115.7E6	851.6E6	49.103	48.941
21)	B Endrin ke...	7.626	6.985	244.7E6	1750.8E6	49.463	48.494
22)	Mirex	8.109	7.178	179.2E6	1323.1E6	48.364	47.928
23)	Chlordane-1	0.000	3.892	0	331820	N.D.	0.276 #
24)	Chlordane-2	5.266f	4.500	315.4E6	11852394	1469.726	9.478 #
25)	Chlordane-3	5.942	5.119	282.7E6	1894.5E6	337.729	499.804 #
26)	Chlordane-4	6.023	5.183	283.5E6	1815.3E6	277.751	557.514 #
27)	Chlordane-5	0.000	6.074	0	1633.1E6	N.D.	1076.068 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091825\
Data File : PD090345.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Sep 2025 13:53
Operator : AR\AJ
Sample : PSTDICV050
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 19 05:54:43 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
Quant Title : GC Extractables
QLast Update : Fri Sep 19 05:52:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 157413113
Conc: 48.43 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.876 min
Delta R.T.: 0.000 min
Response: 1319858225
Conc: 48.08 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 351672463
Conc: 50.35 ng/ml



#2 alpha-BHC


R.T.: 3.388 min
Delta R.T.: 0.000 min
Response: 2123467422
Conc: 48.50 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 330754836
Conc: 49.99 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.724 min
Delta R.T.: 0.000 min
Response: 1969783030
Conc: 48.36 ng/ml




#4 Heptachlor

R.T.: 4.925 min
Delta R.T.: 0.000 min
Response: 325824904
Conc: 49.27 ng/ml



#4 Heptachlor


R.T.: 4.076 min
Delta R.T.: 0.000 min
Response: 1968050598
Conc: 48.34 ng/ml



#5 Aldrin


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 315396598
Conc: 49.67 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.362 min
Delta R.T.: 0.000 min
Response: 1930232675
Conc: 48.33 ng/ml




#6 beta-BHC

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 124855306
Conc: 48.40 ng/ml



#6 beta-BHC


R.T.: 4.020 min
Delta R.T.: 0.000 min
Response: 831670051
Conc: 47.98 ng/ml



#7 delta-BHC


R.T.: 4.761 min
Delta R.T.: 0.000 min
Response: 20673280
Conc: 3.20 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.256 min
Delta R.T.: 0.000 min
Response: 2001014319
Conc: 48.46 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.000 min
Response: 279128697
Conc: 48.84 ng/ml



#8 Heptachlor epoxide


R.T.: 4.866 min
Delta R.T.: 0.000 min
Response: 1766937728
Conc: 47.93 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 265478209
Conc: 49.15 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.240 min
Delta R.T.: 0.000 min
Response: 1670315014
Conc: 48.27 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: 0.000 min
Response: 282683808
Conc: 49.49 ng/ml



#10 gamma-Chlordane


R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 1894544450
Conc: 48.22 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 283456257
Conc: 49.20 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.183 min
Delta R.T.: 0.000 min
Response: 1815289301
Conc: 48.20 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: 0.000 min
Response: 259396167
Conc: 49.81 ng/ml



#12 4,4'-DDE


R.T.: 5.368 min
Delta R.T.: 0.000 min
Response: 1854938581
Conc: 48.46 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: 0.000 min
Response: 286409762
Conc: 49.68 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.506 min
Delta R.T.: 0.000 min
Response: 1884878134
Conc: 48.40 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: 0.000 min
Response: 242799500
Conc: 49.61 ng/ml



#14 Endrin


R.T.: 5.782 min
Delta R.T.: 0.000 min
Response: 1721220273
Conc: 48.04 ng/ml



#15 Endosulfan II


R.T.: 6.782 min
Delta R.T.: 0.000 min
Response: 246031158
Conc: 50.44 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.074 min
Delta R.T.: 0.001 min
Response: 1633051126
Conc: 48.39 ng/ml




#16 4,4'-DDD

R.T.: 6.702 min
Delta R.T.: 0.000 min
Response: 204539231
Conc: 49.91 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: 0.000 min
Response: 1574503119
Conc: 48.55 ng/ml



#17 4,4'-DDT


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 223714000
Conc: 50.25 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 1690511871
Conc: 49.17 ng/ml




#18 Endrin aldehyde

R.T.: 6.912 min
Delta R.T.: 0.000 min
Response: 171178463
Conc: 49.90 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 1146694142
Conc: 48.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.146 min
Delta R.T.: 0.000 min
Response: 226366313
Conc: 49.21 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.476 min
Delta R.T.: 0.000 min
Response: 1576624962
Conc: 48.23 ng/ml




#20 Methoxychlor

R.T.: 7.490 min
Delta R.T.: 0.000 min
Response: 115712185
Conc: 49.10 ng/ml



#20 Methoxychlor


R.T.: 6.747 min
Delta R.T.: 0.001 min
Response: 851594817
Conc: 48.94 ng/ml



#21 Endrin ketone


R.T.: 7.626 min
Delta R.T.: 0.000 min
Response: 244709672
Conc: 49.46 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.985 min
Delta R.T.: 0.000 min
Response: 1750763949
Conc: 48.49 ng/ml




#22 Mirex

R.T.: 8.109 min
Delta R.T.: 0.000 min
Response: 179182889
Conc: 48.36 ng/ml



#22 Mirex


R.T.: 7.178 min
Delta R.T.: 0.000 min
Response: 1323097558
Conc: 47.93 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 3.892 min
Delta R.T.: -0.008 min
Response: 331820
Conc: 0.28 ng/ml




#24 Chlordane-2

R.T.: 5.266 min
Delta R.T.: 0.029 min
Response: 315396598
Conc: 1469.73 ng/ml



#24 Chlordane-2


R.T.: 4.500 min
Delta R.T.: 0.019 min
Response: 11852394
Conc: 9.48 ng/ml



#25 Chlordane-3


R.T.: 5.942 min
Delta R.T.: 0.000 min
Response: 282683808
Conc: 337.73 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 1894544450
Conc: 499.80 ng/ml




#26 Chlordane-4

R.T.: 6.023 min
Delta R.T.: -0.004 min
Response: 283456257
Conc: 277.75 ng/ml



#26 Chlordane-4


R.T.: 5.183 min
Delta R.T.: 0.000 min
Response: 1815289301
Conc: 557.51 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.867 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 6.074 min
Delta R.T.: -0.009 min
Response: 1633051126
Conc: 1076.07 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.067 min
Delta R.T.: 0.000 min
Response: 233844097
Conc: 48.46 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.064 min
Delta R.T.: 0.000 min
Response: 1568046483
Conc: 48.37 ng/ml