

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.443min 3.659 ng/ml

response 3833800

(1) Tetrachloro-m-xylene #2 (SA)

2.879min 3.657 ng/ml

response 15481956

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :

ECD_D

ClientSampleId :

C0AW6MSD



Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024

Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.441min 3.566 ng/ml m

response 3736302

(1) Tetrachloro-m-xylene #2 (SA)

2.878min 3.578 ng/ml m

response 15151552

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.642min 39.392 ng/ml

response 69722226

(7) delta-BHC #2 (B)

4.252min 28.207 ng/ml

response 168170703

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.641min 29.172 ng/ml m

response 51634363

(7) delta-BHC #2 (B)

4.252min 28.207 ng/ml

response 168170703

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(8) Heptachlor epoxide (B)

5.561min 27.663 ng/ml

response 43258719

(8) Heptachlor epoxide #2 (B)

4.861min 28.500 ng/ml

response 156300172

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(8) Heptachlor epoxide (B)

5.559min 29.294 ng/ml m

response 45808792

(8) Heptachlor epoxide #2 (B)

4.861min 28.500 ng/ml

response 156300172

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)

6.439min 66.512 ng/ml

response 79863382

(14) Endrin #2 (MA)

5.779min 64.385 ng/ml

response 288955884

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)

6.437min 67.965 ng/ml m
response 81608057

(14) Endrin #2 (MA)

5.777min 63.230 ng/ml m
response 283769471

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(19) Endosulfan Sulfate (B)

7.013min 61.398 ng/ml

response 79335280

(19) Endosulfan Sulfate #2 (B)

6.475min 99.211 ng/ml

response 415785951

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD092724\
Data File : PD085728.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Sep 2024 20:42
Operator : AR\AJ
Sample : P4010-04MSD
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :

ECD_D

ClientSampleId :


C0AW6MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 09/29/2024
Supervised By :Ankita Jodhani 09/30/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 28 01:19:47 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Sep 27 15:18:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(19) Endosulfan Sulfate (B)

7.013min 61.398 ng/ml

response 79335280

(19) Endosulfan Sulfate #2 (B)

6.473min 70.792 ng/ml m

response 296686713