

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD100223\
 Data File : PD078513.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Oct 2023 10:26
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 02 13:16:11 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD090323.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 01 16:18:56 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.758	124.9E6	87033535	49.182	55.028
28)	SA Decachlor...	9.087	7.897	151.9E6	87417386	49.855	50.658
Target Compounds							
2)	A alpha-BHC	4.003	3.260	213.7E6	131.1E6	51.941	56.653
3)	MA gamma-BHC...	4.337	3.590	202.7E6	125.5E6	51.234	56.149
4)	MA Heptachlor	4.927	3.928	204.8E6	128.5E6	52.280	57.112
5)	MB Aldrin	5.270	4.208	210.6E6	128.4E6	52.356	56.383
6)	B beta-BHC	4.535	3.887	77766859	47327048	48.189	53.101
7)	B delta-BHC	4.783	4.116	184.9E6	120.1E6	50.144	55.404
8)	B Heptachlo...	5.697	4.710	177.2E6	115.9E6	49.571	57.130
9)	A Endosulfan I	6.085	5.081	169.0E6	109.0E6	51.370	58.183
10)	B gamma-Chl...	5.955	4.961	181.0E6	112.5E6	51.404	55.989
11)	B alpha-Chl...	6.034	5.025	181.2E6	114.1E6	50.928	56.656
12)	B 4,4'-DDE	6.207	5.213	168.7E6	98508352	52.405	53.969
13)	MA Dieldrin	6.361	5.345	182.0E6	119.1E6	51.161	58.334
14)	MA Endrin	6.591	5.621	149.3E6	105.5E6	49.232	58.231
15)	B Endosulfa...	6.811	5.915	154.1E6	95566209	49.735	55.852
16)	A 4,4'-DDD	6.725	5.768	125.4E6	72125544	48.952	51.614
17)	MA 4,4'-DDT	7.040	6.020	123.9E6	76100947	47.394	53.864
18)	B Endrin al...	6.941	6.095	108.1E6	71637785	45.499	53.072
19)	B Endosulfa...	7.176	6.318	132.6E6	87809150	46.727	54.839
20)	A Methoxychlor	7.517	6.594	65232976	39105881	42.174	50.509
21)	B Endrin ke...	7.663	6.825	150.8E6	102.5E6	46.391	54.237
22)	Mirex	8.137	7.005	119.2E6	82549553	49.550	53.909
24)	Chlordane-2	0.000	4.346	0	151617	N.D.	2.381 #
25)	Chlordane-3	5.955	4.961	181.0E6	112.5E6	360.205	573.636 #
26)	Chlordane-4	6.034	5.025	181.2E6	114.1E6	294.183	603.237 #
27)	Chlordane-5	0.000	5.915	0	95566209	N.D.	1485.383 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD100223\
Data File : PD078513.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2023 10:26
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 02 13:16:11 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD090323.M
Quant Title : GC Extractables
QLast Update : Fri Sep 01 16:18:56 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.004 min
Response: 124876209
Conc: 49.18 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.758 min
Delta R.T.: -0.002 min
Response: 87033535
Conc: 55.03 ng/ml




#2 alpha-BHC

R.T.: 4.003 min
Delta R.T.: 0.004 min
Response: 213695120
Conc: 51.94 ng/ml



#2 alpha-BHC


R.T.: 3.260 min
Delta R.T.: -0.002 min
Response: 131070608
Conc: 56.65 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.337 min
Delta R.T.: 0.004 min
Response: 202680514
Conc: 51.23 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.590 min
Delta R.T.: -0.002 min
Response: 125519645
Conc: 56.15 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.004 min
Response: 204831378
Conc: 52.28 ng/ml



#4 Heptachlor


R.T.: 3.928 min
Delta R.T.: -0.003 min
Response: 128466553
Conc: 57.11 ng/ml



#5 Aldrin


R.T.: 5.270 min
Delta R.T.: 0.004 min
Response: 210567301
Conc: 52.36 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.208 min
Delta R.T.: -0.003 min
Response: 128441366
Conc: 56.38 ng/ml




#6 beta-BHC

R.T.: 4.535 min
Delta R.T.: 0.005 min
Response: 77766859
Conc: 48.19 ng/ml



#6 beta-BHC


R.T.: 3.887 min
Delta R.T.: -0.002 min
Response: 47327048
Conc: 53.10 ng/ml



#7 delta-BHC


R.T.: 4.783 min
Delta R.T.: 0.005 min
Response: 184850212
Conc: 50.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.116 min
Delta R.T.: -0.002 min
Response: 120106378
Conc: 55.40 ng/ml




#8 Heptachlor epoxide

R.T.: 5.697 min
Delta R.T.: 0.004 min
Response: 177245863
Conc: 49.57 ng/ml



#8 Heptachlor epoxide


R.T.: 4.710 min
Delta R.T.: -0.002 min
Response: 115872314
Conc: 57.13 ng/ml



#9 Endosulfan I


R.T.: 6.085 min
Delta R.T.: 0.004 min
Response: 168958106
Conc: 51.37 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.081 min
Delta R.T.: -0.002 min
Response: 108985779
Conc: 58.18 ng/ml




#10 gamma-Chlordane

R.T.: 5.955 min
Delta R.T.: 0.004 min
Response: 180959502
Conc: 51.40 ng/ml



#10 gamma-Chlordane


R.T.: 4.961 min
Delta R.T.: -0.003 min
Response: 112548857
Conc: 55.99 ng/ml



#11 alpha-Chlordane


R.T.: 6.034 min
Delta R.T.: 0.004 min
Response: 181218676
Conc: 50.93 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.025 min
Delta R.T.: -0.002 min
Response: 114145922
Conc: 56.66 ng/ml




#12 4,4'-DDE

R.T.: 6.207 min
Delta R.T.: 0.004 min
Response: 168725189
Conc: 52.41 ng/ml



#12 4,4'-DDE


R.T.: 5.213 min
Delta R.T.: -0.002 min
Response: 98508352
Conc: 53.97 ng/ml



#13 Dieldrin


R.T.: 6.361 min
Delta R.T.: 0.005 min
Response: 182022695
Conc: 51.16 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.345 min
Delta R.T.: -0.002 min
Response: 119107882
Conc: 58.33 ng/ml




#14 Endrin

R.T.: 6.591 min
Delta R.T.: 0.004 min
Response: 149329121
Conc: 49.23 ng/ml



#14 Endrin


R.T.: 5.621 min
Delta R.T.: -0.002 min
Response: 105475539
Conc: 58.23 ng/ml



#15 Endosulfan II


R.T.: 6.811 min
Delta R.T.: 0.005 min
Response: 154109675
Conc: 49.73 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 5.915 min
Delta R.T.: -0.002 min
Response: 95566209
Conc: 55.85 ng/ml




#16 4,4'-DDD

R.T.: 6.725 min
Delta R.T.: 0.004 min
Response: 125429030
Conc: 48.95 ng/ml



#16 4,4'-DDD


R.T.: 5.768 min
Delta R.T.: -0.003 min
Response: 72125544
Conc: 51.61 ng/ml



#17 4,4'-DDT


R.T.: 7.040 min
Delta R.T.: 0.004 min
Response: 123949567
Conc: 47.39 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.020 min
Delta R.T.: -0.002 min
Response: 76100947
Conc: 53.86 ng/ml




#18 Endrin aldehyde

R.T.: 6.941 min
Delta R.T.: 0.004 min
Response: 108123214
Conc: 45.50 ng/ml



#18 Endrin aldehyde


R.T.: 6.095 min
Delta R.T.: -0.002 min
Response: 71637785
Conc: 53.07 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.176 min
Delta R.T.: 0.004 min
Response: 132608033
Conc: 46.73 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.318 min
Delta R.T.: -0.002 min
Response: 87809150
Conc: 54.84 ng/ml




#20 Methoxychlor

R.T.: 7.517 min
Delta R.T.: 0.005 min
Response: 65232976
Conc: 42.17 ng/ml



#20 Methoxychlor


R.T.: 6.594 min
Delta R.T.: -0.003 min
Response: 39105881
Conc: 50.51 ng/ml



#21 Endrin ketone


R.T.: 7.663 min
Delta R.T.: 0.004 min
Response: 150774107
Conc: 46.39 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.825 min
Delta R.T.: -0.002 min
Response: 102549144
Conc: 54.24 ng/ml




#22 Mirex

R.T.: 8.137 min
Delta R.T.: 0.004 min
Response: 119171425
Conc: 49.55 ng/ml



#22 Mirex


R.T.: 7.005 min
Delta R.T.: -0.002 min
Response: 82549553
Conc: 53.91 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.239 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#24 Chlordane-2

R.T.: 4.346 min
Delta R.T.: 0.013 min
Response: 151617
Conc: 2.38 ng/ml




#25 Chlordane-3

R.T.: 5.955 min
Delta R.T.: 0.004 min
Response: 180959502
Conc: 360.20 ng/ml



#25 Chlordane-3


R.T.: 4.961 min
Delta R.T.: -0.003 min
Response: 112548857
Conc: 573.64 ng/ml



#26 Chlordane-4


R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 181218676
Conc: 294.18 ng/ml

Instrument :
ECD_D
ClientSampleId :




#26 Chlordane-4

R.T.: 5.025 min
Delta R.T.: -0.002 min
Response: 114145922
Conc: 603.24 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.885 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 5.915 min
Delta R.T.: -0.008 min
Response: 95566209
Conc: 1485.38 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.087 min

Delta R.T.: 0.004 min

Response: 151870475

Conc: 49.86 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.897 min

Delta R.T.: -0.003 min

Response: 87417386

Conc: 50.66 ng/ml