

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD100323\
 Data File : PD078528.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Oct 2023 17:34
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 02 18:27:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD100323.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 02 18:24:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.757	286.7E6	203.8E6	99.500	99.362
28)	SA Decachlor...	9.077	7.893	351.5E6	219.4E6	97.680	97.863
Target Compounds							
2)	A alpha-BHC	3.996	3.258	510.8E6	317.8E6	101.410	100.945
3)	MA gamma-BHC...	4.330	3.588	487.9E6	305.1E6	101.029	100.375
4)	MA Heptachlor	4.920	3.926	487.8E6	303.0E6	100.394	99.569
5)	MB Aldrin	5.262	4.206	502.3E6	306.5E6	100.549	99.773
6)	B beta-BHC	4.527	3.885	177.8E6	114.4E6	98.288	98.533
7)	B delta-BHC	4.775	4.115	478.5E6	300.9E6	101.136	100.427
8)	B Heptachlo...	5.690	4.708	427.1E6	272.7E6	99.729	98.838
9)	A Endosulfan I	6.077	5.078	394.7E6	255.5E6	99.534	99.263
10)	B gamma-Chl...	5.947	4.958	431.9E6	274.6E6	100.187	99.289
11)	B alpha-Chl...	6.026	5.022	427.0E6	271.7E6	99.724	99.051
12)	B 4,4'-DDE	6.199	5.210	411.4E6	259.5E6	100.207	99.378
13)	MA Dieldrin	6.353	5.342	433.8E6	287.1E6	100.226	99.539
14)	MA Endrin	6.583	5.618	344.9E6	253.2E6	99.821	99.388
15)	B Endosulfa...	6.803	5.912	352.2E6	240.2E6	99.307	98.965
16)	A 4,4'-DDD	6.717	5.765	309.3E6	206.1E6	100.510	99.937
17)	MA 4,4'-DDT	7.032	6.016	315.5E6	220.3E6	100.649	100.579
18)	B Endrin al...	6.934	6.092	261.5E6	183.0E6	98.580	98.635
19)	B Endosulfa...	7.169	6.314	318.9E6	222.8E6	99.109	98.960
20)	A Methoxychlor	7.509	6.591	164.8E6	109.2E6	98.127	98.243
21)	B Endrin ke...	7.655	6.820	365.9E6	265.3E6	99.887	99.024
22)	Mirex	8.129	7.001	255.0E6	196.2E6	97.522	97.266



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD100323\
Data File : PD078528.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2023 17:34
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 02 18:27:31 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD100323.M
Quant Title : GC Extractables
QLast Update : Mon Oct 02 18:24:05 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 286726623
Conc: 99.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.757 min
Delta R.T.: 0.000 min
Response: 203848139
Conc: 99.36 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 510811100
Conc: 101.41 ng/ml



#2 alpha-BHC


R.T.: 3.258 min
Delta R.T.: 0.000 min
Response: 317837066
Conc: 100.95 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 487901687
Conc: 101.03 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.588 min
Delta R.T.: 0.000 min
Response: 305092922
Conc: 100.37 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 487751476
Conc: 100.39 ng/ml



#4 Heptachlor


R.T.: 3.926 min
Delta R.T.: 0.000 min
Response: 303005453
Conc: 99.57 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 502322522
Conc: 100.55 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.206 min
Delta R.T.: 0.000 min
Response: 306516098
Conc: 99.77 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.000 min
Response: 177833253
Conc: 98.29 ng/ml



#6 beta-BHC


R.T.: 3.885 min
Delta R.T.: 0.000 min
Response: 114407597
Conc: 98.53 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 478537803
Conc: 101.14 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 4.115 min
Delta R.T.: 0.000 min
Response: 300946990
Conc: 100.43 ng/ml




#8 Heptachlor epoxide

R.T.: 5.690 min
Delta R.T.: 0.000 min
Response: 427090697
Conc: 99.73 ng/ml



#8 Heptachlor epoxide


R.T.: 4.708 min
Delta R.T.: 0.000 min
Response: 272673632
Conc: 98.84 ng/ml



#9 Endosulfan I


R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 394737037
Conc: 99.53 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 5.078 min
Delta R.T.: 0.000 min
Response: 255457457
Conc: 99.26 ng/ml




#10 gamma-Chlordane

R.T.: 5.947 min
Delta R.T.: 0.000 min
Response: 431946282
Conc: 100.19 ng/ml



#10 gamma-Chlordane


R.T.: 4.958 min
Delta R.T.: 0.000 min
Response: 274571528
Conc: 99.29 ng/ml



#11 alpha-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 427041069
Conc: 99.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 271657319
Conc: 99.05 ng/ml




#12 4,4'-DDE

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 411445041
Conc: 100.21 ng/ml



#12 4,4'-DDE


R.T.: 5.210 min
Delta R.T.: 0.000 min
Response: 259469345
Conc: 99.38 ng/ml



#13 Dieldrin


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 433810610
Conc: 100.23 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.342 min
Delta R.T.: 0.000 min
Response: 287136667
Conc: 99.54 ng/ml




#14 Endrin

R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 344934615
Conc: 99.82 ng/ml



#14 Endrin


R.T.: 5.618 min
Delta R.T.: 0.000 min
Response: 253186211
Conc: 99.39 ng/ml



#15 Endosulfan II


R.T.: 6.803 min
Delta R.T.: 0.000 min
Response: 352191607
Conc: 99.31 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.912 min
Delta R.T.: 0.000 min
Response: 240185086
Conc: 98.97 ng/ml




#16 4,4'-DDD

R.T.: 6.717 min
Delta R.T.: 0.000 min
Response: 309259956
Conc: 100.51 ng/ml



#16 4,4'-DDD


R.T.: 5.765 min
Delta R.T.: 0.000 min
Response: 206133593
Conc: 99.94 ng/ml



#17 4,4'-DDT


R.T.: 7.032 min
Delta R.T.: 0.000 min
Response: 315511608
Conc: 100.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 6.016 min
Delta R.T.: 0.000 min
Response: 220310473
Conc: 100.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.934 min
Delta R.T.: 0.000 min
Response: 261466476
Conc: 98.58 ng/ml



#18 Endrin aldehyde


R.T.: 6.092 min
Delta R.T.: 0.000 min
Response: 182996786
Conc: 98.64 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.169 min
Delta R.T.: 0.000 min
Response: 318933376
Conc: 99.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.314 min
Delta R.T.: 0.000 min
Response: 222783602
Conc: 98.96 ng/ml




#20 Methoxychlor

R.T.: 7.509 min
Delta R.T.: 0.000 min
Response: 164830688
Conc: 98.13 ng/ml



#20 Methoxychlor


R.T.: 6.591 min
Delta R.T.: 0.000 min
Response: 109223391
Conc: 98.24 ng/ml



#21 Endrin ketone


R.T.: 7.655 min
Delta R.T.: 0.000 min
Response: 365892278
Conc: 99.89 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.820 min
Delta R.T.: 0.000 min
Response: 265281852
Conc: 99.02 ng/ml




#22 Mirex

R.T.: 8.129 min
Delta R.T.: 0.000 min
Response: 255028377
Conc: 97.52 ng/ml



#22 Mirex


R.T.: 7.001 min
Delta R.T.: 0.000 min
Response: 196195736
Conc: 97.27 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.077 min
Delta R.T.: 0.000 min
Response: 351459442
Conc: 97.68 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.893 min
Delta R.T.: 0.000 min
Response: 219403006
Conc: 97.86 ng/ml