

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD100323\
 Data File : PD078531.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Oct 2023 18:14
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 02 18:35:40 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD100323.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 02 18:24:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.757	70492049	49673554	24.762	24.562
28)	SA Decachlor...	9.078	7.892	92241793	55379072	25.674	24.930
Target Compounds							
2)	A alpha-BHC	3.996	3.258	113.7E6	71189425	23.275	23.315
3)	MA gamma-BHC...	4.330	3.587	110.6E6	69637542	23.540	23.552
4)	MA Heptachlor	4.920	3.926	112.4E6	70767818	23.731	23.818
5)	MB Aldrin	5.262	4.205	115.5E6	70901566	23.720	23.675
6)	B beta-BHC	4.527	3.885	45383962	28281394	25.255	24.700
7)	B delta-BHC	4.775	4.114	106.6E6	67953826	23.268	23.366
8)	B Heptachlo...	5.689	4.707	101.4E6	65169423	24.149	24.107
9)	A Endosulfan I	6.076	5.077	94259080	60834317	24.239	24.112
10)	B gamma-Chl...	5.947	4.957	100.5E6	64448021	23.876	23.865
11)	B alpha-Chl...	6.025	5.022	101.4E6	64773064	24.163	24.094
12)	B 4,4'-DDE	6.198	5.210	95983648	60928128	23.934	23.876
13)	MA Dieldrin	6.352	5.342	100.2E6	66703968	23.755	23.704
14)	MA Endrin	6.583	5.618	82074330	59144491	24.203	23.793
15)	B Endosulfa...	6.803	5.911	86365025	57341588	24.698	24.110
16)	A 4,4'-DDD	6.717	5.764	71604782	47107961	23.838	23.495
17)	MA 4,4'-DDT	7.031	6.016	71013307	48212146	23.337	22.791
18)	B Endrin al...	6.933	6.091	65891753	45026906	25.139	24.698
19)	B Endosulfa...	7.168	6.314	78217097	53791137	24.666	24.320
20)	A Methoxychlor	7.508	6.591	41420640	26724434	24.946	24.395
21)	B Endrin ke...	7.655	6.820	87180848	63145093	24.270	24.064
22)	Mirex	8.129	7.001	66161439	50401192	25.452	25.175



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD100323\
Data File : PD078531.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Oct 2023 18:14
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 02 18:35:40 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD100323.M
Quant Title : GC Extractables
QLast Update : Mon Oct 02 18:24:05 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 70492049
Conc: 24.76 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.757 min
Delta R.T.: 0.000 min
Response: 49673554
Conc: 24.56 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 113709218
Conc: 23.27 ng/ml



#2 alpha-BHC


R.T.: 3.258 min
Delta R.T.: 0.000 min
Response: 71189425
Conc: 23.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 110567406
Conc: 23.54 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.587 min
Delta R.T.: 0.000 min
Response: 69637542
Conc: 23.55 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 112439474
Conc: 23.73 ng/ml



#4 Heptachlor


R.T.: 3.926 min
Delta R.T.: 0.000 min
Response: 70767818
Conc: 23.82 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 115462245
Conc: 23.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.205 min
Delta R.T.: 0.000 min
Response: 70901566
Conc: 23.67 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.000 min
Response: 45383962
Conc: 25.25 ng/ml



#6 beta-BHC


R.T.: 3.885 min
Delta R.T.: 0.000 min
Response: 28281394
Conc: 24.70 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 106636386
Conc: 23.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.114 min
Delta R.T.: 0.000 min
Response: 67953826
Conc: 23.37 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.000 min
Response: 101365497
Conc: 24.15 ng/ml



#8 Heptachlor epoxide


R.T.: 4.707 min
Delta R.T.: 0.000 min
Response: 65169423
Conc: 24.11 ng/ml



#9 Endosulfan I


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 94259080
Conc: 24.24 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.077 min
Delta R.T.: 0.000 min
Response: 60834317
Conc: 24.11 ng/ml




#10 gamma-Chlordane

R.T.: 5.947 min
Delta R.T.: 0.000 min
Response: 100465938
Conc: 23.88 ng/ml



#10 gamma-Chlordane


R.T.: 4.957 min
Delta R.T.: 0.000 min
Response: 64448021
Conc: 23.86 ng/ml



#11 alpha-Chlordane


R.T.: 6.025 min
Delta R.T.: 0.000 min
Response: 101382344
Conc: 24.16 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 64773064
Conc: 24.09 ng/ml




#12 4,4'-DDE

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 95983648
Conc: 23.93 ng/ml



#12 4,4'-DDE


R.T.: 5.210 min
Delta R.T.: 0.000 min
Response: 60928128
Conc: 23.88 ng/ml



#13 Dieldrin


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 100218573
Conc: 23.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.342 min
Delta R.T.: 0.000 min
Response: 66703968
Conc: 23.70 ng/ml




#14 Endrin

R.T.: 6.583 min
Delta R.T.: 0.000 min
Response: 82074330
Conc: 24.20 ng/ml



#14 Endrin


R.T.: 5.618 min
Delta R.T.: 0.000 min
Response: 59144491
Conc: 23.79 ng/ml



#15 Endosulfan II


R.T.: 6.803 min
Delta R.T.: 0.000 min
Response: 86365025
Conc: 24.70 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.911 min
Delta R.T.: 0.000 min
Response: 57341588
Conc: 24.11 ng/ml




#16 4,4'-DDD

R.T.: 6.717 min
Delta R.T.: 0.000 min
Response: 71604782
Conc: 23.84 ng/ml



#16 4,4'-DDD


R.T.: 5.764 min
Delta R.T.: 0.000 min
Response: 47107961
Conc: 23.50 ng/ml



#17 4,4'-DDT


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 71013307
Conc: 23.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 6.016 min
Delta R.T.: 0.000 min
Response: 48212146
Conc: 22.79 ng/ml




#18 Endrin aldehyde

R.T.: 6.933 min
Delta R.T.: 0.000 min
Response: 65891753
Conc: 25.14 ng/ml



#18 Endrin aldehyde


R.T.: 6.091 min
Delta R.T.: 0.000 min
Response: 45026906
Conc: 24.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.168 min
Delta R.T.: 0.000 min
Response: 78217097
Conc: 24.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.314 min
Delta R.T.: 0.000 min
Response: 53791137
Conc: 24.32 ng/ml




#20 Methoxychlor

R.T.: 7.508 min
Delta R.T.: 0.000 min
Response: 41420640
Conc: 24.95 ng/ml



#20 Methoxychlor


R.T.: 6.591 min
Delta R.T.: 0.000 min
Response: 26724434
Conc: 24.39 ng/ml



#21 Endrin ketone


R.T.: 7.655 min
Delta R.T.: 0.000 min
Response: 87180848
Conc: 24.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.820 min
Delta R.T.: 0.000 min
Response: 63145093
Conc: 24.06 ng/ml




#22 Mirex

R.T.: 8.129 min
Delta R.T.: 0.000 min
Response: 66161439
Conc: 25.45 ng/ml



#22 Mirex


R.T.: 7.001 min
Delta R.T.: 0.000 min
Response: 50401192
Conc: 25.18 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.078 min
Delta R.T.: 0.000 min
Response: 92241793
Conc: 25.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.892 min
Delta R.T.: 0.000 min
Response: 55379072
Conc: 24.93 ng/ml