

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD101121\
 Data File : PD066154.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Oct 2021 09:45
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PEM

Manual Integrations
 APPROVED

mohammad
 10/13/2021 1:19:11 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 12 01:37:37 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092221.M
 Quant Title : GC Extractables
 QLast Update : Thu Sep 23 12:18:33 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.491	4.010	17089224	127.4E6	23.076	22.186
28)	SA Decachlor...	8.231	9.081	26479498	96673506	19.385	24.979 #
Target Compounds							
2)	A alpha-BHC	3.930	4.405	11789842	89822086	10.498	10.683
3)	MA gamma-BHC...	4.213	4.691	11831420	86265966	10.551	11.166
6)	B beta-BHC	4.463	4.868	9855099	42616922	17.263	11.531 #
12)	B 4,4'-DDE	5.645	6.353	161967	1230329	0.149	0.213 #
14)	MA Endrin	6.039	6.725	56251527	277.5E6	53.160	56.280
17)	MA 4,4'-DDT	6.401	7.145	113.2E6	528.3E6	102.836	104.575
20)	A Methoxychlor	6.947	7.605	161.1E6	662.5E6	235.735	251.729
21)	B Endrin ke...	7.183	7.758	723464	4405537	0.514m	0.773 #

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD101121\
Data File : PD066154.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Oct 2021 09:45
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampled :
PEM


Manual Integrations
APPROVED

mohammad
10/13/2021 1:19:11 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 12 01:37:37 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD092221.M
Quant Title : GC Extractables
QLast Update : Thu Sep 23 12:18:33 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene

R.T.: 3.491 min
Delta R.T.: -0.002 min
Response: 17089224
Conc: 23.08 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

mohammad
10/13/2021 1:19:11 PM




#1 Tetrachloro-m-xylene

R.T.: 4.010 min
Delta R.T.: -0.002 min
Response: 127393041
Conc: 22.19 ng/ml




#2 alpha-BHC

R.T.: 3.930 min
Delta R.T.: -0.002 min
Response: 11789842
Conc: 10.50 ng/ml



#2 alpha-BHC

R.T.: 4.405 min
Delta R.T.: -0.002 min
Response: 89822086
Conc: 10.68 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.213 min
Delta R.T.: -0.002 min
Response: 11831420
Conc: 10.55 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

mohammad
10/13/2021 1:19:11 PM




#3 gamma-BHC (Lindane)

R.T.: 4.691 min
Delta R.T.: -0.002 min
Response: 86265966
Conc: 11.17 ng/ml




#6 beta-BHC

R.T.: 4.463 min
Delta R.T.: -0.001 min
Response: 9855099
Conc: 17.26 ng/ml



#6 beta-BHC

R.T.: 4.868 min
Delta R.T.: -0.002 min
Response: 42616922
Conc: 11.53 ng/ml




#12 4,4'-DDE

R.T.: 5.645 min
Delta R.T.: -0.003 min
Response: 161967
Conc: 0.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

mohammad
10/13/2021 1:19:11 PM




#12 4,4'-DDE

R.T.: 6.353 min
Delta R.T.: -0.003 min
Response: 1230329
Conc: 0.21 ng/ml




#14 Endrin

R.T.: 6.039 min
Delta R.T.: -0.003 min
Response: 56251527
Conc: 53.16 ng/ml



#14 Endrin

R.T.: 6.725 min
Delta R.T.: -0.002 min
Response: 277462727
Conc: 56.28 ng/ml




#17 4,4'-DDT

R.T.: 6.401 min
Delta R.T.: -0.002 min
Response: 113191898
Conc: 102.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

mohammad
10/13/2021 1:19:11 PM




#17 4,4'-DDT

R.T.: 7.145 min
Delta R.T.: -0.002 min
Response: 528250538
Conc: 104.58 ng/ml




#20 Methoxychlor

R.T.: 6.947 min
Delta R.T.: -0.003 min
Response: 161091627
Conc: 235.73 ng/ml



#20 Methoxychlor

R.T.: 7.605 min
Delta R.T.: -0.002 min
Response: 662455234
Conc: 251.73 ng/ml




#21 Endrin ketone

R.T.: 7.183 min
Delta R.T.: -0.006 min
Response: 723464
Conc: 0.51 ng/ml m

Instrument :
ECD_D
ClientSampleId :
PEM


Manual Integrations
APPROVED

mohammad
10/13/2021 1:19:11 PM




#21 Endrin ketone

R.T.: 7.758 min
Delta R.T.: -0.003 min
Response: 4405537
Conc: 0.77 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.231 min
Delta R.T.: -0.003 min
Response: 26479498
Conc: 19.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.081 min
Delta R.T.: -0.004 min
Response: 96673506
Conc: 24.98 ng/ml