

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD101525\
 Data File : PD090608.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Oct 2025 16:33
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 16 08:14:07 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 19 05:52:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.875	136.4E6	1217.6E6	41.967	44.358
28)	SA Decachlor...	9.067	8.062	258.1E6	1515.1E6	53.484	46.741
Target Compounds							
2)	A alpha-BHC	3.995	3.387	401.1E6	2553.5E6	57.428	58.321
3)	MA gamma-BHC...	4.326	3.723	378.8E6	2355.1E6	57.244	57.815
4)	MA Heptachlor	4.924	4.075	322.4E6	2197.8E6	48.752	53.977
5)	MB Aldrin	5.265	4.361	360.3E6	2309.9E6	56.740	57.843
6)	B beta-BHC	4.513	4.019	141.2E6	982.4E6	54.739	56.673
7)	B delta-BHC	4.761	4.255	93114494	2376.9E6	14.420	57.560 #
8)	B Heptachlo...	5.685	4.864	315.4E6	2092.7E6	55.188	56.765
9)	A Endosulfan I	6.069	5.238	293.6E6	1865.2E6	54.348	53.900
10)	B gamma-Chl...	5.941	5.117	314.8E6	2232.7E6	55.109	56.830
11)	B alpha-Chl...	6.022	5.181	321.7E6	2134.0E6	55.844	56.657
12)	B 4,4'-DDE	6.191	5.366	291.8E6	2173.7E6	56.032	56.786
13)	MA Dieldrin	6.342	5.504	316.6E6	2178.4E6	54.915	55.935
14)	MA Endrin	6.569	5.781	271.0E6	2004.9E6	55.366	55.954
15)	B Endosulfa...	6.782	6.071	270.5E6	1810.3E6	55.454	53.638
16)	A 4,4'-DDD	6.701	5.921	228.7E6	1763.3E6	55.818	54.376
17)	MA 4,4'-DDT	7.017	6.174	223.2E6	1702.1E6	50.137	49.509
18)	B Endrin al...	6.911	6.250	192.3E6	1299.9E6	56.045	55.203
19)	B Endosulfa...	7.146	6.474	237.3E6	1673.6E6	51.584	51.196
20)	A Methoxychlor	7.490	6.745	108.2E6	803.5E6	45.920	46.176
21)	B Endrin ke...	7.627	6.983	249.4E6	1738.8E6	50.401	48.162
22)	Mirex	8.109	7.176	169.1E6	1262.9E6	45.646	45.747
23)	Chlordane-1	0.000	3.888	0	1440644	N.D.	1.197 #
24)	Chlordane-2	5.265f	4.499	360.3E6	54417890	1678.940	43.518 #
25)	Chlordane-3	5.941	5.117	314.8E6	2232.7E6	376.075	589.003 #
26)	Chlordane-4	6.022	5.181	321.7E6	2134.0E6	315.235	655.403 #
27)	Chlordane-5	6.863	6.071	2603504	1810.3E6	14.624	1192.876 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD101525\
Data File : PD090608.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Oct 2025 16:33
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 16 08:14:07 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
Quant Title : GC Extractables
QLast Update : Fri Sep 19 05:52:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 136412407
Conc: 41.97 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.875 min
Delta R.T.: 0.000 min
Response: 1217622202
Conc: 44.36 ng/ml




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: 0.000 min
Response: 401105758
Conc: 57.43 ng/ml



#2 alpha-BHC


R.T.: 3.387 min
Delta R.T.: -0.001 min
Response: 2553472493
Conc: 58.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 378779376
Conc: 57.24 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.723 min
Delta R.T.: 0.000 min
Response: 2355109847
Conc: 57.81 ng/ml




#4 Heptachlor

R.T.: 4.924 min
Delta R.T.: -0.001 min
Response: 322374320
Conc: 48.75 ng/ml



#4 Heptachlor


R.T.: 4.075 min
Delta R.T.: -0.001 min
Response: 2197753001
Conc: 53.98 ng/ml



#5 Aldrin


R.T.: 5.265 min
Delta R.T.: -0.001 min
Response: 360293156
Conc: 56.74 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.361 min
Delta R.T.: -0.002 min
Response: 2309938565
Conc: 57.84 ng/ml




#6 beta-BHC

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 141223203
Conc: 54.74 ng/ml



#6 beta-BHC


R.T.: 4.019 min
Delta R.T.: -0.001 min
Response: 982447555
Conc: 56.67 ng/ml



#7 delta-BHC


R.T.: 4.761 min
Delta R.T.: 0.000 min
Response: 93114494
Conc: 14.42 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.255 min
Delta R.T.: -0.001 min
Response: 2376911257
Conc: 57.56 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: 0.000 min
Response: 315397522
Conc: 55.19 ng/ml



#8 Heptachlor epoxide


R.T.: 4.864 min
Delta R.T.: -0.002 min
Response: 2092650908
Conc: 56.77 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 293556594
Conc: 54.35 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.238 min
Delta R.T.: -0.002 min
Response: 1865234125
Conc: 53.90 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 314779535
Conc: 55.11 ng/ml



#10 gamma-Chlordane


R.T.: 5.117 min
Delta R.T.: -0.002 min
Response: 2232657006
Conc: 56.83 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 321710012
Conc: 55.84 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.181 min
Delta R.T.: -0.002 min
Response: 2134018840
Conc: 56.66 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: 0.000 min
Response: 291788184
Conc: 56.03 ng/ml



#12 4,4'-DDE


R.T.: 5.366 min
Delta R.T.: -0.001 min
Response: 2173723669
Conc: 56.79 ng/ml



#13 Dieldrin


R.T.: 6.342 min
Delta R.T.: 0.000 min
Response: 316569060
Conc: 54.92 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.504 min
Delta R.T.: -0.002 min
Response: 2178443134
Conc: 55.94 ng/ml




#14 Endrin

R.T.: 6.569 min
Delta R.T.: 0.000 min
Response: 270958404
Conc: 55.37 ng/ml



#14 Endrin


R.T.: 5.781 min
Delta R.T.: -0.001 min
Response: 2004944264
Conc: 55.95 ng/ml



#15 Endosulfan II


R.T.: 6.782 min
Delta R.T.: 0.000 min
Response: 270495398
Conc: 55.45 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.071 min
Delta R.T.: -0.002 min
Response: 1810320614
Conc: 53.64 ng/ml




#16 4,4'-DDD

R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 228733634
Conc: 55.82 ng/ml



#16 4,4'-DDD


R.T.: 5.921 min
Delta R.T.: -0.002 min
Response: 1763295863
Conc: 54.38 ng/ml



#17 4,4'-DDT


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 223234785
Conc: 50.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.174 min
Delta R.T.: -0.001 min
Response: 1702071716
Conc: 49.51 ng/ml




#18 Endrin aldehyde

R.T.: 6.911 min
Delta R.T.: 0.000 min
Response: 192266342
Conc: 56.04 ng/ml



#18 Endrin aldehyde


R.T.: 6.250 min
Delta R.T.: -0.002 min
Response: 1299853074
Conc: 55.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.146 min
Delta R.T.: 0.000 min
Response: 237306632
Conc: 51.58 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.474 min
Delta R.T.: -0.001 min
Response: 1673619420
Conc: 51.20 ng/ml




#20 Methoxychlor

R.T.: 7.490 min
Delta R.T.: 0.000 min
Response: 108211390
Conc: 45.92 ng/ml



#20 Methoxychlor


R.T.: 6.745 min
Delta R.T.: 0.000 min
Response: 803488271
Conc: 46.18 ng/ml



#21 Endrin ketone


R.T.: 7.627 min
Delta R.T.: 0.000 min
Response: 249352669
Conc: 50.40 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.983 min
Delta R.T.: -0.002 min
Response: 1738780833
Conc: 48.16 ng/ml




#22 Mirex

R.T.: 8.109 min
Delta R.T.: 0.000 min
Response: 169111696
Conc: 45.65 ng/ml



#22 Mirex


R.T.: 7.176 min
Delta R.T.: -0.002 min
Response: 1262889667
Conc: 45.75 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 3.888 min
Delta R.T.: -0.011 min
Response: 1440644
Conc: 1.20 ng/ml




#24 Chlordane-2

R.T.: 5.265 min
Delta R.T.: 0.028 min
Response: 360293156
Conc: 1678.94 ng/ml



#24 Chlordane-2


R.T.: 4.499 min
Delta R.T.: 0.018 min
Response: 54417890
Conc: 43.52 ng/ml



#25 Chlordane-3


R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 314779535
Conc: 376.07 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 5.117 min
Delta R.T.: -0.003 min
Response: 2232657006
Conc: 589.00 ng/ml




#26 Chlordane-4

R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 321710012
Conc: 315.23 ng/ml



#26 Chlordane-4


R.T.: 5.181 min
Delta R.T.: -0.003 min
Response: 2134018840
Conc: 655.40 ng/ml



#27 Chlordane-5


R.T.: 6.863 min
Delta R.T.: -0.003 min
Response: 2603504
Conc: 14.62 ng/ml

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 6.071 min
Delta R.T.: -0.012 min
Response: 1810320614
Conc: 1192.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.067 min
Delta R.T.: 0.000 min
Response: 258062111
Conc: 53.48 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.062 min
Delta R.T.: -0.002 min
Response: 1515081174
Conc: 46.74 ng/ml