

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD101625\
 Data File : PD090626.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Oct 2025 11:15
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 17 04:58:48 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091825.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 19 05:52:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.875	161.8E6	1476.7E6	49.790	53.796
2)	SA Decachlor...	9.066	8.061	235.5E6	1475.4E6	48.800	45.518
Target Compounds							
2)	A alpha-BHC	3.995	3.387	375.1E6	2472.6E6	53.698	56.474
3)	MA gamma-BHC...	4.326	3.723	353.7E6	2272.2E6	53.457	55.780
4)	MA Heptachlor	4.924	4.075	295.3E6	2120.0E6	44.651	52.067
5)	MB Aldrin	5.265	4.360	336.7E6	2223.9E6	53.023	55.688
6)	B beta-BHC	4.513	4.019	134.1E6	954.8E6	51.975	55.079
7)	B delta-BHC	4.761	4.255	37581206	2298.4E6	5.820	55.659 #
8)	B Heptachlo...	5.685	4.864	301.3E6	2013.9E6	52.716	54.628
9)	A Endosulfan I	6.069	5.238	280.3E6	1846.8E6	51.887	53.368
10)	B gamma-Chl...	5.941	5.116	299.2E6	2158.5E6	52.387	54.943
11)	B alpha-Chl...	6.021	5.181	314.1E6	2065.3E6	54.522	54.832
12)	B 4,4'-DDE	6.191	5.366	275.3E6	2099.9E6	52.864	54.858
13)	MA Dieldrin	6.341	5.504	301.1E6	2115.6E6	52.240	54.323
14)	MA Endrin	6.569	5.780	255.2E6	1954.0E6	52.156	54.532
15)	B Endosulfa...	6.781	6.072	253.5E6	1802.9E6	51.964	53.419
16)	A 4,4'-DDD	6.700	5.920	214.2E6	1740.6E6	52.261	53.677
17)	MA 4,4'-DDT	7.016	6.174	206.1E6	1679.8E6	46.285	48.862
18)	B Endrin al...	6.910	6.250	183.4E6	1295.7E6	53.468	55.026
19)	B Endosulfa...	7.145	6.473	231.6E6	1689.3E6	50.343	51.674
20)	A Methoxychlor	7.489	6.745	101.7E6	805.3E6	43.176	46.280
21)	B Endrin ke...	7.626	6.982	248.6E6	1821.0E6	50.245	50.440
22)	Mirex	8.108	7.175	176.0E6	1341.0E6	47.501	48.576
23)	Chlordane-1	0.000	3.889	0	1416956	N.D.	1.177 #
24)	Chlordane-2	5.265f	4.492	336.7E6	14837380	1568.973	11.865 #
25)	Chlordane-3	5.941	5.116	299.2E6	2158.5E6	357.499	569.443 #
26)	Chlordane-4	6.021	5.181	314.1E6	2065.3E6	307.768	634.286 #
27)	Chlordane-5	6.859	6.072	1285113	1802.9E6	7.218	1187.998 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 161838913
Conc: 49.79 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.875 min
Delta R.T.: -0.001 min
Response: 1476699380
Conc: 53.80 ng/ml




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: 0.000 min
Response: 375053174
Conc: 53.70 ng/ml



#2 alpha-BHC


R.T.: 3.387 min
Delta R.T.: -0.001 min
Response: 2472584667
Conc: 56.47 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 353718519
Conc: 53.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.723 min
Delta R.T.: -0.001 min
Response: 2272243513
Conc: 55.78 ng/ml




#4 Heptachlor

R.T.: 4.924 min
Delta R.T.: -0.001 min
Response: 295257253
Conc: 44.65 ng/ml



#4 Heptachlor


R.T.: 4.075 min
Delta R.T.: -0.002 min
Response: 2119982877
Conc: 52.07 ng/ml



#5 Aldrin


R.T.: 5.265 min
Delta R.T.: -0.001 min
Response: 336694725
Conc: 53.02 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.360 min
Delta R.T.: -0.002 min
Response: 2223899523
Conc: 55.69 ng/ml




#6 beta-BHC

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 134091653
Conc: 51.98 ng/ml



#6 beta-BHC


R.T.: 4.019 min
Delta R.T.: 0.000 min
Response: 954813634
Conc: 55.08 ng/ml



#7 delta-BHC


R.T.: 4.761 min
Delta R.T.: 0.000 min
Response: 37581206
Conc: 5.82 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.255 min
Delta R.T.: -0.001 min
Response: 2298435285
Conc: 55.66 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: -0.002 min
Response: 301265230
Conc: 52.72 ng/ml



#8 Heptachlor epoxide


R.T.: 4.864 min
Delta R.T.: -0.002 min
Response: 2013850484
Conc: 54.63 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 280264583
Conc: 51.89 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.238 min
Delta R.T.: -0.002 min
Response: 1846807545
Conc: 53.37 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: -0.001 min
Response: 299231100
Conc: 52.39 ng/ml



#10 gamma-Chlordane


R.T.: 5.116 min
Delta R.T.: -0.002 min
Response: 2158516387
Conc: 54.94 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: -0.001 min
Response: 314089820
Conc: 54.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.181 min
Delta R.T.: -0.001 min
Response: 2065261446
Conc: 54.83 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.001 min
Response: 275288185
Conc: 52.86 ng/ml



#12 4,4'-DDE


R.T.: 5.366 min
Delta R.T.: -0.002 min
Response: 2099904040
Conc: 54.86 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: -0.001 min
Response: 301145599
Conc: 52.24 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.504 min
Delta R.T.: -0.002 min
Response: 2115643341
Conc: 54.32 ng/ml




#14 Endrin

R.T.: 6.569 min
Delta R.T.: 0.000 min
Response: 255249149
Conc: 52.16 ng/ml



#14 Endrin


R.T.: 5.780 min
Delta R.T.: -0.002 min
Response: 1954003136
Conc: 54.53 ng/ml



#15 Endosulfan II


R.T.: 6.781 min
Delta R.T.: 0.000 min
Response: 253471792
Conc: 51.96 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.072 min
Delta R.T.: -0.001 min
Response: 1802916776
Conc: 53.42 ng/ml




#16 4,4'-DDD

R.T.: 6.700 min
Delta R.T.: 0.000 min
Response: 214154835
Conc: 52.26 ng/ml



#16 4,4'-DDD


R.T.: 5.920 min
Delta R.T.: -0.002 min
Response: 1740619262
Conc: 53.68 ng/ml



#17 4,4'-DDT


R.T.: 7.016 min
Delta R.T.: 0.000 min
Response: 206082496
Conc: 46.29 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.174 min
Delta R.T.: -0.002 min
Response: 1679831745
Conc: 48.86 ng/ml




#18 Endrin aldehyde

R.T.: 6.910 min
Delta R.T.: -0.001 min
Response: 183425990
Conc: 53.47 ng/ml



#18 Endrin aldehyde


R.T.: 6.250 min
Delta R.T.: -0.001 min
Response: 1295682868
Conc: 55.03 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.145 min
Delta R.T.: 0.000 min
Response: 231594871
Conc: 50.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.473 min
Delta R.T.: -0.002 min
Response: 1689252517
Conc: 51.67 ng/ml




#20 Methoxychlor

R.T.: 7.489 min
Delta R.T.: 0.000 min
Response: 101744832
Conc: 43.18 ng/ml



#20 Methoxychlor


R.T.: 6.745 min
Delta R.T.: -0.001 min
Response: 805288700
Conc: 46.28 ng/ml



#21 Endrin ketone


R.T.: 7.626 min
Delta R.T.: 0.000 min
Response: 248581498
Conc: 50.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.982 min
Delta R.T.: -0.002 min
Response: 1821032307
Conc: 50.44 ng/ml




#22 Mirex

R.T.: 8.108 min
Delta R.T.: -0.001 min
Response: 175982602
Conc: 47.50 ng/ml



#22 Mirex


R.T.: 7.175 min
Delta R.T.: -0.002 min
Response: 1340988503
Conc: 48.58 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.889 min
Delta R.T.: -0.011 min
Response: 1416956
Conc: 1.18 ng/ml




#24 Chlordane-2

R.T.: 5.265 min
Delta R.T.: 0.028 min
Response: 336694725
Conc: 1568.97 ng/ml



#24 Chlordane-2


R.T.: 4.492 min
Delta R.T.: 0.011 min
Response: 14837380
Conc: 11.87 ng/ml



#25 Chlordane-3


R.T.: 5.941 min
Delta R.T.: -0.001 min
Response: 299231100
Conc: 357.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.116 min
Delta R.T.: -0.003 min
Response: 2158516387
Conc: 569.44 ng/ml




#26 Chlordane-4

R.T.: 6.021 min
Delta R.T.: -0.006 min
Response: 314089820
Conc: 307.77 ng/ml



#26 Chlordane-4


R.T.: 5.181 min
Delta R.T.: -0.002 min
Response: 2065261446
Conc: 634.29 ng/ml



#27 Chlordane-5


R.T.: 6.859 min
Delta R.T.: -0.008 min
Response: 1285113
Conc: 7.22 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.072 min
Delta R.T.: -0.011 min
Response: 1802916776
Conc: 1188.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.066 min
Delta R.T.: -0.001 min
Response: 235460825
Conc: 48.80 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.061 min
Delta R.T.: -0.002 min
Response: 1475441900
Conc: 45.52 ng/ml