

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD111022\
 Data File : PD072921.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Nov 2022 15:58
 Operator : AR\AJ
 Sample : N5431-05
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 DISSOLVED-20221170-COMP-05-MODIFIED-ELUTRIATE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 10 20:49:36 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD102822.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 28 15:29:46 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	2.701	3.461	21561119	448.9E6	10.513	13.003
28)	SA Decachlor...	7.830	8.914	18551466	110.4E6	9.649	11.520

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD111022\
Data File : PD072921.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Nov 2022 15:58
Operator : AR\AJ
Sample : N5431-05
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DISSOLVED-20221170-COMP-05-MODIFIED-ELUTRIATE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 10 20:49:36 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD102822.M
Quant Title : GC Extractables
QLast Update : Fri Oct 28 15:29:46 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm





#1 Tetrachloro-m-xylene


R.T.: 2.701 min
Delta R.T.: -0.003 min
Response: 21561119
Conc: 10.51 ng/ml

Instrument :

ECD_D


ClientSampleId :

DISSOLVED-20221170-COMP-05-MODIFIED-ELUTRIATE




#1 Tetrachloro-m-xylene

R.T.: 3.461 min
Delta R.T.: -0.003 min
Response: 448855372
Conc: 13.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.830 min
Delta R.T.: -0.005 min
Response: 18551466
Conc: 9.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.914 min
Delta R.T.: -0.005 min
Response: 110387877
Conc: 11.52 ng/ml