

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD111525\
 Data File : PD091211.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Nov 2025 00:21
 Operator : AR\AJ
 Sample : PSTDICV050
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 ICVPD111525

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 15 04:49:12 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD111525.M
 Quant Title : GC Extractables
 QLast Update : Sat Nov 15 04:46:13 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.874	162.5E6	1718.4E6	47.132	46.911
28)	SA Decachlor...	9.063	8.058	232.3E6	1905.9E6	46.634	48.160
Target Compounds							
2)	A alpha-BHC	3.993	3.385	390.8E6	2984.9E6	48.872	47.228
3)	MA gamma-BHC...	4.324	3.721	361.9E6	2728.5E6	48.435	47.188
4)	MA Heptachlor	4.921	4.073	342.0E6	2581.9E6	47.755	46.765
5)	MB Aldrin	5.262	4.358	348.3E6	2666.1E6	47.995	47.222
6)	B beta-BHC	4.511	4.017	135.0E6	1124.4E6	46.461	46.799
7)	B delta-BHC	4.760	4.253	363.6E6	2741.9E6	48.917	46.888
8)	B Heptachlo...	5.683	4.862	313.5E6	2381.7E6	48.259	46.737
9)	A Endosulfan I	6.067	5.235	288.8E6	2250.9E6	47.010	47.039
10)	B gamma-Chl...	5.938	5.114	308.9E6	2585.4E6	47.516	47.328
11)	B alpha-Chl...	6.019	5.179	316.9E6	2460.3E6	46.047	47.013
12)	B 4,4'-DDE	6.188	5.363	276.9E6	2496.0E6	47.745	46.704
13)	MA Dieldrin	6.339	5.501	309.0E6	2552.1E6	47.803	46.991
14)	MA Endrin	6.566	5.778	234.4E6	2114.9E6	47.229	46.798
15)	B Endosulfa...	6.779	6.070	260.8E6	2189.8E6	46.913	46.910
16)	A 4,4'-DDD	6.698	5.917	235.1E6	2292.3E6	47.858	46.907
17)	MA 4,4'-DDT	7.014	6.171	197.9E6	1882.1E6	47.844	48.095
18)	B Endrin al...	6.908	6.248	193.5E6	1652.0E6	46.452	46.813
19)	B Endosulfa...	7.143	6.471	241.2E6	2113.4E6	46.888	47.137
20)	A Methoxychlor	7.487	6.742	101.6E6	965.3E6	46.720	48.141
21)	B Endrin ke...	7.623	6.980	268.5E6	2432.9E6	47.664	47.746
22)	Mirex	8.105	7.172	165.8E6	1568.2E6	46.599	47.322



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD111525\
Data File : PD091211.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Nov 2025 00:21
Operator : AR\AJ
Sample : PSTDICV050
Misc :
ALS Vial : 69 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
ICVPD111525

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 15 04:49:12 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD111525.M
Quant Title : GC Extractables
QLast Update : Sat Nov 15 04:46:13 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 162539345
Conc: 47.13 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#1 Tetrachloro-m-xylene

R.T.: 2.874 min
Delta R.T.: 0.000 min
Response: 1718376343
Conc: 46.91 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.000 min
Response: 390755602
Conc: 48.87 ng/ml



#2 alpha-BHC


R.T.: 3.385 min
Delta R.T.: 0.000 min
Response: 2984920529
Conc: 47.23 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 361949133
Conc: 48.44 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#3 gamma-BHC (Lindane)

R.T.: 3.721 min
Delta R.T.: 0.000 min
Response: 2728471461
Conc: 47.19 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 342006727
Conc: 47.75 ng/ml



#4 Heptachlor


R.T.: 4.073 min
Delta R.T.: 0.000 min
Response: 2581860754
Conc: 46.76 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 348272010
Conc: 48.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#5 Aldrin

R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 2666089629
Conc: 47.22 ng/ml




#6 beta-BHC

R.T.: 4.511 min
Delta R.T.: 0.000 min
Response: 134991433
Conc: 46.46 ng/ml



#6 beta-BHC


R.T.: 4.017 min
Delta R.T.: 0.000 min
Response: 1124435054
Conc: 46.80 ng/ml



#7 delta-BHC


R.T.: 4.760 min
Delta R.T.: 0.000 min
Response: 363554317
Conc: 48.92 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#7 delta-BHC

R.T.: 4.253 min
Delta R.T.: 0.000 min
Response: 2741869615
Conc: 46.89 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: 0.000 min
Response: 313526210
Conc: 48.26 ng/ml



#8 Heptachlor epoxide


R.T.: 4.862 min
Delta R.T.: 0.000 min
Response: 2381657845
Conc: 46.74 ng/ml



#9 Endosulfan I


R.T.: 6.067 min
Delta R.T.: 0.000 min
Response: 288780124
Conc: 47.01 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#9 Endosulfan I

R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 2250886669
Conc: 47.04 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: 0.000 min
Response: 308887850
Conc: 47.52 ng/ml



#10 gamma-Chlordane


R.T.: 5.114 min
Delta R.T.: 0.000 min
Response: 2585396251
Conc: 47.33 ng/ml



#11 alpha-Chlordane


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 316931689
Conc: 46.05 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#11 alpha-Chlordane

R.T.: 5.179 min
Delta R.T.: 0.000 min
Response: 2460255029
Conc: 47.01 ng/ml




#12 4,4'-DDE

R.T.: 6.188 min
Delta R.T.: 0.000 min
Response: 276890061
Conc: 47.74 ng/ml



#12 4,4'-DDE


R.T.: 5.363 min
Delta R.T.: 0.000 min
Response: 2495986902
Conc: 46.70 ng/ml



#13 Dieldrin


R.T.: 6.339 min
Delta R.T.: 0.000 min
Response: 309042206
Conc: 47.80 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#13 Dieldrin

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 2552147913
Conc: 46.99 ng/ml




#14 Endrin

R.T.: 6.566 min
Delta R.T.: 0.000 min
Response: 234420471
Conc: 47.23 ng/ml



#14 Endrin


R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: 2114926643
Conc: 46.80 ng/ml



#15 Endosulfan II


R.T.: 6.779 min
Delta R.T.: 0.000 min
Response: 260805400
Conc: 46.91 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#15 Endosulfan II

R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 2189770233
Conc: 46.91 ng/ml




#16 4,4'-DDD

R.T.: 6.698 min
Delta R.T.: 0.000 min
Response: 235052531
Conc: 47.86 ng/ml



#16 4,4'-DDD


R.T.: 5.917 min
Delta R.T.: 0.000 min
Response: 2292282526
Conc: 46.91 ng/ml



#17 4,4'-DDT


R.T.: 7.014 min
Delta R.T.: 0.000 min
Response: 197859837
Conc: 47.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#17 4,4'-DDT

R.T.: 6.171 min
Delta R.T.: 0.000 min
Response: 1882096372
Conc: 48.10 ng/ml




#18 Endrin aldehyde

R.T.: 6.908 min
Delta R.T.: 0.000 min
Response: 193520880
Conc: 46.45 ng/ml



#18 Endrin aldehyde


R.T.: 6.248 min
Delta R.T.: 0.000 min
Response: 1652000905
Conc: 46.81 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.143 min
Delta R.T.: 0.000 min
Response: 241226306
Conc: 46.89 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#19 Endosulfan Sulfate

R.T.: 6.471 min
Delta R.T.: 0.000 min
Response: 2113374922
Conc: 47.14 ng/ml




#20 Methoxychlor

R.T.: 7.487 min
Delta R.T.: 0.000 min
Response: 101584345
Conc: 46.72 ng/ml



#20 Methoxychlor


R.T.: 6.742 min
Delta R.T.: 0.000 min
Response: 965287691
Conc: 48.14 ng/ml



#21 Endrin ketone


R.T.: 7.623 min
Delta R.T.: 0.000 min
Response: 268515482
Conc: 47.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525




#21 Endrin ketone

R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 2432944192
Conc: 47.75 ng/ml




#22 Mirex

R.T.: 8.105 min
Delta R.T.: 0.000 min
Response: 165755037
Conc: 46.60 ng/ml



#22 Mirex


R.T.: 7.172 min
Delta R.T.: 0.000 min
Response: 1568249370
Conc: 47.32 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.063 min
Delta R.T.: 0.000 min
Response: 232326000
Conc: 46.63 ng/ml

Instrument :
ECD_D
ClientSampleId :
ICVPD111525



#28 Decachlorobiphenyl

R.T.: 8.058 min
Delta R.T.: 0.000 min
Response: 1905923037
Conc: 48.16 ng/ml