



Suggestion Box
MSDS restek
MSDS RICCA
MSDS CHEMTECH
MSDS J.T.Baker
MSDS emdmillipore

Welcome Sakhvala |
Logout

Search :

Dashboard | Edd | Efolder | Fax | Genchem | Projecttrack | Qaqc | Quanttrack | Report | Sequence | Utility

[Home](#) >> [Sequence Module](#) >> [File Info](#)

Sequence Module :: File Info

Navigation Bar

Method : 8082A

[FileInfo Form](#)
[Get Test Info](#)
[Analysis RunLog](#)
[Sequence Info](#)
[Maintenance](#)
[Audit Summary Report](#)
[Sequence Process](#)

Data For Sequence PP112120 **CHEMTECH-NJ Lab Sequence**
Rule For Ms/Msd of EPH

[Sequence Transfer](#)[Review Raw Data](#)[Non Conformance Summary](#)

No Review & No Supervised

Reviewed & No Supervised

Reviewed & Supervised

SampleID	Data File	Date & Time	ClientId	Test	QCType	Dilution.	Comments	Status	System Comments
HEXANE	PP031494.D	21 Nov 2020 7:42	HEXANE	PCB Group1	HEXANE	1	--	OK	UPDATE STATUS
AR1660CCC500	PP031495.D	21 Nov 2020 7:59	AR1660CCC500	PCB Group1	CCAL500	1	--	OK	UPDATE STATUS
I.BLK	PP031496.D	21 Nov 2020 8:15	I.BLK	PCB Group1	IBLK	1	--	OK	UPDATE STATUS
L4863-01RE	PP031497.D	21 Nov 2020 8:49	S4-01-ARE	PCB Group1	SAM	1	DCB high in both column	CONFIRMS	Surr Fail UPDATE STATUS
L4863-08RE	PP031498.D	21 Nov 2020 9:05	S4-06-BRE	PCB Group1	SAM	1	DCB high in both column	CONFIRMS	Surr Fail UPDATE STATUS
L4863-11	PP031499.D	21 Nov 2020 9:22	S4-03-C	PCB Group1	SAM	1	DCB low in 1st column	OK	Surr Fail UPDATE STATUS
L4863-12RE	PP031500.D	21 Nov 2020 9:38	S4-04-CRE	PCB Group1	SAM	1	DCB low in both column	CONFIRMS	Surr Fail UPDATE STATUS
PB133160BL	PP031501.D	21 Nov 2020 9:59	PB133160BL	PCB Group1	MB	1	--	OK	UPDATE STATUS
AR1660CCC500	PP031502.D	21 Nov 2020 10:16	AR1660CCC500	PCB Group1	CCAL500	1	--	OK	UPDATE STATUS
I.BLK	PP031503.D	21 Nov 2020 10:32	I.BLK	PCB Group1	IBLK	1	--	OK	UPDATE STATUS
Read Files		Update				All Manual Integration Report			