

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD113021\
 Data File : PD067131.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Nov 2021 05:39
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 30 17:14:09 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD113021.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 30 17:12:48 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.436	3.966	99345596	337.7E6	50.000	50.000
28)	SA Decachlor...	8.162	9.021	52647979	236.0E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.873	4.360	166.2E6	494.9E6	50.000	50.000
3)	MA gamma-BHC...	4.154	4.644	153.7E6	452.6E6	50.000	50.000
4)	MA Heptachlor	4.447	5.144	159.3E6	423.5E6	50.000	50.000
5)	MB Aldrin	4.693	5.448	155.8E6	397.8E6	50.000	50.000
6)	B beta-BHC	4.402	4.822	63779805	204.5E6	50.000	50.000
7)	B delta-BHC	4.605	5.037	147.9E6	421.8E6	50.000	50.000
8)	B Heptachlo...	5.133	5.837	140.2E6	342.2E6	50.000	50.000
9)	A Endosulfan I	5.469	6.194	126.3E6	331.5E6	50.000	50.000
10)	B gamma-Chl...	5.358	6.071	141.2E6	350.5E6	50.000	50.000
11)	B alpha-Chl...	5.415	6.142	137.2E6	346.0E6	50.000	50.000
12)	B 4,4'-DDE	5.580	6.303	130.5E6	331.3E6	50.000	50.000
13)	MA Dieldrin	5.712	6.452	136.5E6	351.0E6	50.000	50.000
14)	MA Endrin	5.969	6.670	111.9E6	262.2E6	50.000	50.000
15)	B Endosulfa...	6.242	6.885	105.3E6	286.1E6	50.000	50.000
16)	A 4,4'-DDD	6.094	6.797	102.8E6	279.4E6	50.000	50.000
17)	MA 4,4'-DDT	6.333	7.094	103.8E6	289.1E6	50.000	50.000
18)	B Endrin al...	6.410	7.010	78873243	224.4E6	50.000	50.000
19)	B Endosulfa...	6.622	7.232	95286241	287.1E6	50.000	50.000
20)	A Methoxychlor	6.880	7.556	52061176	153.6E6	50.000	50.000
21)	B Endrin ke...	7.114	7.705	107.6E6	342.2E6	50.000	50.000
22)	Mirex	7.294	8.153	74406976	231.8E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD113021\
Data File : PD067131.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Nov 2021 05:39
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 30 17:14:09 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD113021.M
Quant Title : GC Extractables
QLast Update : Tue Nov 30 17:12:48 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.436 min
Delta R.T.: 0.000 min
Response: 99345596
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 3.966 min
Delta R.T.: 0.000 min
Response: 337650482
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.873 min
Delta R.T.: 0.000 min
Response: 166192706
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.360 min
Delta R.T.: 0.000 min
Response: 494926041
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.154 min
Delta R.T.: 0.000 min
Response: 153743837
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.644 min
Delta R.T.: 0.000 min
Response: 452578474
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.447 min
Delta R.T.: 0.000 min
Response: 159278505
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.144 min
Delta R.T.: 0.000 min
Response: 423450471
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.693 min
Delta R.T.: 0.000 min
Response: 155773498
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.448 min
Delta R.T.: 0.000 min
Response: 397765469
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.402 min
Delta R.T.: 0.000 min
Response: 63779805
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.822 min
Delta R.T.: 0.000 min
Response: 204462443
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.605 min
Delta R.T.: 0.000 min
Response: 147931105
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 5.037 min
Delta R.T.: 0.000 min
Response: 421829946
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.133 min
Delta R.T.: 0.000 min
Response: 140215549
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.837 min
Delta R.T.: 0.000 min
Response: 342173311
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.469 min
Delta R.T.: 0.000 min
Response: 126252900
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 331514981
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.358 min
Delta R.T.: 0.000 min
Response: 141173463
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.071 min
Delta R.T.: 0.000 min
Response: 350450858
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.415 min
Delta R.T.: 0.000 min
Response: 137216777
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 346047298
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.580 min
Delta R.T.: 0.000 min
Response: 130538982
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.303 min
Delta R.T.: 0.000 min
Response: 331308732
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.712 min
Delta R.T.: 0.000 min
Response: 136540811
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.452 min
Delta R.T.: 0.000 min
Response: 350989793
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.969 min
Delta R.T.: 0.000 min
Response: 111895658
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.670 min
Delta R.T.: 0.000 min
Response: 262155677
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.242 min
Delta R.T.: 0.000 min
Response: 105303086
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.885 min
Delta R.T.: 0.000 min
Response: 286148114
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.094 min
Delta R.T.: 0.000 min
Response: 102777765
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.797 min
Delta R.T.: 0.000 min
Response: 279424256
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 103785264
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.094 min
Delta R.T.: 0.000 min
Response: 289135792
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.410 min
Delta R.T.: 0.000 min
Response: 78873243
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.010 min
Delta R.T.: 0.000 min
Response: 224379703
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 95286241
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.232 min
Delta R.T.: 0.000 min
Response: 287052940
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.880 min
Delta R.T.: 0.000 min
Response: 52061176
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.556 min
Delta R.T.: 0.000 min
Response: 153630621
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.114 min
Delta R.T.: 0.000 min
Response: 107572867
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.705 min
Delta R.T.: 0.000 min
Response: 342245807
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.294 min
Delta R.T.: 0.000 min
Response: 74406976
Conc: 50.00 ng/ml



#22 Mirex

R.T.: 8.153 min
Delta R.T.: 0.000 min
Response: 231787828
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl


R.T.: 8.162 min

Delta R.T.: 0.000 min

Response: 52647979

Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 9.021 min

Delta R.T.: 0.000 min

Response: 235954686

Conc: 50.00 ng/ml