

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD121223\
 Data File : PD080049.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Dec 2023 15:10
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 12 21:43:47 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD120623.M
 Quant Title : GC Extractables
 QLast Update : Wed Dec 06 14:11:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.568	2.800	78298570	131.3E6	51.950	52.228
28)	SA Decachlor...	9.113	7.942	96167934	132.2E6	47.509	46.907
Target Compounds							
2)	A alpha-BHC	4.025	3.303	131.9E6	205.3E6	52.517	53.688
3)	MA gamma-BHC...	4.358	3.633	124.1E6	196.5E6	52.378	54.062
4)	MA Heptachlor	4.951	3.975	124.9E6	188.6E6	50.804	53.792
5)	MB Aldrin	5.295	4.255	120.3E6	189.8E6	50.658	53.307
6)	B beta-BHC	4.551	3.928	50863634	81476385	50.824	52.778
7)	B delta-BHC	4.801	4.159	126.7E6	202.8E6	51.720	53.868
8)	B Heptachlo...	5.721	4.757	108.5E6	171.2E6	49.260	52.219
9)	A Endosulfan I	6.107	5.127	102.1E6	156.9E6	49.646	51.961
10)	B gamma-Chl...	5.977	5.007	107.2E6	170.9E6	49.222	53.002
11)	B alpha-Chl...	6.056	5.072	106.4E6	169.2E6	49.313	52.635
12)	B 4,4'-DDE	6.227	5.261	101.1E6	160.6E6	50.412	53.276
13)	MA Dieldrin	6.383	5.392	109.4E6	174.1E6	50.154	53.166
14)	MA Endrin	6.612	5.667	92974719	149.3E6	51.269	53.129
15)	B Endosulfa...	6.830	5.959	94505411	142.4E6	49.608	52.200
16)	A 4,4'-DDD	6.743	5.814	85037962	135.9E6	50.761	52.757
17)	MA 4,4'-DDT	7.059	6.065	90460335	134.0E6	50.845	52.730
18)	B Endrin al...	6.960	6.138	73355070	108.4E6	51.204	52.818
19)	B Endosulfa...	7.194	6.360	94458149	139.0E6	49.817	51.845
20)	A Methoxychlor	7.533	6.639	48307112	74275653	48.874	50.793
21)	B Endrin ke...	7.681	6.867	101.6E6	161.6E6	49.051	51.720
22)	Mirex	8.157	7.052	76465195	120.4E6	46.743	49.756



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD121223\
Data File : PD080049.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Dec 2023 15:10
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 12 21:43:47 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD120623.M
Quant Title : GC Extractables
QLast Update : Wed Dec 06 14:11:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.568 min
Delta R.T.: 0.000 min
Response: 78298570
Conc: 51.95 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.800 min
Delta R.T.: 0.000 min
Response: 131291831
Conc: 52.23 ng/ml




#2 alpha-BHC

R.T.: 4.025 min
Delta R.T.: 0.001 min
Response: 131916842
Conc: 52.52 ng/ml



#2 alpha-BHC


R.T.: 3.303 min
Delta R.T.: 0.000 min
Response: 205287726
Conc: 53.69 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 124095455
Conc: 52.38 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.633 min
Delta R.T.: 0.000 min
Response: 196465362
Conc: 54.06 ng/ml




#4 Heptachlor

R.T.: 4.951 min
Delta R.T.: 0.000 min
Response: 124943523
Conc: 50.80 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.000 min
Response: 188619453
Conc: 53.79 ng/ml



#5 Aldrin


R.T.: 5.295 min
Delta R.T.: 0.000 min
Response: 120297073
Conc: 50.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.255 min
Delta R.T.: 0.000 min
Response: 189778918
Conc: 53.31 ng/ml




#6 beta-BHC

R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 50863634
Conc: 50.82 ng/ml



#6 beta-BHC


R.T.: 3.928 min
Delta R.T.: 0.000 min
Response: 81476385
Conc: 52.78 ng/ml



#7 delta-BHC


R.T.: 4.801 min
Delta R.T.: 0.000 min
Response: 126658010
Conc: 51.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.159 min
Delta R.T.: 0.000 min
Response: 202845644
Conc: 53.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.721 min
Delta R.T.: 0.000 min
Response: 108510288
Conc: 49.26 ng/ml



#8 Heptachlor epoxide


R.T.: 4.757 min
Delta R.T.: 0.000 min
Response: 171244723
Conc: 52.22 ng/ml



#9 Endosulfan I


R.T.: 6.107 min
Delta R.T.: 0.001 min
Response: 102086045
Conc: 49.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.127 min
Delta R.T.: 0.000 min
Response: 156882681
Conc: 51.96 ng/ml




#10 gamma-Chlordane

R.T.: 5.977 min
Delta R.T.: 0.000 min
Response: 107153809
Conc: 49.22 ng/ml



#10 gamma-Chlordane


R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 170858990
Conc: 53.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.056 min
Delta R.T.: 0.001 min
Response: 106375833
Conc: 49.31 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.072 min
Delta R.T.: 0.000 min
Response: 169161427
Conc: 52.64 ng/ml




#12 4,4'-DDE

R.T.: 6.227 min
Delta R.T.: 0.000 min
Response: 101082346
Conc: 50.41 ng/ml



#12 4,4'-DDE


R.T.: 5.261 min
Delta R.T.: 0.000 min
Response: 160586230
Conc: 53.28 ng/ml



#13 Dieldrin


R.T.: 6.383 min
Delta R.T.: 0.000 min
Response: 109430142
Conc: 50.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.392 min
Delta R.T.: 0.000 min
Response: 174088557
Conc: 53.17 ng/ml




#14 Endrin

R.T.: 6.612 min
Delta R.T.: 0.000 min
Response: 92974719
Conc: 51.27 ng/ml



#14 Endrin


R.T.: 5.667 min
Delta R.T.: 0.000 min
Response: 149296127
Conc: 53.13 ng/ml



#15 Endosulfan II


R.T.: 6.830 min
Delta R.T.: 0.000 min
Response: 94505411
Conc: 49.61 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.959 min
Delta R.T.: 0.000 min
Response: 142429924
Conc: 52.20 ng/ml




#16 4,4'-DDD

R.T.: 6.743 min
Delta R.T.: 0.000 min
Response: 85037962
Conc: 50.76 ng/ml



#16 4,4'-DDD


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 135852468
Conc: 52.76 ng/ml



#17 4,4'-DDT


R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 90460335
Conc: 50.85 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.065 min
Delta R.T.: 0.000 min
Response: 133965875
Conc: 52.73 ng/ml




#18 Endrin aldehyde

R.T.: 6.960 min
Delta R.T.: 0.000 min
Response: 73355070
Conc: 51.20 ng/ml



#18 Endrin aldehyde


R.T.: 6.138 min
Delta R.T.: 0.000 min
Response: 108428721
Conc: 52.82 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.194 min
Delta R.T.: 0.000 min
Response: 94458149
Conc: 49.82 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 138996097
Conc: 51.85 ng/ml




#20 Methoxychlor

R.T.: 7.533 min
Delta R.T.: 0.000 min
Response: 48307112
Conc: 48.87 ng/ml



#20 Methoxychlor


R.T.: 6.639 min
Delta R.T.: 0.000 min
Response: 74275653
Conc: 50.79 ng/ml



#21 Endrin ketone


R.T.: 7.681 min
Delta R.T.: 0.000 min
Response: 101559846
Conc: 49.05 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.867 min
Delta R.T.: 0.000 min
Response: 161639112
Conc: 51.72 ng/ml




#22 Mirex

R.T.: 8.157 min
Delta R.T.: 0.000 min
Response: 76465195
Conc: 46.74 ng/ml



#22 Mirex


R.T.: 7.052 min
Delta R.T.: 0.000 min
Response: 120418091
Conc: 49.76 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.113 min
Delta R.T.: -0.001 min
Response: 96167934
Conc: 47.51 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.942 min
Delta R.T.: -0.002 min
Response: 132227940
Conc: 46.91 ng/ml