

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD121225\
 Data File : PD091574.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Dec 2025 12:08
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 13 02:48:09 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD120825.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 09 04:29:17 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.870	160.9E6	2054.6E6	46.320	52.144
2)	SA Decachlor...	9.060	8.055	228.0E6	2278.5E6	43.854	55.022 #
Target Compounds							
2)	A alpha-BHC	3.989	3.381	380.5E6	3614.1E6	47.263	53.013
3)	MA gamma-BHC...	4.320	3.718	356.3E6	3313.6E6	47.402	58.930
4)	MA Heptachlor	4.917	4.069	348.6E6	3186.7E6	49.112	54.676
5)	MB Aldrin	5.259	4.354	341.4E6	3388.8E6	49.071	58.442
6)	B beta-BHC	4.508	4.014	134.3E6	1327.3E6	46.521	55.400
7)	B delta-BHC	4.756	4.250	354.6E6	3339.3E6	59.270	55.760
8)	B Heptachlo...	5.679	4.858	310.3E6	2868.6E6	50.116	56.694
9)	A Endosulfan I	6.063	5.232	287.3E6	2226.5E6	47.018	45.450
10)	B gamma-Chl...	5.935	5.111	306.9E6	3230.5E6	48.125	57.873
11)	B alpha-Chl...	6.015	5.175	306.2E6	3030.2E6	45.587	56.586
12)	B 4,4'-DDE	6.185	5.359	267.5E6	3368.4E6	46.038	61.458 #
13)	MA Dieldrin	6.335	5.497	305.9E6	3095.3E6	47.005	55.808
14)	MA Endrin	6.563	5.774	265.0E6	3002.1E6	47.244	57.426
15)	B Endosulfa...	6.776	6.066	269.2E6	2628.3E6	44.274	55.786 #
16)	A 4,4'-DDD	6.696	5.914	229.5E6	2584.6E6	49.863	56.819
17)	MA 4,4'-DDT	7.011	6.168	233.3E6	2656.8E6	45.239	56.051
18)	B Endrin al...	6.905	6.244	197.6E6	1978.4E6	47.313	55.430
19)	B Endosulfa...	7.140	6.467	238.8E6	2565.3E6	45.234	55.654
20)	A Methoxychlor	7.484	6.738	121.6E6	1275.5E6	45.257	54.053
21)	B Endrin ke...	7.621	6.976	258.1E6	2691.4E6	45.804	55.330
22)	Mirex	8.103	7.169	168.5E6	1895.1E6	45.341	57.822 #
23)	Chlordane-1	0.000	3.883	0	4634360	N.D.	3.102 #
24)	Chlordane-2	5.259f	4.492	341.4E6	445.8E6	1669.112	282.327 #
25)	Chlordane-3	5.935	5.111	306.9E6	3230.5E6	374.498	634.320 #
26)	Chlordane-4	6.015	5.175	306.2E6	3030.2E6	301.465	709.904 #
27)	Chlordane-5	0.000	6.066	0	2628.3E6	N.D.	1386.188 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 160882388
Conc: 46.32 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.870 min
Delta R.T.: 0.000 min
Response: 2054635103
Conc: 52.14 ng/ml




#2 alpha-BHC

R.T.: 3.989 min
Delta R.T.: 0.000 min
Response: 380506454
Conc: 47.26 ng/ml



#2 alpha-BHC


R.T.: 3.381 min
Delta R.T.: 0.000 min
Response: 3614123213
Conc: 53.01 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.320 min
Delta R.T.: 0.000 min
Response: 356263419
Conc: 47.40 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.718 min
Delta R.T.: 0.000 min
Response: 3313598317
Conc: 58.93 ng/ml




#4 Heptachlor

R.T.: 4.917 min
Delta R.T.: 0.000 min
Response: 348638080
Conc: 49.11 ng/ml



#4 Heptachlor


R.T.: 4.069 min
Delta R.T.: 0.000 min
Response: 3186717864
Conc: 54.68 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.000 min
Response: 341429357
Conc: 49.07 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.354 min
Delta R.T.: 0.000 min
Response: 3388818251
Conc: 58.44 ng/ml




#6 beta-BHC

R.T.: 4.508 min
Delta R.T.: 0.000 min
Response: 134310478
Conc: 46.52 ng/ml



#6 beta-BHC


R.T.: 4.014 min
Delta R.T.: 0.000 min
Response: 1327321093
Conc: 55.40 ng/ml



#7 delta-BHC


R.T.: 4.756 min
Delta R.T.: 0.000 min
Response: 354567149
Conc: 59.27 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.250 min
Delta R.T.: 0.000 min
Response: 3339302467
Conc: 55.76 ng/ml




#8 Heptachlor epoxide

R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 310333249
Conc: 50.12 ng/ml



#8 Heptachlor epoxide


R.T.: 4.858 min
Delta R.T.: 0.000 min
Response: 2868566145
Conc: 56.69 ng/ml



#9 Endosulfan I


R.T.: 6.063 min
Delta R.T.: 0.000 min
Response: 287272333
Conc: 47.02 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.232 min
Delta R.T.: 0.000 min
Response: 2226549342
Conc: 45.45 ng/ml




#10 gamma-Chlordane

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 306892777
Conc: 48.12 ng/ml



#10 gamma-Chlordane


R.T.: 5.111 min
Delta R.T.: 0.000 min
Response: 3230519212
Conc: 57.87 ng/ml



#11 alpha-Chlordane


R.T.: 6.015 min
Delta R.T.: 0.000 min
Response: 306173625
Conc: 45.59 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 3030241483
Conc: 56.59 ng/ml




#12 4,4'-DDE

R.T.: 6.185 min
Delta R.T.: 0.000 min
Response: 267451655
Conc: 46.04 ng/ml



#12 4,4'-DDE


R.T.: 5.359 min
Delta R.T.: 0.000 min
Response: 3368351703
Conc: 61.46 ng/ml



#13 Dieldrin


R.T.: 6.335 min
Delta R.T.: 0.000 min
Response: 305851936
Conc: 47.01 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.497 min
Delta R.T.: 0.000 min
Response: 3095340810
Conc: 55.81 ng/ml




#14 Endrin

R.T.: 6.563 min
Delta R.T.: 0.000 min
Response: 264956091
Conc: 47.24 ng/ml



#14 Endrin


R.T.: 5.774 min
Delta R.T.: 0.000 min
Response: 3002130338
Conc: 57.43 ng/ml



#15 Endosulfan II


R.T.: 6.776 min
Delta R.T.: 0.000 min
Response: 269217841
Conc: 44.27 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 2628330884
Conc: 55.79 ng/ml




#16 4,4'-DDD

R.T.: 6.696 min
Delta R.T.: 0.000 min
Response: 229512684
Conc: 49.86 ng/ml



#16 4,4'-DDD


R.T.: 5.914 min
Delta R.T.: 0.000 min
Response: 2584565389
Conc: 56.82 ng/ml



#17 4,4'-DDT


R.T.: 7.011 min
Delta R.T.: 0.000 min
Response: 233274930
Conc: 45.24 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.168 min
Delta R.T.: 0.000 min
Response: 2656761681
Conc: 56.05 ng/ml




#18 Endrin aldehyde

R.T.: 6.905 min
Delta R.T.: 0.000 min
Response: 197642654
Conc: 47.31 ng/ml



#18 Endrin aldehyde


R.T.: 6.244 min
Delta R.T.: 0.000 min
Response: 1978373006
Conc: 55.43 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.140 min
Delta R.T.: 0.000 min
Response: 238803691
Conc: 45.23 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 2565288393
Conc: 55.65 ng/ml




#20 Methoxychlor

R.T.: 7.484 min
Delta R.T.: 0.000 min
Response: 121648676
Conc: 45.26 ng/ml



#20 Methoxychlor


R.T.: 6.738 min
Delta R.T.: 0.000 min
Response: 1275534525
Conc: 54.05 ng/ml



#21 Endrin ketone


R.T.: 7.621 min
Delta R.T.: 0.000 min
Response: 258054998
Conc: 45.80 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 2691390609
Conc: 55.33 ng/ml




#22 Mirex

R.T.: 8.103 min
Delta R.T.: 0.000 min
Response: 168463542
Conc: 45.34 ng/ml



#22 Mirex


R.T.: 7.169 min
Delta R.T.: 0.000 min
Response: 1895114471
Conc: 57.82 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.703 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 3.883 min
Delta R.T.: -0.010 min
Response: 4634360
Conc: 3.10 ng/ml




#24 Chlordane-2

R.T.: 5.259 min
Delta R.T.: 0.029 min
Response: 341429357
Conc: 1669.11 ng/ml



#24 Chlordane-2


R.T.: 4.492 min
Delta R.T.: 0.019 min
Response: 445778870
Conc: 282.33 ng/ml



#25 Chlordane-3


R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 306892777
Conc: 374.50 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 5.111 min
Delta R.T.: 0.000 min
Response: 3230519212
Conc: 634.32 ng/ml




#26 Chlordane-4

R.T.: 6.015 min
Delta R.T.: -0.004 min
Response: 306173625
Conc: 301.46 ng/ml



#26 Chlordane-4


R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 3030241483
Conc: 709.90 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.860 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 6.066 min
Delta R.T.: -0.009 min
Response: 2628330884
Conc: 1386.19 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 227954175
Conc: 43.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.055 min
Delta R.T.: 0.000 min
Response: 2278505489
Conc: 55.02 ng/ml