

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
 Data File : PD087353.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Dec 2024 16:46
 Operator : AR\AJ
 Sample : P5334-05MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1


Instrument :
 ECD_D
 ClientSampleId :
 E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
 Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 26 21:50:50 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 20 23:32:53 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.555min 14.455 ng/ml

response 29593873

(1) Tetrachloro-m-xylene #2 (SA)

2.882min 16.982 ng/ml

response 197619935

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.553min 15.066 ng/ml m

response 30845611

(1) Tetrachloro-m-xylene #2 (SA)

2.882min 16.982 ng/ml

response 197619935

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(3) gamma-BHC (Lindane) (MA)

4.335min 45.953 ng/ml

response 179475220

(3) gamma-BHC (Lindane) #2 (MA)

3.732min 50.643 ng/ml

response 856843478

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(3) gamma-BHC (Lindane) (MA)

4.334min 54.570 ng/ml m

response 213129585

(3) gamma-BHC (Lindane) #2 (MA)

3.732min 50.643 ng/ml

response 856843478

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(4) Heptachlor (MA)

4.935min 50.352 ng/ml

response 199816963

(4) Heptachlor #2 (MA)

4.087min 47.021 ng/ml

response 813019874

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(4) Heptachlor (MA)
4.934min 50.990 ng/ml m
response 202348988

(4) Heptachlor #2 (MA)
4.087min 47.021 ng/ml
response 813019874

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)
4.768min 53.498 ng/ml
response 212699244

(7) delta-BHC #2 (B)
4.265min 49.274 ng/ml
response 855450535

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.766min 52.454 ng/ml m

response 208545767

(7) delta-BHC #2 (B)

4.265min 49.274 ng/ml

response 855450535

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)
6.080min -9.858 ng/ml
response -32930415

(9) Endosulfan I #2 (A)
5.253min 30.107 ng/ml
response 436377887

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)

6.079min 50.802 ng/ml m

response 169706005

(9) Endosulfan I #2 (A)

5.252min 46.793 ng/ml m

response 678233186

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(11) cis-Chlordane (B)

6.033min 13.649 ng/ml

response 48465807

(11) cis-Chlordane #2 (B)

5.196min 38.013 ng/ml

response 597118751

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(11) cis-Chlordane (B)
6.031min 49.460 ng/ml m
response 175628065

(11) cis-Chlordane #2 (B)
5.194min 49.334 ng/ml m
response 774953284

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)

6.353min 100.086 ng/ml

response 361972056

(13) Dieldrin #2 (MA)

5.518min 88.444 ng/ml

response 1353993625

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)

6.352min 105.229 ng/ml m
response 380573354

(13) Dieldrin #2 (MA)

5.517min 94.356 ng/ml m
response 1444491121

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(20) Methoxychlor (A)
7.498min 517.020 ng/ml
response 769180227

(20) Methoxychlor #2 (A)
6.762min 418.820 ng/ml
response 2441717243

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(20) Methoxychlor (A)
7.497min 495.948 ng/ml m
response 737830735

(20) Methoxychlor #2 (A)
6.761min 411.825 ng/ml m
response 2400939076

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.080min 18.990 ng/ml

response 57999637

(27) Decachlorobiphenyl #2 (SA)

8.082min 16.087 ng/ml

response 211907128

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122624\
Data File : PD087353.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Dec 2024 16:46
Operator : AR\AJ
Sample : P5334-05MS
Misc :
ALS Vial : 17 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
E2921MS

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 12/27/2024
Supervised By :Ankita Jodhani 12/27/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 26 21:50:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD122024CLP.M
Quant Title : GC Extractables
QLast Update : Fri Dec 20 23:32:53 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.079min 15.551 ng/ml m

response 47494876

(27) Decachlorobiphenyl #2 (SA)

8.082min 16.087 ng/ml

response 211907128