

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122821\
 Data File : PD067521.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Dec 2021 17:33
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 28 02:50:25 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PD122821.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 28 02:41:31 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.434	3.964	45051716	169.1E6	24.928	26.557
2)	SA Decachlor...	8.157	9.020	22382940	121.5E6	27.494	27.401
Target Compounds							
2)	A alpha-BHC	3.870	4.358	70322533	232.0E6	23.955	25.593
3)	MA gamma-BHC...	4.151	4.643	64794186	211.8E6	24.341	25.750
4)	MA Heptachlor	4.444	5.143	66560168	195.7E6	24.262	26.122
5)	MB Aldrin	4.689	5.446	68098720	188.5E6	24.278	25.922
6)	B beta-BHC	4.400	4.821	27628999	98919348	26.024	27.109
7)	B delta-BHC	4.602	5.036	62927962	193.5E6	24.057	25.698
8)	B Heptachlo...	5.130	5.835	60948090	137.5E6	24.708	25.218
9)	A Endosulfan I	5.466	6.192	54716742	154.1E6	24.766	26.058
10)	B gamma-Chl...	5.353	6.069	60595335	164.5E6	24.613	25.930
11)	B alpha-Chl...	5.412	6.140	59584031	164.6E6	24.771	26.166
12)	B 4,4'-DDE	5.575	6.300	53953696	155.3E6	24.153	25.537
13)	MA Dieldrin	5.708	6.450	59384646	168.7E6	24.397	25.772
14)	MA Endrin	5.965	6.668	50979161	139.5E6	24.103	25.239
15)	B Endosulfa...	6.238	6.883	50359581	150.9E6	25.845	26.389
16)	A 4,4'-DDD	6.090	6.795	42185025	126.9E6	24.568	25.412
17)	MA 4,4'-DDT	6.329	7.092	40201698	134.1E6	23.845	25.424
18)	B Endrin al...	6.407	7.009	37661468	116.4E6	26.094	26.271
19)	B Endosulfa...	6.619	7.231	40339021	138.9E6	25.522	26.100
20)	A Methoxychlor	6.876	7.555	21609439	74648672	25.901	26.134
21)	B Endrin ke...	7.111	7.704	43039781	160.6E6	25.799	26.460
22)	Mirex	7.290	8.151	30464985	112.5E6	26.704	26.762



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD122821\
Data File : PD067521.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Dec 2021 17:33
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 28 02:50:25 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PD122821.M
Quant Title : GC Extractables
QLast Update : Tue Dec 28 02:41:31 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.434 min
Delta R.T.: 0.000 min
Response: 45051716
Conc: 24.93 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 3.964 min
Delta R.T.: 0.000 min
Response: 169126595
Conc: 26.56 ng/ml




#2 alpha-BHC

R.T.: 3.870 min
Delta R.T.: 0.000 min
Response: 70322533
Conc: 23.96 ng/ml



#2 alpha-BHC


R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 231956002
Conc: 25.59 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.151 min
Delta R.T.: 0.000 min
Response: 64794186
Conc: 24.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 4.643 min
Delta R.T.: 0.000 min
Response: 211750503
Conc: 25.75 ng/ml




#4 Heptachlor

R.T.: 4.444 min
Delta R.T.: 0.000 min
Response: 66560168
Conc: 24.26 ng/ml



#4 Heptachlor


R.T.: 5.143 min
Delta R.T.: 0.000 min
Response: 195667569
Conc: 26.12 ng/ml



#5 Aldrin


R.T.: 4.689 min
Delta R.T.: 0.000 min
Response: 68098720
Conc: 24.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 5.446 min
Delta R.T.: 0.000 min
Response: 188456627
Conc: 25.92 ng/ml




#6 beta-BHC

R.T.: 4.400 min
Delta R.T.: 0.000 min
Response: 27628999
Conc: 26.02 ng/ml



#6 beta-BHC


R.T.: 4.821 min
Delta R.T.: 0.000 min
Response: 98919348
Conc: 27.11 ng/ml



#7 delta-BHC


R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 62927962
Conc: 24.06 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 5.036 min
Delta R.T.: 0.000 min
Response: 193518532
Conc: 25.70 ng/ml




#8 Heptachlor epoxide

R.T.: 5.130 min
Delta R.T.: 0.000 min
Response: 60948090
Conc: 24.71 ng/ml



#8 Heptachlor epoxide


R.T.: 5.835 min
Delta R.T.: 0.000 min
Response: 137531299
Conc: 25.22 ng/ml



#9 Endosulfan I


R.T.: 5.466 min
Delta R.T.: 0.000 min
Response: 54716742
Conc: 24.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 6.192 min
Delta R.T.: 0.000 min
Response: 154090288
Conc: 26.06 ng/ml




#10 gamma-Chlordane

R.T.: 5.353 min
Delta R.T.: 0.000 min
Response: 60595335
Conc: 24.61 ng/ml



#10 gamma-Chlordane


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 164532321
Conc: 25.93 ng/ml



#11 alpha-Chlordane


R.T.: 5.412 min
Delta R.T.: 0.000 min
Response: 59584031
Conc: 24.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 6.140 min
Delta R.T.: 0.000 min
Response: 164561293
Conc: 26.17 ng/ml




#12 4,4'-DDE

R.T.: 5.575 min
Delta R.T.: 0.000 min
Response: 53953696
Conc: 24.15 ng/ml



#12 4,4'-DDE


R.T.: 6.300 min
Delta R.T.: 0.000 min
Response: 155259658
Conc: 25.54 ng/ml



#13 Dieldrin


R.T.: 5.708 min
Delta R.T.: 0.000 min
Response: 59384646
Conc: 24.40 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 6.450 min
Delta R.T.: 0.000 min
Response: 168730397
Conc: 25.77 ng/ml




#14 Endrin

R.T.: 5.965 min
Delta R.T.: 0.000 min
Response: 50979161
Conc: 24.10 ng/ml



#14 Endrin


R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 139507014
Conc: 25.24 ng/ml



#15 Endosulfan II


R.T.: 6.238 min
Delta R.T.: 0.000 min
Response: 50359581
Conc: 25.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 6.883 min
Delta R.T.: 0.000 min
Response: 150948211
Conc: 26.39 ng/ml




#16 4,4'-DDD

R.T.: 6.090 min
Delta R.T.: 0.000 min
Response: 42185025
Conc: 24.57 ng/ml



#16 4,4'-DDD


R.T.: 6.795 min
Delta R.T.: 0.000 min
Response: 126886756
Conc: 25.41 ng/ml



#17 4,4'-DDT


R.T.: 6.329 min
Delta R.T.: 0.000 min
Response: 40201698
Conc: 23.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 7.092 min
Delta R.T.: 0.000 min
Response: 134053234
Conc: 25.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.407 min
Delta R.T.: 0.000 min
Response: 37661468
Conc: 26.09 ng/ml



#18 Endrin aldehyde


R.T.: 7.009 min
Delta R.T.: 0.000 min
Response: 116422854
Conc: 26.27 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.619 min
Delta R.T.: 0.000 min
Response: 40339021
Conc: 25.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 7.231 min
Delta R.T.: 0.000 min
Response: 138941516
Conc: 26.10 ng/ml




#20 Methoxychlor

R.T.: 6.876 min
Delta R.T.: 0.000 min
Response: 21609439
Conc: 25.90 ng/ml



#20 Methoxychlor


R.T.: 7.555 min
Delta R.T.: 0.000 min
Response: 74648672
Conc: 26.13 ng/ml



#21 Endrin ketone


R.T.: 7.111 min
Delta R.T.: 0.000 min
Response: 43039781
Conc: 25.80 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 7.704 min
Delta R.T.: 0.000 min
Response: 160572422
Conc: 26.46 ng/ml




#22 Mirex

R.T.: 7.290 min
Delta R.T.: 0.000 min
Response: 30464985
Conc: 26.70 ng/ml



#22 Mirex


R.T.: 8.151 min
Delta R.T.: 0.000 min
Response: 112530256
Conc: 26.76 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.157 min
Delta R.T.: 0.000 min
Response: 22382940
Conc: 27.49 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 9.020 min
Delta R.T.: 0.000 min
Response: 121537289
Conc: 27.40 ng/ml