

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042825\
 Data File : PD088314.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Apr 2025 17:44
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 29 02:23:16 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 19 06:32:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.550	2.882	106.4E6	727.6E6	53.263	49.763
28)	SA Decachlor...	9.072	8.075	154.0E6	750.0E6	46.543	40.587
Target Compounds							
2)	A alpha-BHC	3.999	3.394	241.9E6	1151.0E6	56.089	50.345
3)	MA gamma-BHC...	4.330	3.731	230.7E6	1062.3E6	55.088	49.322
4)	MA Heptachlor	4.929	4.084	216.3E6	1028.2E6	53.561	48.050
5)	MB Aldrin	5.271	4.370	217.7E6	1035.9E6	55.129	49.795
6)	B beta-BHC	4.515	4.026	88304360	462.8E6	54.395	50.009
7)	B delta-BHC	4.763	4.263	228.5E6	1064.2E6	55.391	50.054
8)	B Heptachlo...	5.690	4.874	192.8E6	922.1E6	53.945	48.803
9)	A Endosulfan I	6.074	5.248	181.9E6	845.7E6	53.864	46.952
10)	B gamma-Chl...	5.945	5.127	203.1E6	989.7E6	56.073	48.765
11)	B alpha-Chl...	6.026	5.192	195.4E6	948.7E6	54.139	48.398
12)	B 4,4'-DDE	6.195	5.377	173.2E6	967.6E6	52.503	49.132
13)	MA Dieldrin	6.346	5.514	194.3E6	968.3E6	54.454	48.576
14)	MA Endrin	6.574	5.790	159.5E6	884.2E6	53.478	48.578
15)	B Endosulfa...	6.785	6.082	163.3E6	828.4E6	52.235	47.277
16)	A 4,4'-DDD	6.704	5.931	136.3E6	794.6E6	54.180	48.494
17)	MA 4,4'-DDT	7.020	6.185	134.2E6	759.8E6	48.324	44.651
18)	B Endrin al...	6.914	6.260	116.1E6	594.3E6	50.318	44.683
19)	B Endosulfa...	7.148	6.484	148.2E6	781.2E6	51.527	45.596
20)	A Methoxychlor	7.492	6.756	69262117	410.1E6	46.189	44.961
21)	B Endrin ke...	7.629	6.993	156.7E6	814.0E6	50.761	43.522
22)	Mirex	8.113	7.187	114.3E6	629.3E6	48.688	42.457
23)	Chlordane-1	0.000	3.897	0	2372752	N.D.	2.960 #
24)	Chlordane-2	5.271f	4.507	217.7E6	37823256	1307.499	45.829 #
25)	Chlordane-3	5.945	5.127	203.1E6	989.7E6	301.099	391.346 #
26)	Chlordane-4	6.026	5.192	195.4E6	948.7E6	239.681	443.713 #
27)	Chlordane-5	0.000	6.082	0	828.4E6	N.D.	857.955 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042825\
Data File : PD088314.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Apr 2025 17:44
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 29 02:23:16 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
Quant Title : GC Extractables
QLast Update : Sat Apr 19 06:32:27 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: -0.002 min
Response: 106388200
Conc: 53.26 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.882 min
Delta R.T.: -0.001 min
Response: 727619326
Conc: 49.76 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: -0.002 min
Response: 241854816
Conc: 56.09 ng/ml



#2 alpha-BHC


R.T.: 3.394 min
Delta R.T.: -0.002 min
Response: 1150971566
Conc: 50.35 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.002 min
Response: 230681211
Conc: 55.09 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.731 min
Delta R.T.: -0.002 min
Response: 1062321227
Conc: 49.32 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: -0.002 min
Response: 216328892
Conc: 53.56 ng/ml



#4 Heptachlor


R.T.: 4.084 min
Delta R.T.: -0.002 min
Response: 1028182438
Conc: 48.05 ng/ml



#5 Aldrin


R.T.: 5.271 min
Delta R.T.: -0.003 min
Response: 217736269
Conc: 55.13 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.370 min
Delta R.T.: -0.002 min
Response: 1035874087
Conc: 49.79 ng/ml




#6 beta-BHC

R.T.: 4.515 min
Delta R.T.: -0.002 min
Response: 88304360
Conc: 54.40 ng/ml



#6 beta-BHC


R.T.: 4.026 min
Delta R.T.: -0.002 min
Response: 462786638
Conc: 50.01 ng/ml



#7 delta-BHC


R.T.: 4.763 min
Delta R.T.: -0.002 min
Response: 228485850
Conc: 55.39 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.263 min
Delta R.T.: -0.002 min
Response: 1064229329
Conc: 50.05 ng/ml




#8 Heptachlor epoxide

R.T.: 5.690 min
Delta R.T.: -0.002 min
Response: 192797119
Conc: 53.95 ng/ml



#8 Heptachlor epoxide


R.T.: 4.874 min
Delta R.T.: -0.003 min
Response: 922096035
Conc: 48.80 ng/ml



#9 Endosulfan I


R.T.: 6.074 min
Delta R.T.: -0.002 min
Response: 181905285
Conc: 53.86 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.248 min
Delta R.T.: -0.003 min
Response: 845729032
Conc: 46.95 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: -0.002 min
Response: 203100281
Conc: 56.07 ng/ml



#10 gamma-Chlordane


R.T.: 5.127 min
Delta R.T.: -0.002 min
Response: 989729828
Conc: 48.76 ng/ml



#11 alpha-Chlordane


R.T.: 6.026 min
Delta R.T.: -0.002 min
Response: 195418010
Conc: 54.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.192 min
Delta R.T.: -0.002 min
Response: 948726855
Conc: 48.40 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: -0.002 min
Response: 173167939
Conc: 52.50 ng/ml



#12 4,4'-DDE


R.T.: 5.377 min
Delta R.T.: -0.003 min
Response: 967606995
Conc: 49.13 ng/ml



#13 Dieldrin


R.T.: 6.346 min
Delta R.T.: -0.003 min
Response: 194317388
Conc: 54.45 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.514 min
Delta R.T.: -0.002 min
Response: 968254725
Conc: 48.58 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: -0.002 min
Response: 159502352
Conc: 53.48 ng/ml



#14 Endrin


R.T.: 5.790 min
Delta R.T.: -0.003 min
Response: 884238517
Conc: 48.58 ng/ml



#15 Endosulfan II


R.T.: 6.785 min
Delta R.T.: -0.002 min
Response: 163297072
Conc: 52.23 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.082 min
Delta R.T.: -0.003 min
Response: 828376554
Conc: 47.28 ng/ml




#16 4,4'-DDD

R.T.: 6.704 min
Delta R.T.: -0.002 min
Response: 136260862
Conc: 54.18 ng/ml



#16 4,4'-DDD


R.T.: 5.931 min
Delta R.T.: -0.003 min
Response: 794639447
Conc: 48.49 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.002 min
Response: 134223118
Conc: 48.32 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.185 min
Delta R.T.: -0.003 min
Response: 759802567
Conc: 44.65 ng/ml




#18 Endrin aldehyde

R.T.: 6.914 min
Delta R.T.: -0.002 min
Response: 116132310
Conc: 50.32 ng/ml



#18 Endrin aldehyde


R.T.: 6.260 min
Delta R.T.: -0.003 min
Response: 594327341
Conc: 44.68 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.148 min
Delta R.T.: -0.003 min
Response: 148184376
Conc: 51.53 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.484 min
Delta R.T.: -0.002 min
Response: 781209513
Conc: 45.60 ng/ml




#20 Methoxychlor

R.T.: 7.492 min
Delta R.T.: -0.003 min
Response: 69262117
Conc: 46.19 ng/ml



#20 Methoxychlor


R.T.: 6.756 min
Delta R.T.: -0.002 min
Response: 410091844
Conc: 44.96 ng/ml



#21 Endrin ketone


R.T.: 7.629 min
Delta R.T.: -0.003 min
Response: 156679059
Conc: 50.76 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.993 min
Delta R.T.: -0.002 min
Response: 814045317
Conc: 43.52 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: -0.002 min
Response: 114334574
Conc: 48.69 ng/ml



#22 Mirex


R.T.: 7.187 min
Delta R.T.: -0.002 min
Response: 629260809
Conc: 42.46 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.717 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 3.897 min
Delta R.T.: -0.012 min
Response: 2372752
Conc: 2.96 ng/ml




#24 Chlordane-2

R.T.: 5.271 min
Delta R.T.: 0.027 min
Response: 217736269
Conc: 1307.50 ng/ml



#24 Chlordane-2


R.T.: 4.507 min
Delta R.T.: 0.017 min
Response: 37823256
Conc: 45.83 ng/ml



#25 Chlordane-3


R.T.: 5.945 min
Delta R.T.: -0.003 min
Response: 203100281
Conc: 301.10 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 5.127 min
Delta R.T.: -0.002 min
Response: 989729828
Conc: 391.35 ng/ml




#26 Chlordane-4

R.T.: 6.026 min
Delta R.T.: -0.008 min
Response: 195418010
Conc: 239.68 ng/ml



#26 Chlordane-4


R.T.: 5.192 min
Delta R.T.: -0.002 min
Response: 948726855
Conc: 443.71 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 6.082 min
Delta R.T.: -0.012 min
Response: 828376554
Conc: 857.95 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.072 min
Delta R.T.: -0.003 min
Response: 153968621
Conc: 46.54 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.075 min
Delta R.T.: -0.002 min
Response: 750024491
Conc: 40.59 ng/ml