

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD033021\
 Data File : PD061858.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Mar 2021 10:15
 Operator : AR\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 31 04:04:24 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 30 04:47:56 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
----------	------	------	--------	--------	-------	-------

System Monitoring Compounds

Target Compounds						
4) MA	Heptachlor	0.000	5.158	0	337902	N.D. 0.026 #
5) MB	Aldrin	0.000	5.463	0	347279	N.D. 0.028 #
7) B	delta-BHC	0.000	5.047	0	974454	N.D. 0.074 #
8) B	Heptachlo...	0.000	5.846	0	144.7E6	N.D. 12.220 #
9) A	Endosulfan I	0.000	6.186f	0	4343074	N.D. 0.401 #
10) B	gamma-Chl...	0.000	6.092	0	2195327	N.D. 0.185 #
11) B	alpha-Chl...	0.000	6.186f	0	4343074	N.D. 0.381 #
15) B	Endosulfa...	0.000	6.899	0	1739264	N.D. 0.183 #
16) A	4,4'-DDD	0.000	6.823f	0	752379	N.D. 0.079 #
17) MA	4,4'-DDT	0.000	7.111	0	7946903	N.D. 0.832 #
22)	Mirex	0.000	8.171	0	6830340	N.D. 1.060 #
23)	Chlordane-1	0.000	4.975	0	8124965	N.D. 20.944 #
24)	Chlordane-2	0.000	5.463f	0	347279	N.D. 0.905 #
25)	Chlordane-3	0.000	6.092	0	2195327	N.D. 1.324 #
26)	Chlordane-4	0.000	6.186f	0	4343074	N.D. 2.263 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD033021\
Data File : PD061858.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Mar 2021 10:15
Operator : AR\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 31 04:04:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
Quant Title : GC Extractables
QLast Update : Tue Mar 30 04:47:56 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T. : 3.486 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 3.982 min
Response: 0
Conc: N.D.




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.513 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.158 min
Delta R.T.: -0.004 min
Response: 337902
Conc: 0.03 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 4.763 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#5 Aldrin

R.T.: 5.463 min
Delta R.T.: -0.005 min
Response: 347279
Conc: 0.03 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.666 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 5.047 min
Delta R.T.: 0.006 min
Response: 974454
Conc: 0.07 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.207 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#8 Heptachlor epoxide

R.T.: 5.846 min
Delta R.T.: -0.008 min
Response: 144698417
Conc: 12.22 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 5.548 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.186 min
Delta R.T.: -0.024 min
Response: 4343074
Conc: 0.40 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.435 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#10 gamma-Chlordane

R.T.: 6.092 min
Delta R.T.: 0.005 min
Response: 2195327
Conc: 0.19 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.494 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.186 min
Delta R.T.: 0.025 min
Response: 4343074
Conc: 0.38 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#15 Endosulfan II

R.T.: 6.899 min
Delta R.T.: 0.006 min
Response: 1739264
Conc: 0.18 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.174 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 6.823 min
Delta R.T.: 0.017 min
Response: 752379
Conc: 0.08 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 6.416 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#17 4,4'-DDT

R.T.: 7.111 min
Delta R.T.: 0.006 min
Response: 7946903
Conc: 0.83 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 7.390 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.171 min
Delta R.T.: 0.005 min
Response: 6830340
Conc: 1.06 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.361 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#23 Chlordane-1

R.T.: 4.975 min
Delta R.T.: 0.000 min
Response: 8124965
Conc: 20.94 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.463 min
Delta R.T.: 0.022 min
Response: 347279
Conc: 0.91 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.435 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#25 Chlordane-3

R.T.: 6.092 min
Delta R.T.: 0.005 min
Response: 2195327
Conc: 1.32 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.186 min
Delta R.T.: 0.024 min
Response: 4343074
Conc: 2.26 ng/ml



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T.: 8.257 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T.: 9.040 min
Response: 0
Conc: N.D.