

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD033021\
 Data File : PD061893.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Mar 2021 21:30
 Operator : AR\AJ
 Sample : M1836-02
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 B1-10-12

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 31 04:45:10 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 30 04:47:56 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.981	19054174	180.4E6	22.757	20.762
28)	SA Decachlor...	8.256	9.039	19194876	123.7E6	15.600	13.099
Target Compounds							
2)	A alpha-BHC	0.000	4.394f	0	7061251	N.D.	0.525 #
3)	MA gamma-BHC...	0.000	4.652	0	3331923	N.D.	0.267 #
4)	MA Heptachlor	0.000	5.164	0	636487	N.D.	0.049 #
5)	MB Aldrin	0.000	5.460	0	4764917	N.D.	0.383 #
7)	B delta-BHC	0.000	5.035	0	32996630	N.D.	2.495 #
8)	B Heptachlo...	0.000	5.859	0	14694252	N.D.	1.241 #
9)	A Endosulfan I	0.000	6.237f	0	781311	N.D.	0.072 #
10)	B gamma-Chl...	0.000	6.101	0	606558	N.D.	0.051 #
13)	MA Dieldrin	0.000	6.491f	0	675733	N.D.	0.059 #
14)	MA Endrin	0.000	6.712f	0	1267558	N.D.	0.128 #
15)	B Endosulfa...	0.000	6.903	0	13419944	N.D.	1.413 #
16)	A 4,4'-DDD	0.000	6.804	0	7608532	N.D.	0.804 #
18)	B Endrin al...	0.000	6.988f	0	8292518	N.D.	1.054 #
21)	B Endrin ke...	0.000	7.701	0	14112499	N.D.	1.391 #
22)	Mirex	0.000	8.139f	0	696139	N.D.	0.108 #
23)	Chlordane-1	0.000	4.967	0	1124143	N.D.	2.898 #
24)	Chlordane-2	0.000	5.460f	0	4764917	N.D.	12.418 #
25)	Chlordane-3	0.000	6.101	0	606558	N.D.	0.366 #
27)	Chlordane-5	0.000	6.988f	0	8292518	N.D.	23.009 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD033021\
Data File : PD061893.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Mar 2021 21:30
Operator : AR\AJ
Sample : M1836-02
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampled :
B1-10-12

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 31 04:45:10 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
Quant Title : GC Extractables
QLast Update : Tue Mar 30 04:47:56 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 19054174
Conc: 22.76 ng/ml

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 180399560
Conc: 20.76 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.925 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 4.394 min
Delta R.T.: 0.023 min
Response: 7061251
Conc: 0.52 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T. : 4.210 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#3 gamma-BHC (Lindane)

R.T.: 4.652 min
Delta R.T.: -0.003 min
Response: 3331923
Conc: 0.27 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.513 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.164 min
Delta R.T.: 0.003 min
Response: 636487
Conc: 0.05 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 4.763 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#5 Aldrin

R.T.: 5.460 min
Delta R.T.: -0.008 min
Response: 4764917
Conc: 0.38 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.666 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 5.035 min
Delta R.T.: -0.006 min
Response: 32996630
Conc: 2.49 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.207 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#8 Heptachlor epoxide

R.T.: 5.859 min
Delta R.T.: 0.006 min
Response: 14694252
Conc: 1.24 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 5.548 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.237 min
Delta R.T.: 0.027 min
Response: 781311
Conc: 0.07 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.435 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#10 gamma-Chlordane

R.T.: 6.101 min
Delta R.T.: 0.013 min
Response: 606558
Conc: 0.05 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.792 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.491 min
Delta R.T.: 0.024 min
Response: 675733
Conc: 0.06 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.050 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#14 Endrin

R.T.: 6.712 min
Delta R.T.: 0.027 min
Response: 1267558
Conc: 0.13 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.903 min
Delta R.T.: 0.010 min
Response: 13419944
Conc: 1.41 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.174 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#16 4,4'-DDD

R.T.: 6.804 min
Delta R.T.: -0.003 min
Response: 7608532
Conc: 0.80 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.492 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.988 min
Delta R.T.: -0.029 min
Response: 8292518
Conc: 1.05 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 7.200 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#21 Endrin ketone

R.T.: 7.701 min
Delta R.T.: -0.010 min
Response: 14112499
Conc: 1.39 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 7.390 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.139 min
Delta R.T.: -0.026 min
Response: 696139
Conc: 0.11 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.361 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#23 Chlordane-1

R.T.: 4.967 min
Delta R.T.: -0.007 min
Response: 1124143
Conc: 2.90 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.460 min
Delta R.T.: 0.018 min
Response: 4764917
Conc: 12.42 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T. : 5.435 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B1-10-12




#25 Chlordane-3

R.T.: 6.101 min
Delta R.T.: 0.013 min
Response: 606558
Conc: 0.37 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.332 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.988 min
Delta R.T.: 0.024 min
Response: 8292518
Conc: 23.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.256 min
Delta R.T.: -0.001 min
Response: 19194876
Conc: 15.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
B1-10-12



#28 Decachlorobiphenyl

R.T.: 9.039 min
Delta R.T.: -0.001 min
Response: 123663209
Conc: 13.10 ng/ml