

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD033021\
 Data File : PD061897.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Mar 2021 22:26
 Operator : AR\AJ
 Sample : M1836-04
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 B2-10-12

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 31 04:50:00 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 30 04:47:56 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.981	11054927	101.0E6	13.203	11.626
2)	SA Decachlor...	8.256	9.038	14912638	100.5E6	12.120	10.641
Target Compounds							
2)	A alpha-BHC	0.000	4.358	0	1670242	N.D.	0.124 #
3)	MA gamma-BHC...	0.000	4.654	0	715491	N.D.	0.057 #
4)	MA Heptachlor	0.000	5.162	0	298218	N.D.	0.023 #
5)	MB Aldrin	0.000	5.461	0	8751996	N.D.	0.703 #
7)	B delta-BHC	0.000	5.038	0	8004603	N.D.	0.605 #
8)	B Heptachlo...	0.000	5.860	0	5004502	N.D.	0.423 #
9)	A Endosulfan I	0.000	6.235f	0	1418320	N.D.	0.131 #
12)	B 4,4'-DDE	0.000	6.314	0	1536079	N.D.	0.133 #
15)	B Endosulfa...	0.000	6.902	0	1346984	N.D.	0.142 #
16)	A 4,4'-DDD	0.000	6.811	0	1153558	N.D.	0.122 #
20)	A Methoxychlor	0.000	7.565	0	236189	N.D.	0.052 #
23)	Chlordane-1	0.000	4.946f	0	722800	N.D.	1.863 #
24)	Chlordane-2	0.000	5.461f	0	8751996	N.D.	22.809 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD033021\
Data File : PD061897.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Mar 2021 22:26
Operator : AR\AJ
Sample : M1836-04
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
B2-10-12

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 31 04:50:00 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD032921.M
Quant Title : GC Extractables
QLast Update : Tue Mar 30 04:47:56 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 11054927
Conc: 13.20 ng/ml

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 101015293
Conc: 11.63 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.925 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 4.358 min
Delta R.T.: -0.012 min
Response: 1670242
Conc: 0.12 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.210 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 715491
Conc: 0.06 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.513 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.162 min
Delta R.T.: 0.000 min
Response: 298218
Conc: 0.02 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 4.763 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#5 Aldrin

R.T.: 5.461 min
Delta R.T.: -0.007 min
Response: 8751996
Conc: 0.70 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.666 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 5.038 min
Delta R.T.: -0.003 min
Response: 8004603
Conc: 0.61 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.207 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#8 Heptachlor epoxide

R.T.: 5.860 min
Delta R.T.: 0.006 min
Response: 5004502
Conc: 0.42 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 5.548 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.235 min
Delta R.T.: 0.025 min
Response: 1418320
Conc: 0.13 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 5.657 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#12 4,4'-DDE

R.T.: 6.314 min
Delta R.T.: -0.003 min
Response: 1536079
Conc: 0.13 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.902 min
Delta R.T.: 0.009 min
Response: 1346984
Conc: 0.14 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.174 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#16 4,4'-DDD

R.T.: 6.811 min
Delta R.T.: 0.005 min
Response: 1153558
Conc: 0.12 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T.: 6.962 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 7.565 min
Delta R.T.: 0.003 min
Response: 236189
Conc: 0.05 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.361 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
B2-10-12




#23 Chlordane-1

R.T.: 4.946 min
Delta R.T.: -0.028 min
Response: 722800
Conc: 1.86 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.



#24 Chlordane-2

R.T.: 5.461 min
Delta R.T.: 0.020 min
Response: 8751996
Conc: 22.81 ng/ml



#28 Decachlorobiphenyl


R.T.: 8.256 min

Delta R.T.: -0.001 min

Response: 14912638

Conc: 12.12 ng/ml

Instrument :
ECD_D
ClientSampleId :
B2-10-12



#28 Decachlorobiphenyl

R.T.: 9.038 min

Delta R.T.: -0.002 min

Response: 100454090

Conc: 10.64 ng/ml