

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042721\
 Data File : PD062488.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Apr 2021 14:00
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 27 15:46:09 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.981	40584504	538.2E6	49.828	51.103
28)	SA Decachlor...	8.256	9.041	56863862	462.4E6	46.878	54.502
Target Compounds							
2)	A alpha-BHC	3.924	4.370	64500926	872.1E6	50.356	51.602
3)	MA gamma-BHC...	4.209	4.654	60944635	794.0E6	49.521	50.556
4)	MA Heptachlor	4.512	5.162	64309826	765.9E6	49.066	48.876
5)	MB Aldrin	4.762	5.467	62812878	754.1E6	50.187	50.168
6)	B beta-BHC	4.459	4.824	29389194	339.9E6	48.815	50.804
7)	B delta-BHC	4.665	5.041	65043265	761.7E6	51.358	54.654
8)	B Heptachlo...	5.206	5.853	60769179	677.2E6	49.497	49.298
9)	A Endosulfan I	5.547	6.209	58198784	649.7E6	49.338	49.611
10)	B gamma-Chl...	5.434	6.087	63140797	713.9E6	49.553	50.575
11)	B alpha-Chl...	5.493	6.159	62186274	678.5E6	49.567	49.423
12)	B 4,4'-DDE	5.656	6.316	60207933	695.7E6	49.599	49.274
13)	MA Dieldrin	5.791	6.466	63206778	696.9E6	49.531	49.551
14)	MA Endrin	6.049	6.684	52081993	540.2E6	44.939	44.284
15)	B Endosulfa...	6.323	6.892	54515517	556.8E6	48.245	48.386
16)	A 4,4'-DDD	6.173	6.806	51974300	558.8E6	51.935	50.145
17)	MA 4,4'-DDT	6.415	7.104	48697606	494.4E6	47.688	49.578
18)	B Endrin al...	6.492	7.017	48099754	480.7E6	48.687	50.932
19)	B Endosulfa...	6.705	7.240	56635744	579.0E6	47.967	53.368
20)	A Methoxychlor	6.961	7.563	28288342	241.9E6	47.605	49.518
21)	B Endrin ke...	7.199	7.711	67258474	547.4E6	55.214	54.558
22)	Mirex	7.390	8.165	53244899	358.8E6	53.251	57.407



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042721\
Data File : PD062488.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Apr 2021 14:00
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 27 15:46:09 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 40584504
Conc: 49.83 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 538183873
Conc: 51.10 ng/ml




#2 alpha-BHC

R.T.: 3.924 min
Delta R.T.: 0.000 min
Response: 64500926
Conc: 50.36 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 872086609
Conc: 51.60 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.209 min
Delta R.T.: 0.000 min
Response: 60944635
Conc: 49.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 794047522
Conc: 50.56 ng/ml




#4 Heptachlor

R.T.: 4.512 min
Delta R.T.: 0.000 min
Response: 64309826
Conc: 49.07 ng/ml



#4 Heptachlor


R.T.: 5.162 min
Delta R.T.: -0.001 min
Response: 765909606
Conc: 48.88 ng/ml



#5 Aldrin


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 62812878
Conc: 50.19 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: -0.002 min
Response: 754140712
Conc: 50.17 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 29389194
Conc: 48.82 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 339882683
Conc: 50.80 ng/ml



#7 delta-BHC


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 65043265
Conc: 51.36 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 761741807
Conc: 54.65 ng/ml




#8 Heptachlor epoxide

R.T.: 5.206 min
Delta R.T.: 0.000 min
Response: 60769179
Conc: 49.50 ng/ml



#8 Heptachlor epoxide


R.T.: 5.853 min
Delta R.T.: -0.001 min
Response: 677198883
Conc: 49.30 ng/ml



#9 Endosulfan I


R.T.: 5.547 min
Delta R.T.: 0.000 min
Response: 58198784
Conc: 49.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.209 min
Delta R.T.: 0.000 min
Response: 649723895
Conc: 49.61 ng/ml




#10 gamma-Chlordane

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 63140797
Conc: 49.55 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: -0.001 min
Response: 713921016
Conc: 50.57 ng/ml



#11 alpha-Chlordane


R.T.: 5.493 min
Delta R.T.: 0.000 min
Response: 62186274
Conc: 49.57 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.159 min
Delta R.T.: -0.001 min
Response: 678481248
Conc: 49.42 ng/ml




#12 4,4'-DDE

R.T.: 5.656 min
Delta R.T.: 0.000 min
Response: 60207933
Conc: 49.60 ng/ml



#12 4,4'-DDE


R.T.: 6.316 min
Delta R.T.: -0.001 min
Response: 695727974
Conc: 49.27 ng/ml



#13 Dieldrin


R.T.: 5.791 min
Delta R.T.: 0.000 min
Response: 63206778
Conc: 49.53 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.466 min
Delta R.T.: -0.001 min
Response: 696949820
Conc: 49.55 ng/ml




#14 Endrin

R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 52081993
Conc: 44.94 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 540236343
Conc: 44.28 ng/ml



#15 Endosulfan II


R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 54515517
Conc: 48.24 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.892 min
Delta R.T.: -0.001 min
Response: 556801853
Conc: 48.39 ng/ml




#16 4,4'-DDD

R.T.: 6.173 min
Delta R.T.: 0.000 min
Response: 51974300
Conc: 51.93 ng/ml



#16 4,4'-DDD


R.T.: 6.806 min
Delta R.T.: -0.001 min
Response: 558816935
Conc: 50.15 ng/ml



#17 4,4'-DDT


R.T.: 6.415 min
Delta R.T.: 0.000 min
Response: 48697606
Conc: 47.69 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.104 min
Delta R.T.: 0.000 min
Response: 494407364
Conc: 49.58 ng/ml




#18 Endrin aldehyde

R.T.: 6.492 min
Delta R.T.: 0.000 min
Response: 48099754
Conc: 48.69 ng/ml



#18 Endrin aldehyde


R.T.: 7.017 min
Delta R.T.: 0.000 min
Response: 480747408
Conc: 50.93 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.705 min
Delta R.T.: 0.000 min
Response: 56635744
Conc: 47.97 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 578967712
Conc: 53.37 ng/ml




#20 Methoxychlor

R.T.: 6.961 min
Delta R.T.: 0.000 min
Response: 28288342
Conc: 47.61 ng/ml



#20 Methoxychlor


R.T.: 7.563 min
Delta R.T.: 0.000 min
Response: 241929186
Conc: 49.52 ng/ml



#21 Endrin ketone


R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 67258474
Conc: 55.21 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.711 min
Delta R.T.: 0.000 min
Response: 547351924
Conc: 54.56 ng/ml




#22 Mirex

R.T.: 7.390 min
Delta R.T.: 0.000 min
Response: 53244899
Conc: 53.25 ng/ml



#22 Mirex


R.T.: 8.165 min
Delta R.T.: -0.002 min
Response: 358829835
Conc: 57.41 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.256 min
Delta R.T.: -0.001 min
Response: 56863862
Conc: 46.88 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.041 min
Delta R.T.: -0.001 min
Response: 462447517
Conc: 54.50 ng/ml