

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
 Data File : PD069907.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 May 2022 15:48
 Operator : AR\AJ
 Sample : INDA201
 Misc :
 ALS Vial : 11 Sample Multiplier: 1


Instrument :
 ECD_D
 ClientSampleId :
 INDA2065

Manual IntegrationsAPPROVED

Reviewed By : Abdul Mirza 05/31/2022
 Supervised By : Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 30 09:22:04 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
 Quant Title : GC Extractables
 QLast Update : Mon May 30 09:21:56 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(1) Tetrachloro-m-xylene (SA)

3.442min 10.135 ng/ml

response 10224163

(1) Tetrachloro-m-xylene #2 (SA)

4.170min 10.408 ng/ml

response 102404430

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(1) Tetrachloro-m-xylene (SA)

3.440min 10.400 ng/ml m

response 10490897

(1) Tetrachloro-m-xylene #2 (SA)

4.170min 10.408 ng/ml

response 102404430

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(2) alpha-BHC (A)
3.880min 10.261 ng/ml
response 14933139

(2) alpha-BHC #2 (A)
4.566min 10.657 ng/ml
response 152839975

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(2) alpha-BHC (A)
3.879min 9.675 ng/ml m
response 14080398

(2) alpha-BHC #2 (A)
4.564min 9.818 ng/ml m
response 140804068

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(4) Heptachlor (MA)

4.461min 10.061 ng/ml

response 13287124

(4) Heptachlor #2 (MA)

5.383min 10.260 ng/ml

response 136322607

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
 Data File : PD069907.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 May 2022 15:48
 Operator : AR\AJ
 Sample : INDA201
 Misc :
 ALS Vial : 11 Sample Multiplier: 1


Instrument :
 ECD_D
 ClientSampleId :
 INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
 Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 30 09:22:04 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
 Quant Title : GC Extractables
 QLast Update : Mon May 30 09:21:56 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(4) Heptachlor (MA)
 4.459min 10.274 ng/ml m
 response 13567789

(4) Heptachlor #2 (MA)
 5.383min 10.260 ng/ml
 response 136322607

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(14) Endrin (MA)

5.992min 20.347 ng/ml

response 21613916

(14) Endrin #2 (MA)

6.926min 21.048 ng/ml

response 170882000

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(14) Endrin (MA)

5.990min 20.510 ng/ml m
response 21786655

(14) Endrin #2 (MA)

6.926min 21.048 ng/ml
response 170882000

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)

6.118min 18.980 ng/ml

response 17450968

(16) 4,4'-DDD #2 (A)

7.037min 20.550 ng/ml

response 166015658

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)

6.117min 20.924 ng/ml m
response 19238390

(16) 4,4'-DDD #2 (A)

7.037min 20.550 ng/ml
response 166015658

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(17) 4,4'-DDT (MA)

6.359min 20.086 ng/ml

response 17711376

(17) 4,4'-DDT #2 (MA)

7.341min 20.465 ng/ml

response 156169403

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(17) 4,4'-DDT (MA)
6.358min 20.528 ng/ml m
response 18101767

(17) 4,4'-DDT #2 (MA)
7.341min 20.465 ng/ml
response 156169403

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(20) Methoxychlor (A)
6.909min 100.532 ng/ml
response 53420710

(20) Methoxychlor #2 (A)
7.794min 102.653 ng/ml
response 372769635

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(20) Methoxychlor (A)
6.907min 103.004 ng/ml m
response 54734492

(20) Methoxychlor #2 (A)
7.794min 102.653 ng/ml
response 372769635

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(27) Decachlorobiphenyl (SA)

8.194min 19.823 ng/ml

response 21387544

(27) Decachlorobiphenyl #2 (SA)

9.365min 20.434 ng/ml

response 130879286

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069907.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 15:48
Operator : AR\AJ
Sample : INDA201
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA2065

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:22:04 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:21:56 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(27) Decachlorobiphenyl (SA)

8.193min 20.666 ng/ml m

response 22296496

(27) Decachlorobiphenyl #2 (SA)

9.365min 20.434 ng/ml

response 130879286