

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(1) Tetrachloro-m-xylene (SA)

3.442min 76.169 ng/ml

response 77678768

(1) Tetrachloro-m-xylene #2 (SA)

4.170min 78.076 ng/ml

response 763026169

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(1) Tetrachloro-m-xylene (SA)

3.440min 82.583 ng/ml m

response 84219934

(1) Tetrachloro-m-xylene #2 (SA)

4.170min 78.076 ng/ml

response 763026169

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(2) alpha-BHC (A)
3.881min 86.990 ng/ml
response 131286736

(2) alpha-BHC #2 (A)
4.566min 81.313 ng/ml
response 1177311453

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(2) alpha-BHC (A)
3.880min 86.162 ng/ml m
response 130037119

(2) alpha-BHC #2 (A)
4.565min 79.529 ng/ml m
response 1151474852

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(3) gamma-BHC (Lindane) (MA)

4.164min 83.866 ng/ml

response 117715209

(3) gamma-BHC (Lindane) #2 (MA)

4.857min 79.180 ng/ml

response 1046737974

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(3) gamma-BHC (Lindane) (MA)

4.163min 85.420 ng/ml m

response 119896345

(3) gamma-BHC (Lindane) #2 (MA)

4.857min 79.180 ng/ml

response 1046737974

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(4) Heptachlor (MA)

4.461min 84.006 ng/ml

response 113362042

(4) Heptachlor #2 (MA)

5.384min 76.920 ng/ml

response 1003192043

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(4) Heptachlor (MA)
4.460min 85.146 ng/ml m
response 114900940

(4) Heptachlor #2 (MA)
5.384min 76.920 ng/ml
response 1003192043

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)

6.119min 148.781 ng/ml

response 142393423

(16) 4,4'-DDD #2 (A)

7.038min 151.648 ng/ml

response 1193359711

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)

6.118min 173.397 ng/ml m
response 165952143

(16) 4,4'-DDD #2 (A)

7.038min 151.648 ng/ml
response 1193359711

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(17) 4,4'-DDT (MA)

6.359min 176.216 ng/ml

response 164557644

(17) 4,4'-DDT #2 (MA)

7.342min 154.524 ng/ml

response 1159476687

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(17) 4,4'-DDT (MA)

6.358min 179.226 ng/ml m

response 167368154

(17) 4,4'-DDT #2 (MA)

7.342min 154.524 ng/ml

response 1159476687

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(20) Methoxychlor (A)
6.909min 766.082 ng/ml
response 404846748

(20) Methoxychlor #2 (A)
7.796min 726.777 ng/ml
response 2523476049

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(20) Methoxychlor (A)
6.908min 794.905 ng/ml m
response 420078633

(20) Methoxychlor #2 (A)
7.796min 726.777 ng/ml
response 2523476049

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
Data File : PD069913.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 17:50
Operator : AR\AJ
Sample : INDA501
Misc :
ALS Vial : 17 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
INDA5071

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 05/31/2022
Supervised By :Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 09:36:14 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
Quant Title : GC Extractables
QLast Update : Mon May 30 09:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(27) Decachlorobiphenyl (SA)

8.195min 140.848 ng/ml

response 147227099

(27) Decachlorobiphenyl #2 (SA)

9.366min 141.308 ng/ml

response 854123003

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052922\
 Data File : PD069913.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 May 2022 17:50
 Operator : AR\AJ
 Sample : INDA501
 Misc :
 ALS Vial : 17 Sample Multiplier: 1


Instrument :
 ECD_D
 ClientSampleId :
 INDA5071

Manual IntegrationsAPPROVED

Reviewed By : Abdul Mirza 05/31/2022
 Supervised By : Ankita Jodhani 05/31/2022

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 30 09:36:14 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD052922CLP.M
 Quant Title : GC Extractables
 QLast Update : Mon May 30 09:36:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(27) Decachlorobiphenyl (SA)

8.194min 151.615 ng/ml m

response 158482085

(27) Decachlorobiphenyl #2 (SA)

9.366min 141.308 ng/ml

response 854123003