

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD081323\
 Data File : PD077135.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2023 01:50
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 04:32:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 14:17:41 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.762	58086404	33333930	24.545	24.472
28)	SA Decachlor...	9.084	7.902	70306276	34191814	25.658	23.892
Target Compounds							
4)	MA Heptachlor	4.911	0.000	338495	0	0.094	N.D. #
7)	B delta-BHC	4.767	0.000	1549716	0	0.444	N.D. #
8)	B Heptachlo...	5.689	0.000	2808734	0	0.848	N.D. #
9)	A Endosulfan I	6.112f	0.000	480175	0	0.158	N.D. #
13)	MA Dieldrin	6.367	0.000	137088	0	0.042	N.D. #
14)	MA Endrin	0.000	5.644f	0	674060	N.D.	0.461 #
15)	B Endosulfa...	6.781f	0.000	285502	0	0.090	N.D. #
17)	MA 4,4'-DDT	7.042	0.000	474519	0	0.195	N.D. #
21)	B Endrin ke...	7.691f	0.000	173872	0	0.058	N.D. #
22)	Mirex	8.164f	0.000	329537	0	0.144	N.D. #
24)	Chlordane-2	0.000	4.317f	0	1601219	N.D.	28.473 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD081323\
Data File : PD077135.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2023 01:50
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 04:32:51 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 14:17:41 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.000 min
Response: 58086404
Conc: 24.55 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.762 min
Delta R.T.: 0.000 min
Response: 33333930
Conc: 24.47 ng/ml




#4 Heptachlor

R.T.: 4.911 min
Delta R.T.: -0.014 min
Response: 338495
Conc: 0.09 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 3.933 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.767 min
Delta R.T.: -0.012 min
Response: 1549716
Conc: 0.44 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 4.120 min
Response: 0
Conc: N.D.




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: -0.006 min
Response: 2808734
Conc: 0.85 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T. : 4.716 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.112 min
Delta R.T.: 0.030 min
Response: 480175
Conc: 0.16 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 5.086 min
Response: 0
Conc: N.D.




#13 Dieldrin

R.T.: 6.367 min
Delta R.T.: 0.009 min
Response: 137088
Conc: 0.04 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T. : 5.350 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.588 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#14 Endrin

R.T.: 5.644 min
Delta R.T.: 0.017 min
Response: 674060
Conc: 0.46 ng/ml




#15 Endosulfan II

R.T.: 6.781 min
Delta R.T.: -0.028 min
Response: 285502
Conc: 0.09 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 5.920 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.042 min
Delta R.T.: 0.005 min
Response: 474519
Conc: 0.20 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T. : 6.025 min
Response: 0
Conc: N.D.




#21 Endrin ketone

R.T.: 7.691 min
Delta R.T.: 0.031 min
Response: 173872
Conc: 0.06 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T. : 6.830 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.164 min
Delta R.T.: 0.029 min
Response: 329537
Conc: 0.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 7.011 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 5.240 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.317 min
Delta R.T.: -0.019 min
Response: 1601219
Conc: 28.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.084 min
Delta R.T.: -0.001 min
Response: 70306276
Conc: 25.66 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.902 min
Delta R.T.: -0.002 min
Response: 34191814
Conc: 23.89 ng/ml