

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD081623\
 Data File : PD077208.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Aug 2023 19:20
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 16 00:16:59 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 14:17:41 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.761	112.8E6	64672079	47.657	47.479
28)	SA Decachlor...	9.083	7.902	129.4E6	63470618	47.228	44.351
Target Compounds							
2)	A alpha-BHC	3.999	3.263	188.1E6	93199518	48.995	48.181
3)	MA gamma-BHC...	4.332	3.593	180.5E6	89779291	49.031	48.259
4)	MA Heptachlor	4.923	3.932	176.4E6	86812120	48.931	47.786
5)	MB Aldrin	5.266	4.212	181.0E6	87427786	48.985	47.217
6)	B beta-BHC	4.529	3.890	71480590	35303149	47.501	46.275
7)	B delta-BHC	4.778	4.119	173.9E6	85744525	49.858	48.191
8)	B Heptachlo...	5.694	4.714	157.6E6	78501983	47.590	46.944
9)	A Endosulfan I	6.081	5.084	145.1E6	72936607	47.760	46.755
10)	B gamma-Chl...	5.950	4.964	156.1E6	76827287	47.972	46.315
11)	B alpha-Chl...	6.030	5.029	157.1E6	77075481	47.909	46.154
12)	B 4,4'-DDE	6.203	5.217	142.6E6	66823701	48.066	46.080
13)	MA Dieldrin	6.356	5.349	158.1E6	79016025	48.283	46.906
14)	MA Endrin	6.588	5.625	129.5E6	67644342	46.620	46.230
15)	B Endosulfa...	6.807	5.919	131.8E6	66189274	41.422	44.903
16)	A 4,4'-DDD	6.721	5.772	112.4E6	52481806	47.798	47.193
17)	MA 4,4'-DDT	7.036	6.024	116.5E6	53873389	47.921	48.465
18)	B Endrin al...	6.937	6.099	101.5E6	51692179	46.484	45.408
19)	B Endosulfa...	7.173	6.322	122.8E6	61828308	47.151	46.358
20)	A Methoxychlor	7.512	6.600	66374431	28761775	46.846	48.102
21)	B Endrin ke...	7.660	6.829	145.0E6	75603732	48.151	47.685
22)	Mirex	8.134	7.010	106.8E6	59386025	46.835	45.865



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD081623\
Data File : PD077208.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Aug 2023 19:20
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 16 00:16:59 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 14:17:41 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.000 min
Response: 112778967
Conc: 47.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.761 min
Delta R.T.: 0.000 min
Response: 64672079
Conc: 47.48 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 188127064
Conc: 49.00 ng/ml



#2 alpha-BHC


R.T.: 3.263 min
Delta R.T.: -0.001 min
Response: 93199518
Conc: 48.18 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 180471071
Conc: 49.03 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.593 min
Delta R.T.: -0.001 min
Response: 89779291
Conc: 48.26 ng/ml




#4 Heptachlor

R.T.: 4.923 min
Delta R.T.: -0.001 min
Response: 176446702
Conc: 48.93 ng/ml



#4 Heptachlor


R.T.: 3.932 min
Delta R.T.: -0.001 min
Response: 86812120
Conc: 47.79 ng/ml



#5 Aldrin


R.T.: 5.266 min
Delta R.T.: -0.001 min
Response: 181027330
Conc: 48.98 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.212 min
Delta R.T.: -0.002 min
Response: 87427786
Conc: 47.22 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 71480590
Conc: 47.50 ng/ml



#6 beta-BHC


R.T.: 3.890 min
Delta R.T.: 0.000 min
Response: 35303149
Conc: 46.27 ng/ml



#7 delta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 173937425
Conc: 49.86 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.119 min
Delta R.T.: -0.001 min
Response: 85744525
Conc: 48.19 ng/ml




#8 Heptachlor epoxide

R.T.: 5.694 min
Delta R.T.: -0.001 min
Response: 157577344
Conc: 47.59 ng/ml



#8 Heptachlor epoxide


R.T.: 4.714 min
Delta R.T.: -0.002 min
Response: 78501983
Conc: 46.94 ng/ml



#9 Endosulfan I


R.T.: 6.081 min
Delta R.T.: 0.000 min
Response: 145149573
Conc: 47.76 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.084 min
Delta R.T.: -0.002 min
Response: 72936607
Conc: 46.76 ng/ml




#10 gamma-Chlordane

R.T.: 5.950 min
Delta R.T.: -0.001 min
Response: 156133131
Conc: 47.97 ng/ml



#10 gamma-Chlordane


R.T.: 4.964 min
Delta R.T.: -0.002 min
Response: 76827287
Conc: 46.31 ng/ml



#11 alpha-Chlordane


R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 157102412
Conc: 47.91 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.029 min
Delta R.T.: -0.001 min
Response: 77075481
Conc: 46.15 ng/ml




#12 4,4'-DDE

R.T.: 6.203 min
Delta R.T.: 0.000 min
Response: 142587035
Conc: 48.07 ng/ml



#12 4,4'-DDE


R.T.: 5.217 min
Delta R.T.: -0.002 min
Response: 66823701
Conc: 46.08 ng/ml



#13 Dieldrin


R.T.: 6.356 min
Delta R.T.: -0.002 min
Response: 158068857
Conc: 48.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.349 min
Delta R.T.: -0.001 min
Response: 79016025
Conc: 46.91 ng/ml




#14 Endrin

R.T.: 6.588 min
Delta R.T.: 0.000 min
Response: 129542588
Conc: 46.62 ng/ml



#14 Endrin


R.T.: 5.625 min
Delta R.T.: -0.001 min
Response: 67644342
Conc: 46.23 ng/ml



#15 Endosulfan II


R.T.: 6.807 min
Delta R.T.: -0.001 min
Response: 131795727
Conc: 41.42 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.919 min
Delta R.T.: -0.001 min
Response: 66189274
Conc: 44.90 ng/ml




#16 4,4'-DDD

R.T.: 6.721 min
Delta R.T.: -0.001 min
Response: 112448985
Conc: 47.80 ng/ml



#16 4,4'-DDD


R.T.: 5.772 min
Delta R.T.: -0.001 min
Response: 52481806
Conc: 47.19 ng/ml



#17 4,4'-DDT


R.T.: 7.036 min
Delta R.T.: 0.000 min
Response: 116526204
Conc: 47.92 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 53873389
Conc: 48.47 ng/ml




#18 Endrin aldehyde

R.T.: 6.937 min
Delta R.T.: -0.002 min
Response: 101545181
Conc: 46.48 ng/ml



#18 Endrin aldehyde


R.T.: 6.099 min
Delta R.T.: -0.001 min
Response: 51692179
Conc: 45.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.173 min
Delta R.T.: -0.002 min
Response: 122846736
Conc: 47.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.322 min
Delta R.T.: 0.000 min
Response: 61828308
Conc: 46.36 ng/ml




#20 Methoxychlor

R.T.: 7.512 min
Delta R.T.: -0.001 min
Response: 66374431
Conc: 46.85 ng/ml



#20 Methoxychlor


R.T.: 6.600 min
Delta R.T.: 0.000 min
Response: 28761775
Conc: 48.10 ng/ml



#21 Endrin ketone


R.T.: 7.660 min
Delta R.T.: 0.000 min
Response: 145020485
Conc: 48.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.829 min
Delta R.T.: 0.000 min
Response: 75603732
Conc: 47.68 ng/ml




#22 Mirex

R.T.: 8.134 min
Delta R.T.: -0.002 min
Response: 106825166
Conc: 46.83 ng/ml



#22 Mirex


R.T.: 7.010 min
Delta R.T.: -0.001 min
Response: 59386025
Conc: 45.87 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.083 min
Delta R.T.: -0.003 min
Response: 129414570
Conc: 47.23 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.902 min
Delta R.T.: -0.002 min
Response: 63470618
Conc: 44.35 ng/ml