

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD090323\
 Data File : PD077565.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Sep 2023 13:35
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 01 15:46:25 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD090323.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 01 15:45:28 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.760	251.6E6	161.4E6	100.663	102.518
28)	SA Decachlor...	9.084	7.900	286.7E6	166.3E6	97.140	98.545
Target Compounds							
2)	A alpha-BHC	3.999	3.262	445.2E6	249.8E6	105.789	105.636
3)	MA gamma-BHC...	4.333	3.592	420.6E6	238.3E6	105.073	104.334
4)	MA Heptachlor	4.923	3.931	407.9E6	235.4E6	103.951	103.350
5)	MB Aldrin	5.266	4.211	418.7E6	238.2E6	103.752	103.400
6)	B beta-BHC	4.529	3.889	154.4E6	88335738	98.229	99.371
7)	B delta-BHC	4.778	4.119	394.5E6	231.6E6	105.649	104.181
8)	B Heptachlo...	5.694	4.713	358.1E6	209.5E6	101.649	102.451
9)	A Endosulfan I	6.080	5.083	331.3E6	194.5E6	101.500	103.724
10)	B gamma-Chl...	5.950	4.963	362.8E6	208.5E6	103.342	103.146
11)	B alpha-Chl...	6.030	5.027	358.9E6	207.6E6	101.754	102.628
12)	B 4,4'-DDE	6.202	5.215	336.8E6	190.4E6	104.078	103.172
13)	MA Dieldrin	6.356	5.348	368.1E6	215.9E6	103.503	103.712
14)	MA Endrin	6.587	5.623	308.9E6	189.2E6	101.964	102.883
15)	B Endosulfa...	6.807	5.918	301.2E6	175.9E6	100.466	102.191
16)	A 4,4'-DDD	6.721	5.771	263.6E6	146.8E6	103.052	103.155
17)	MA 4,4'-DDT	7.036	6.021	279.7E6	158.2E6	104.766	106.710
18)	B Endrin al...	6.937	6.097	231.3E6	136.4E6	99.976	101.509
19)	B Endosulfa...	7.173	6.320	279.5E6	164.0E6	100.669	101.810
20)	A Methoxychlor	7.512	6.597	149.7E6	79016249	98.370	99.931
21)	B Endrin ke...	7.659	6.827	327.1E6	195.6E6	101.548	101.877
22)	Mirex	8.133	7.008	231.1E6	149.8E6	98.918	98.740



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD090323\
Data File : PD077565.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Sep 2023 13:35
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 01 15:46:25 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD090323.M
Quant Title : GC Extractables
QLast Update : Fri Sep 01 15:45:28 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.000 min
Response: 251619876
Conc: 100.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.760 min
Delta R.T.: 0.000 min
Response: 161382873
Conc: 102.52 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 445183802
Conc: 105.79 ng/ml



#2 alpha-BHC


R.T.: 3.262 min
Delta R.T.: 0.000 min
Response: 249765903
Conc: 105.64 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.000 min
Response: 420615131
Conc: 105.07 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.592 min
Delta R.T.: 0.000 min
Response: 238310030
Conc: 104.33 ng/ml




#4 Heptachlor

R.T.: 4.923 min
Delta R.T.: 0.000 min
Response: 407855603
Conc: 103.95 ng/ml



#4 Heptachlor


R.T.: 3.931 min
Delta R.T.: 0.000 min
Response: 235428708
Conc: 103.35 ng/ml



#5 Aldrin


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 418722847
Conc: 103.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.211 min
Delta R.T.: 0.000 min
Response: 238242973
Conc: 103.40 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 154391196
Conc: 98.23 ng/ml



#6 beta-BHC


R.T.: 3.889 min
Delta R.T.: 0.000 min
Response: 88335738
Conc: 99.37 ng/ml



#7 delta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 394503770
Conc: 105.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 4.119 min
Delta R.T.: 0.000 min
Response: 231641660
Conc: 104.18 ng/ml




#8 Heptachlor epoxide

R.T.: 5.694 min
Delta R.T.: 0.000 min
Response: 358109175
Conc: 101.65 ng/ml



#8 Heptachlor epoxide


R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 209513618
Conc: 102.45 ng/ml



#9 Endosulfan I


R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 331333489
Conc: 101.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 5.083 min
Delta R.T.: 0.000 min
Response: 194477460
Conc: 103.72 ng/ml




#10 gamma-Chlordane

R.T.: 5.950 min
Delta R.T.: 0.000 min
Response: 362766513
Conc: 103.34 ng/ml



#10 gamma-Chlordane


R.T.: 4.963 min
Delta R.T.: 0.000 min
Response: 208543966
Conc: 103.15 ng/ml



#11 alpha-Chlordane


R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 358901435
Conc: 101.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 5.027 min
Delta R.T.: 0.000 min
Response: 207612601
Conc: 102.63 ng/ml




#12 4,4'-DDE

R.T.: 6.202 min
Delta R.T.: 0.000 min
Response: 336849606
Conc: 104.08 ng/ml



#12 4,4'-DDE


R.T.: 5.215 min
Delta R.T.: 0.000 min
Response: 190427641
Conc: 103.17 ng/ml



#13 Dieldrin


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 368051920
Conc: 103.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.348 min
Delta R.T.: 0.000 min
Response: 215856110
Conc: 103.71 ng/ml




#14 Endrin

R.T.: 6.587 min
Delta R.T.: 0.000 min
Response: 308899648
Conc: 101.96 ng/ml



#14 Endrin


R.T.: 5.623 min
Delta R.T.: 0.000 min
Response: 189162431
Conc: 102.88 ng/ml



#15 Endosulfan II


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 301166496
Conc: 100.47 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.918 min
Delta R.T.: 0.000 min
Response: 175936946
Conc: 102.19 ng/ml




#16 4,4'-DDD

R.T.: 6.721 min
Delta R.T.: 0.000 min
Response: 263589658
Conc: 103.05 ng/ml



#16 4,4'-DDD


R.T.: 5.771 min
Delta R.T.: 0.000 min
Response: 146784999
Conc: 103.15 ng/ml



#17 4,4'-DDT


R.T.: 7.036 min
Delta R.T.: 0.000 min
Response: 279681011
Conc: 104.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 6.021 min
Delta R.T.: 0.000 min
Response: 158176718
Conc: 106.71 ng/ml




#18 Endrin aldehyde

R.T.: 6.937 min
Delta R.T.: 0.000 min
Response: 231333283
Conc: 99.98 ng/ml



#18 Endrin aldehyde


R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 136368327
Conc: 101.51 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.173 min
Delta R.T.: 0.000 min
Response: 279527916
Conc: 100.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.320 min
Delta R.T.: 0.000 min
Response: 164028983
Conc: 101.81 ng/ml




#20 Methoxychlor

R.T.: 7.512 min
Delta R.T.: 0.000 min
Response: 149665705
Conc: 98.37 ng/ml



#20 Methoxychlor


R.T.: 6.597 min
Delta R.T.: 0.000 min
Response: 79016249
Conc: 99.93 ng/ml



#21 Endrin ketone


R.T.: 7.659 min
Delta R.T.: 0.000 min
Response: 327058677
Conc: 101.55 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.827 min
Delta R.T.: 0.000 min
Response: 195554943
Conc: 101.88 ng/ml




#22 Mirex

R.T.: 8.133 min
Delta R.T.: 0.000 min
Response: 231141744
Conc: 98.92 ng/ml



#22 Mirex


R.T.: 7.008 min
Delta R.T.: 0.000 min
Response: 149774248
Conc: 98.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.084 min
Delta R.T.: 0.001 min
Response: 286705613
Conc: 97.14 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.900 min
Delta R.T.: 0.000 min
Response: 166250616
Conc: 98.54 ng/ml