

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD090323\
 Data File : PD077568.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Sep 2023 14:14
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 01 15:47:20 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD090323.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 01 15:45:28 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.760	63726406	39662643	25.494	25.196
28)	SA Decachlor...	9.082	7.900	78468200	43642839	26.586	25.869
Target Compounds							
2)	A alpha-BHC	3.998	3.261	100.3E6	56802358	23.840	24.024
3)	MA gamma-BHC...	4.332	3.591	96888342	55049701	24.204	24.101
4)	MA Heptachlor	4.922	3.931	96424897	55824039	24.576	24.506
5)	MB Aldrin	5.265	4.210	99101280	56398274	24.556	24.477
6)	B beta-BHC	4.529	3.889	40794983	22508211	25.955	25.320
7)	B delta-BHC	4.778	4.118	89760933	53360002	24.038	23.999
8)	B Heptachlo...	5.693	4.713	89043646	50376409	25.275	24.634
9)	A Endosulfan I	6.080	5.083	81692218	46479300	25.025	24.790
10)	B gamma-Chl...	5.950	4.963	86469766	49376986	24.633	24.422
11)	B alpha-Chl...	6.029	5.027	88177539	49949081	25.000	24.691
12)	B 4,4'-DDE	6.201	5.215	78919197	45377476	24.384	24.585
13)	MA Dieldrin	6.356	5.348	87397685	50313357	24.578	24.174
14)	MA Endrin	6.587	5.623	76153054	44819957	25.137	24.377
15)	B Endosulfa...	6.806	5.917	76476713	42235235	25.512	24.532
16)	A 4,4'-DDD	6.720	5.770	63516707	34531050	24.832	24.267
17)	MA 4,4'-DDT	7.036	6.022	64430735	34358892	24.135	23.179
18)	B Endrin al...	6.937	6.097	59757479	33246086	25.826	24.748
19)	B Endosulfa...	7.172	6.320	71019352	39813059	25.577	24.711
20)	A Methoxychlor	7.511	6.597	39486617	19644294	25.953	24.844
21)	B Endrin ke...	7.659	6.827	81409489	46994125	25.277	24.482
22)	Mirex	8.133	7.007	61262324	38841368	26.217	25.606



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD090323\
Data File : PD077568.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Sep 2023 14:14
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 01 15:47:20 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD090323.M
Quant Title : GC Extractables
QLast Update : Fri Sep 01 15:45:28 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.000 min
Response: 63726406
Conc: 25.49 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.760 min
Delta R.T.: 0.000 min
Response: 39662643
Conc: 25.20 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.000 min
Response: 100321677
Conc: 23.84 ng/ml



#2 alpha-BHC


R.T.: 3.261 min
Delta R.T.: 0.000 min
Response: 56802358
Conc: 24.02 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 96888342
Conc: 24.20 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.591 min
Delta R.T.: 0.000 min
Response: 55049701
Conc: 24.10 ng/ml




#4 Heptachlor

R.T.: 4.922 min
Delta R.T.: 0.000 min
Response: 96424897
Conc: 24.58 ng/ml



#4 Heptachlor


R.T.: 3.931 min
Delta R.T.: 0.000 min
Response: 55824039
Conc: 24.51 ng/ml



#5 Aldrin


R.T.: 5.265 min
Delta R.T.: 0.000 min
Response: 99101280
Conc: 24.56 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 56398274
Conc: 24.48 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 40794983
Conc: 25.96 ng/ml



#6 beta-BHC


R.T.: 3.889 min
Delta R.T.: 0.000 min
Response: 22508211
Conc: 25.32 ng/ml



#7 delta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 89760933
Conc: 24.04 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.118 min
Delta R.T.: 0.000 min
Response: 53360002
Conc: 24.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.693 min
Delta R.T.: 0.000 min
Response: 89043646
Conc: 25.27 ng/ml



#8 Heptachlor epoxide


R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 50376409
Conc: 24.63 ng/ml



#9 Endosulfan I


R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 81692218
Conc: 25.03 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.083 min
Delta R.T.: 0.000 min
Response: 46479300
Conc: 24.79 ng/ml




#10 gamma-Chlordane

R.T.: 5.950 min
Delta R.T.: 0.000 min
Response: 86469766
Conc: 24.63 ng/ml



#10 gamma-Chlordane


R.T.: 4.963 min
Delta R.T.: 0.000 min
Response: 49376986
Conc: 24.42 ng/ml



#11 alpha-Chlordane


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 88177539
Conc: 25.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 5.027 min
Delta R.T.: 0.000 min
Response: 49949081
Conc: 24.69 ng/ml




#12 4,4'-DDE

R.T.: 6.201 min
Delta R.T.: 0.000 min
Response: 78919197
Conc: 24.38 ng/ml



#12 4,4'-DDE


R.T.: 5.215 min
Delta R.T.: 0.000 min
Response: 45377476
Conc: 24.59 ng/ml



#13 Dieldrin


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 87397685
Conc: 24.58 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.348 min
Delta R.T.: 0.000 min
Response: 50313357
Conc: 24.17 ng/ml




#14 Endrin

R.T.: 6.587 min
Delta R.T.: 0.000 min
Response: 76153054
Conc: 25.14 ng/ml



#14 Endrin


R.T.: 5.623 min
Delta R.T.: 0.000 min
Response: 44819957
Conc: 24.38 ng/ml



#15 Endosulfan II


R.T.: 6.806 min
Delta R.T.: 0.000 min
Response: 76476713
Conc: 25.51 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.917 min
Delta R.T.: 0.000 min
Response: 42235235
Conc: 24.53 ng/ml




#16 4,4'-DDD

R.T.: 6.720 min
Delta R.T.: 0.000 min
Response: 63516707
Conc: 24.83 ng/ml



#16 4,4'-DDD


R.T.: 5.770 min
Delta R.T.: 0.000 min
Response: 34531050
Conc: 24.27 ng/ml



#17 4,4'-DDT


R.T.: 7.036 min
Delta R.T.: 0.000 min
Response: 64430735
Conc: 24.14 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 34358892
Conc: 23.18 ng/ml




#18 Endrin aldehyde

R.T.: 6.937 min
Delta R.T.: 0.000 min
Response: 59757479
Conc: 25.83 ng/ml



#18 Endrin aldehyde


R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 33246086
Conc: 24.75 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.172 min
Delta R.T.: 0.000 min
Response: 71019352
Conc: 25.58 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.320 min
Delta R.T.: 0.000 min
Response: 39813059
Conc: 24.71 ng/ml




#20 Methoxychlor

R.T.: 7.511 min
Delta R.T.: 0.000 min
Response: 39486617
Conc: 25.95 ng/ml



#20 Methoxychlor


R.T.: 6.597 min
Delta R.T.: 0.000 min
Response: 19644294
Conc: 24.84 ng/ml



#21 Endrin ketone


R.T.: 7.659 min
Delta R.T.: 0.000 min
Response: 81409489
Conc: 25.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.827 min
Delta R.T.: 0.000 min
Response: 46994125
Conc: 24.48 ng/ml




#22 Mirex

R.T.: 8.133 min
Delta R.T.: 0.000 min
Response: 61262324
Conc: 26.22 ng/ml



#22 Mirex

R.T.: 7.007 min
Delta R.T.: 0.000 min
Response: 38841368
Conc: 25.61 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.082 min

Delta R.T.: 0.000 min

Response: 78468200

Conc: 26.59 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.900 min

Delta R.T.: 0.000 min

Response: 43642839

Conc: 25.87 ng/ml