

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL010419\
 Data File : PL043638.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Jan 2019 20:53
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 04 23:10:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL010319.M
 Quant Title : GC Extractables
 QLast Update : Fri Jan 04 06:12:42 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.464	4.100	294.7E6	145.7E6	46.129	49.879
28)	SA Decachlor...	8.200	9.231	281.3E6	101.8E6	55.821	46.067
Target Compounds							
2)	A alpha-BHC	3.903	4.496	453.4E6	218.7E6	46.869	51.755
3)	MA gamma-BHC...	4.186	4.784	411.4E6	200.6E6	47.103	50.398
4)	MA Heptachlor	4.481	5.300	410.8E6	190.9E6	45.977	48.748
5)	MB Aldrin	4.726	5.608	395.9E6	190.4E6	48.257	50.447
6)	B beta-BHC	4.441	4.954	168.3E6	84066830	46.003	50.194
7)	B delta-BHC	4.642	5.175	388.2E6	195.3E6	48.767	46.190
8)	B Heptachlor...	5.170	5.997	361.8E6	179.2E6	47.054	49.029
9)	A Endosulfan I	5.507	6.357	328.3E6	156.4E6	46.209	53.091
10)	B gamma-Chl...	5.395	6.232	363.7E6	170.1E6	46.381	52.794
11)	B alpha-Chl...	5.453	6.305	353.9E6	165.3E6	45.946	52.848
12)	B 4,4'-DDE	5.619	6.459	333.4E6	167.6E6	50.127	51.395
13)	MA Dieldrin	5.750	6.615	358.7E6	167.7E6	50.536	52.218
14)	MA Endrin	6.006	6.835	277.0E6	111.2E6	45.342	44.009
15)	B Endosulfa...	6.281	7.044	296.6E6	139.5E6	50.736	54.027
16)	A 4,4'-DDD	6.135	6.952	282.7E6	137.2E6	53.374	55.429
17)	MA 4,4'-DDT	6.372	7.252	240.9E6	116.1E6	47.745	51.993
18)	B Endrin al...	6.449	7.168	254.0E6	117.2E6	50.527	55.082
19)	B Endosulfa...	6.662	7.391	299.4E6	139.0E6	48.191	55.345
20)	A Methoxychlor	6.919	7.708	134.3E6	60302197	48.625	53.556
21)	B Endrin ke...	7.151	7.865	350.5E6	145.8E6	54.037	58.561
23)	Chlordane-1	4.359	5.175	2089309	195.3E6	7.762	1460.124 #
24)	Chlordane-2	0.000	5.608	0	190.4E6	N.D.	1542.101 #
25)	Chlordane-3	5.395	6.232	363.7E6	170.1E6	431.915	392.932
26)	Chlordane-4	5.453	6.305	353.9E6	165.3E6	475.399	329.313 #
27)	Chlordane-5	6.281	7.168	296.6E6	117.2E6	1398.596	1272.596



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL010419\
Data File : PL043638.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Jan 2019 20:53
Operator : AJ\SJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 04 23:10:19 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL010319.M
Quant Title : GC Extractables
QLast Update : Fri Jan 04 06:12:42 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.464 min
Delta R.T.: 0.000 min
Response: 294726421
Conc: 46.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.100 min
Delta R.T.: 0.000 min
Response: 145739318
Conc: 49.88 ng/ml




#2 alpha-BHC

R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 453356990
Conc: 46.87 ng/ml



#2 alpha-BHC


R.T.: 4.496 min
Delta R.T.: 0.000 min
Response: 218743761
Conc: 51.75 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.186 min
Delta R.T.: 0.000 min
Response: 411376764
Conc: 47.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.784 min
Delta R.T.: 0.000 min
Response: 200577154
Conc: 50.40 ng/ml




#4 Heptachlor

R.T.: 4.481 min
Delta R.T.: 0.000 min
Response: 410793905
Conc: 45.98 ng/ml



#4 Heptachlor


R.T.: 5.300 min
Delta R.T.: 0.000 min
Response: 190893635
Conc: 48.75 ng/ml



#5 Aldrin


R.T.: 4.726 min
Delta R.T.: 0.000 min
Response: 395937908
Conc: 48.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.608 min
Delta R.T.: 0.000 min
Response: 190422815
Conc: 50.45 ng/ml




#6 beta-BHC

R.T.: 4.441 min
Delta R.T.: 0.000 min
Response: 168319755
Conc: 46.00 ng/ml



#6 beta-BHC


R.T.: 4.954 min
Delta R.T.: 0.000 min
Response: 84066830
Conc: 50.19 ng/ml



#7 delta-BHC


R.T.: 4.642 min
Delta R.T.: 0.000 min
Response: 388182808
Conc: 48.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 195327976
Conc: 46.19 ng/ml




#8 Heptachlor epoxide

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 361848557
Conc: 47.05 ng/ml



#8 Heptachlor epoxide


R.T.: 5.997 min
Delta R.T.: 0.000 min
Response: 179236852
Conc: 49.03 ng/ml



#9 Endosulfan I


R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 328343292
Conc: 46.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.357 min
Delta R.T.: 0.000 min
Response: 156403756
Conc: 53.09 ng/ml




#10 gamma-Chlordane

R.T.: 5.395 min
Delta R.T.: 0.000 min
Response: 363724344
Conc: 46.38 ng/ml



#10 gamma-Chlordane


R.T.: 6.232 min
Delta R.T.: 0.000 min
Response: 170142846
Conc: 52.79 ng/ml



#11 alpha-Chlordane


R.T.: 5.453 min
Delta R.T.: 0.000 min
Response: 353926508
Conc: 45.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.305 min
Delta R.T.: 0.000 min
Response: 165273896
Conc: 52.85 ng/ml




#12 4,4'-DDE

R.T.: 5.619 min
Delta R.T.: 0.000 min
Response: 333408711
Conc: 50.13 ng/ml



#12 4,4'-DDE


R.T.: 6.459 min
Delta R.T.: 0.000 min
Response: 167586257
Conc: 51.39 ng/ml



#13 Dieldrin


R.T.: 5.750 min
Delta R.T.: 0.000 min
Response: 358659491
Conc: 50.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.615 min
Delta R.T.: -0.001 min
Response: 167709542
Conc: 52.22 ng/ml




#14 Endrin

R.T.: 6.006 min
Delta R.T.: 0.000 min
Response: 276957725
Conc: 45.34 ng/ml



#14 Endrin


R.T.: 6.835 min
Delta R.T.: 0.000 min
Response: 111186921
Conc: 44.01 ng/ml



#15 Endosulfan II


R.T.: 6.281 min
Delta R.T.: 0.000 min
Response: 296592706
Conc: 50.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 7.044 min
Delta R.T.: 0.000 min
Response: 139482225
Conc: 54.03 ng/ml




#16 4,4'-DDD

R.T.: 6.135 min
Delta R.T.: 0.000 min
Response: 282739689
Conc: 53.37 ng/ml



#16 4,4'-DDD


R.T.: 6.952 min
Delta R.T.: 0.000 min
Response: 137151507
Conc: 55.43 ng/ml



#17 4,4'-DDT


R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 240931009
Conc: 47.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.252 min
Delta R.T.: 0.000 min
Response: 116134836
Conc: 51.99 ng/ml




#18 Endrin aldehyde

R.T.: 6.449 min
Delta R.T.: 0.000 min
Response: 254035983
Conc: 50.53 ng/ml



#18 Endrin aldehyde


R.T.: 7.168 min
Delta R.T.: 0.000 min
Response: 117202798
Conc: 55.08 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.662 min
Delta R.T.: 0.000 min
Response: 299423344
Conc: 48.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 138984871
Conc: 55.35 ng/ml




#20 Methoxychlor

R.T.: 6.919 min
Delta R.T.: 0.000 min
Response: 134260335
Conc: 48.62 ng/ml



#20 Methoxychlor


R.T.: 7.708 min
Delta R.T.: 0.000 min
Response: 60302197
Conc: 53.56 ng/ml



#21 Endrin ketone


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 350462384
Conc: 54.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.865 min
Delta R.T.: -0.001 min
Response: 145822143
Conc: 58.56 ng/ml




#23 Chlordane-1

R.T.: 4.359 min
Delta R.T.: 0.029 min
Response: 2089309
Conc: 7.76 ng/ml



#23 Chlordane-1


R.T.: 5.175 min
Delta R.T.: 0.066 min
Response: 195327976
Conc: 1460.12 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.829 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.608 min
Delta R.T.: 0.027 min
Response: 190422815
Conc: 1542.10 ng/ml




#25 Chlordane-3

R.T.: 5.395 min
Delta R.T.: 0.000 min
Response: 363724344
Conc: 431.91 ng/ml



#25 Chlordane-3


R.T.: 6.232 min
Delta R.T.: 0.000 min
Response: 170142846
Conc: 392.93 ng/ml



#26 Chlordane-4


R.T.: 5.453 min
Delta R.T.: 0.000 min
Response: 353926508
Conc: 475.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.305 min
Delta R.T.: -0.001 min
Response: 165273896
Conc: 329.31 ng/ml




#27 Chlordane-5

R.T.: 6.281 min
Delta R.T.: -0.006 min
Response: 296592706
Conc: 1398.60 ng/ml



#27 Chlordane-5


R.T.: 7.168 min
Delta R.T.: 0.051 min
Response: 117202798
Conc: 1272.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.200 min
Delta R.T.: 0.001 min
Response: 281297144
Conc: 55.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.231 min
Delta R.T.: 0.000 min
Response: 101836996
Conc: 46.07 ng/ml