

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL010620\
 Data File : PL055556.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Jan 2020 17:28
 Operator : AJ\MA
 Sample : L1032-03
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PAMT-COMP-5-1-2-20

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 07 00:59:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL010320.M
 Quant Title : GC Extractables
 QLast Update : Sat Jan 04 01:07:28 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.500	4.012	214.0E6	60849008	22.221	21.515
28) SA Decachlor...	8.262	9.086	188.9E6	46358963	22.333	20.932
Target Compounds						
21) B Endrin ke...	0.000	7.740	0	3904075	N.D.	1.614 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL010620\
Data File : PL055556.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jan 2020 17:28
Operator : AJ\MA
Sample : L1032-03
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PAMT-COMP-5-1-2-20

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 07 00:59:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL010320.M
Quant Title : GC Extractables
QLast Update : Sat Jan 04 01:07:28 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.500 min
Delta R.T.: -0.002 min
Response: 214049829
Conc: 22.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PAMT-COMP-5-1-2-20




#1 Tetrachloro-m-xylene

R.T.: 4.012 min
Delta R.T.: 0.000 min
Response: 60849008
Conc: 21.51 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.211 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.740 min
Delta R.T.: -0.005 min
Response: 3904075
Conc: 1.61 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.262 min
Delta R.T.: -0.004 min
Response: 188900698
Conc: 22.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PAMT-COMP-5-1-2-20



#28 Decachlorobiphenyl

R.T.: 9.086 min
Delta R.T.: 0.002 min
Response: 46358963
Conc: 20.93 ng/ml