

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011024\
 Data File : PL087721.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Jan 2024 21:32
 Operator : AR\AJ
 Sample : P1056-02MS
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 MR-311P-0-2MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 10 23:43:28 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122823.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 29 03:17:47 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.420	2.674	61604714	25559683	20.578	21.100
28)	SA Decachlor...	8.983	7.864	52027146	24161795	18.268	19.073
Target Compounds							
2)	A alpha-BHC	3.876	3.178	228.3E6	100.6E6	50.882	54.572
3)	MA gamma-BHC...	4.210	3.509	228.7E6	96452431	52.440	53.075
4)	MA Heptachlor	4.803	3.850	233.4E6	97552868	53.119	54.774
5)	MB Aldrin	5.146	4.131	214.2E6	91454165	49.981	51.818
6)	B beta-BHC	4.410	3.811	99301196	40699578	53.374	53.213
7)	B delta-BHC	4.656	4.040	148.6E6	61175419	35.315	35.241
8)	B Heptachlo...	5.577	4.638	199.1E6	86203486	51.959	54.087
9)	A Endosulfan I	5.964	5.010	185.6E6	80953560	51.479	52.331
10)	B gamma-Chl...	5.835	4.892	202.7E6	89188467	52.435	55.257
11)	B alpha-Chl...	5.916	4.957	199.8E6	88681777	51.993	53.435
12)	B 4,4'-DDE	6.097	5.155	173.4E6	77809004	54.232	57.845
13)	MA Dieldrin	6.242	5.277	198.4E6	88224512	53.257	55.517
14)	MA Endrin	6.473	5.553	168.4E6	82621554	53.628	58.267
15)	B Endosulfa...	6.694	5.851	167.3E6	69808191	52.169	50.993
16)	A 4,4'-DDD	6.619	5.713	129.1E6	62854109	50.058	55.743
17)	MA 4,4'-DDT	6.935	5.966	163.6E6	72752492	57.218	58.455
18)	B Endrin al...	6.826	6.033	129.1E6	58501886	51.317	50.337
19)	B Endosulfa...	7.063	6.258	153.3E6	69279450	50.118	52.777
20)	A Methoxychlor	7.421	6.553	86083756	40743095	53.021	55.351
21)	B Endrin ke...	7.550	6.765	172.7E6	85299294	53.086	55.640
22)	Mirex	8.027	6.946	140.0E6	69183963	49.926	51.577
24)	Chlordane-2	5.146f	4.269	214.2E6	214452	1452.590	3.833 #
25)	Chlordane-3	5.835	4.892	202.7E6	89188467	364.395	563.569 #
26)	Chlordane-4	5.916	4.957	199.8E6	88681777	288.834	519.038 #
27)	Chlordane-5	0.000	5.625	0	103723	N.D.	2.204 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011024\
Data File : PL087721.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Jan 2024 21:32
Operator : AR\AJ
Sample : P1056-02MS
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 10 23:43:28 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122823.M
Quant Title : GC Extractables
QLast Update : Fri Dec 29 03:17:47 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.420 min
Delta R.T.: 0.000 min
Response: 61604714
Conc: 20.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#1 Tetrachloro-m-xylene

R.T.: 2.674 min
Delta R.T.: 0.000 min
Response: 25559683
Conc: 21.10 ng/ml




#2 alpha-BHC

R.T.: 3.876 min
Delta R.T.: 0.000 min
Response: 228304389
Conc: 50.88 ng/ml



#2 alpha-BHC


R.T.: 3.178 min
Delta R.T.: 0.000 min
Response: 100581239
Conc: 54.57 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 228723441
Conc: 52.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#3 gamma-BHC (Lindane)

R.T.: 3.509 min
Delta R.T.: 0.000 min
Response: 96452431
Conc: 53.08 ng/ml




#4 Heptachlor

R.T.: 4.803 min
Delta R.T.: 0.000 min
Response: 233409015
Conc: 53.12 ng/ml



#4 Heptachlor


R.T.: 3.850 min
Delta R.T.: -0.001 min
Response: 97552868
Conc: 54.77 ng/ml



#5 Aldrin


R.T.: 5.146 min
Delta R.T.: 0.000 min
Response: 214211335
Conc: 49.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#5 Aldrin

R.T.: 4.131 min
Delta R.T.: -0.001 min
Response: 91454165
Conc: 51.82 ng/ml




#6 beta-BHC

R.T.: 4.410 min
Delta R.T.: 0.000 min
Response: 99301196
Conc: 53.37 ng/ml



#6 beta-BHC


R.T.: 3.811 min
Delta R.T.: 0.000 min
Response: 40699578
Conc: 53.21 ng/ml



#7 delta-BHC


R.T.: 4.656 min
Delta R.T.: 0.000 min
Response: 148603501
Conc: 35.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#7 delta-BHC

R.T.: 4.040 min
Delta R.T.: 0.000 min
Response: 61175419
Conc: 35.24 ng/ml




#8 Heptachlor epoxide

R.T.: 5.577 min
Delta R.T.: 0.000 min
Response: 199067344
Conc: 51.96 ng/ml



#8 Heptachlor epoxide


R.T.: 4.638 min
Delta R.T.: -0.002 min
Response: 86203486
Conc: 54.09 ng/ml



#9 Endosulfan I


R.T.: 5.964 min
Delta R.T.: 0.000 min
Response: 185633756
Conc: 51.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#9 Endosulfan I

R.T.: 5.010 min
Delta R.T.: -0.002 min
Response: 80953560
Conc: 52.33 ng/ml




#10 gamma-Chlordane

R.T.: 5.835 min
Delta R.T.: 0.000 min
Response: 202699932
Conc: 52.44 ng/ml



#10 gamma-Chlordane


R.T.: 4.892 min
Delta R.T.: -0.001 min
Response: 89188467
Conc: 55.26 ng/ml



#11 alpha-Chlordane


R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 199792076
Conc: 51.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#11 alpha-Chlordane

R.T.: 4.957 min
Delta R.T.: -0.001 min
Response: 88681777
Conc: 53.44 ng/ml




#12 4,4'-DDE

R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 173388205
Conc: 54.23 ng/ml



#12 4,4'-DDE


R.T.: 5.155 min
Delta R.T.: -0.002 min
Response: 77809004
Conc: 57.85 ng/ml



#13 Dieldrin


R.T.: 6.242 min
Delta R.T.: 0.000 min
Response: 198375543
Conc: 53.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#13 Dieldrin

R.T.: 5.277 min
Delta R.T.: -0.002 min
Response: 88224512
Conc: 55.52 ng/ml




#14 Endrin

R.T.: 6.473 min
Delta R.T.: 0.000 min
Response: 168441285
Conc: 53.63 ng/ml



#14 Endrin


R.T.: 5.553 min
Delta R.T.: -0.001 min
Response: 82621554
Conc: 58.27 ng/ml



#15 Endosulfan II


R.T.: 6.694 min
Delta R.T.: 0.000 min
Response: 167305068
Conc: 52.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#15 Endosulfan II

R.T.: 5.851 min
Delta R.T.: 0.000 min
Response: 69808191
Conc: 50.99 ng/ml




#16 4,4'-DDD

R.T.: 6.619 min
Delta R.T.: 0.000 min
Response: 129078832
Conc: 50.06 ng/ml



#16 4,4'-DDD


R.T.: 5.713 min
Delta R.T.: 0.000 min
Response: 62854109
Conc: 55.74 ng/ml



#17 4,4'-DDT


R.T.: 6.935 min
Delta R.T.: 0.000 min
Response: 163618646
Conc: 57.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#17 4,4'-DDT

R.T.: 5.966 min
Delta R.T.: -0.002 min
Response: 72752492
Conc: 58.46 ng/ml




#18 Endrin aldehyde

R.T.: 6.826 min
Delta R.T.: 0.001 min
Response: 129076909
Conc: 51.32 ng/ml



#18 Endrin aldehyde


R.T.: 6.033 min
Delta R.T.: -0.001 min
Response: 58501886
Conc: 50.34 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.063 min
Delta R.T.: 0.000 min
Response: 153287394
Conc: 50.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#19 Endosulfan Sulfate

R.T.: 6.258 min
Delta R.T.: -0.001 min
Response: 69279450
Conc: 52.78 ng/ml




#20 Methoxychlor

R.T.: 7.421 min
Delta R.T.: 0.000 min
Response: 86083756
Conc: 53.02 ng/ml



#20 Methoxychlor


R.T.: 6.553 min
Delta R.T.: 0.000 min
Response: 40743095
Conc: 55.35 ng/ml



#21 Endrin ketone


R.T.: 7.550 min
Delta R.T.: 0.000 min
Response: 172669235
Conc: 53.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#21 Endrin ketone

R.T.: 6.765 min
Delta R.T.: 0.000 min
Response: 85299294
Conc: 55.64 ng/ml




#22 Mirex

R.T.: 8.027 min
Delta R.T.: 0.000 min
Response: 139984832
Conc: 49.93 ng/ml



#22 Mirex


R.T.: 6.946 min
Delta R.T.: -0.001 min
Response: 69183963
Conc: 51.58 ng/ml



#24 Chlordane-2


R.T.: 5.146 min
Delta R.T.: 0.023 min
Response: 214211335
Conc: 1452.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#24 Chlordane-2

R.T.: 4.269 min
Delta R.T.: 0.010 min
Response: 214452
Conc: 3.83 ng/ml




#25 Chlordane-3

R.T.: 5.835 min
Delta R.T.: -0.002 min
Response: 202699932
Conc: 364.39 ng/ml



#25 Chlordane-3


R.T.: 4.892 min
Delta R.T.: -0.002 min
Response: 89188467
Conc: 563.57 ng/ml



#26 Chlordane-4


R.T.: 5.916 min
Delta R.T.: -0.004 min
Response: 199792076
Conc: 288.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS




#26 Chlordane-4

R.T.: 4.957 min
Delta R.T.: 0.000 min
Response: 88681777
Conc: 519.04 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.773 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.625 min
Delta R.T.: -0.005 min
Response: 103723
Conc: 2.20 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.983 min
Delta R.T.: 0.000 min
Response: 52027146
Conc: 18.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
MR-311P-0-2MS



#28 Decachlorobiphenyl

R.T.: 7.864 min
Delta R.T.: 0.000 min
Response: 24161795
Conc: 19.07 ng/ml