

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011425\
 Data File : PL093648.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Jan 2025 10:53
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 15 02:07:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122324.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 24 15:29:41 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.775	125.9E6	149.8E6	50.852	51.444
28)	SA Decachlor...	9.056	7.912	95375351	147.0E6	51.582	49.219
Target Compounds							
2)	A alpha-BHC	3.995	3.277	178.3E6	227.0E6	51.641	52.229
3)	MA gamma-BHC...	4.327	3.608	171.3E6	220.7E6	52.220	52.295
4)	MA Heptachlor	4.915	3.946	151.5E6	216.0E6	51.733	51.971
5)	MB Aldrin	5.257	4.226	150.9E6	214.0E6	51.883	52.165
6)	B beta-BHC	4.525	3.908	75286093	93110964	52.224	51.801
7)	B delta-BHC	4.772	4.137	163.9E6	222.5E6	53.508	52.624
8)	B Heptachlo...	5.684	4.728	136.1E6	195.4E6	51.656	51.028
9)	A Endosulfan I	6.069	5.098	121.8E6	177.4E6	51.645	50.760
10)	B gamma-Chl...	5.940	4.978	129.9E6	198.5E6	51.688	51.524
11)	B alpha-Chl...	6.018	5.042	130.7E6	195.9E6	52.209	51.455
12)	B 4,4'-DDE	6.192	5.231	118.9E6	192.0E6	52.994	52.221
13)	MA Dieldrin	6.344	5.363	128.6E6	199.1E6	51.526	51.657
14)	MA Endrin	6.574	5.638	108.6E6	167.7E6	50.468	50.685
15)	B Endosulfa...	6.794	5.933	111.6E6	172.9E6	49.090	53.215
16)	A 4,4'-DDD	6.710	5.786	95103727	155.6E6	54.161	54.980
17)	MA 4,4'-DDT	7.024	6.036	97643307	158.8E6	52.822	52.590
18)	B Endrin al...	6.924	6.112	91188482	139.9E6	51.387	51.945
19)	B Endosulfa...	7.159	6.335	104.3E6	163.6E6	51.679	51.849
20)	A Methoxychlor	7.500	6.611	53060227	82079716	53.077	50.993
21)	B Endrin ke...	7.643	6.840	117.1E6	194.1E6	52.199	53.311
22)	Mirex	8.117	7.021	94467613	154.6E6	50.552	50.566
24)	Chlordane-2	5.257f	4.365	150.9E6	1193739	1372.954	8.600 #
25)	Chlordane-3	5.940	4.978	129.9E6	198.5E6	341.764	467.819 #
26)	Chlordane-4	6.018	5.042	130.7E6	195.9E6	287.610	476.274 #
27)	Chlordane-5	0.000	5.933	0	172.9E6	N.D.	1298.555 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011425\
Data File : PL093648.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Jan 2025 10:53
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 15 02:07:46 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122324.M
Quant Title : GC Extractables
QLast Update : Tue Dec 24 15:29:41 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: -0.004 min
Response: 125892682
Conc: 50.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.775 min
Delta R.T.: -0.002 min
Response: 149762213
Conc: 51.44 ng/ml




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: -0.003 min
Response: 178283085
Conc: 51.64 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: -0.002 min
Response: 227030214
Conc: 52.23 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: -0.002 min
Response: 171253089
Conc: 52.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.608 min
Delta R.T.: -0.002 min
Response: 220653496
Conc: 52.30 ng/ml




#4 Heptachlor

R.T.: 4.915 min
Delta R.T.: -0.002 min
Response: 151490636
Conc: 51.73 ng/ml



#4 Heptachlor


R.T.: 3.946 min
Delta R.T.: -0.002 min
Response: 215988271
Conc: 51.97 ng/ml



#5 Aldrin


R.T.: 5.257 min
Delta R.T.: -0.002 min
Response: 150920851
Conc: 51.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.226 min
Delta R.T.: -0.002 min
Response: 213996274
Conc: 52.17 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: -0.002 min
Response: 75286093
Conc: 52.22 ng/ml



#6 beta-BHC


R.T.: 3.908 min
Delta R.T.: -0.002 min
Response: 93110964
Conc: 51.80 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: -0.003 min
Response: 163874448
Conc: 53.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.137 min
Delta R.T.: -0.002 min
Response: 222539799
Conc: 52.62 ng/ml




#8 Heptachlor epoxide

R.T.: 5.684 min
Delta R.T.: -0.002 min
Response: 136079374
Conc: 51.66 ng/ml



#8 Heptachlor epoxide


R.T.: 4.728 min
Delta R.T.: -0.002 min
Response: 195370037
Conc: 51.03 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: -0.001 min
Response: 121843260
Conc: 51.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.098 min
Delta R.T.: -0.002 min
Response: 177353565
Conc: 50.76 ng/ml




#10 gamma-Chlordane

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 129895423
Conc: 51.69 ng/ml



#10 gamma-Chlordane


R.T.: 4.978 min
Delta R.T.: -0.002 min
Response: 198522497
Conc: 51.52 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: -0.002 min
Response: 130673619
Conc: 52.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.042 min
Delta R.T.: -0.002 min
Response: 195909589
Conc: 51.45 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: -0.002 min
Response: 118911247
Conc: 52.99 ng/ml



#12 4,4'-DDE


R.T.: 5.231 min
Delta R.T.: -0.002 min
Response: 192028421
Conc: 52.22 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: -0.002 min
Response: 128560654
Conc: 51.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.363 min
Delta R.T.: -0.002 min
Response: 199080852
Conc: 51.66 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: -0.001 min
Response: 108629069
Conc: 50.47 ng/ml



#14 Endrin


R.T.: 5.638 min
Delta R.T.: -0.001 min
Response: 167683398
Conc: 50.69 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: -0.001 min
Response: 111595879
Conc: 49.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.933 min
Delta R.T.: -0.001 min
Response: 172894005
Conc: 53.22 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: -0.001 min
Response: 95103727
Conc: 54.16 ng/ml



#16 4,4'-DDD


R.T.: 5.786 min
Delta R.T.: -0.002 min
Response: 155601514
Conc: 54.98 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 97643307
Conc: 52.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.036 min
Delta R.T.: -0.001 min
Response: 158836220
Conc: 52.59 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: -0.002 min
Response: 91188482
Conc: 51.39 ng/ml



#18 Endrin aldehyde


R.T.: 6.112 min
Delta R.T.: 0.000 min
Response: 139892426
Conc: 51.95 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 104340590
Conc: 51.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.335 min
Delta R.T.: -0.002 min
Response: 163553855
Conc: 51.85 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 53060227
Conc: 53.08 ng/ml



#20 Methoxychlor


R.T.: 6.611 min
Delta R.T.: 0.000 min
Response: 82079716
Conc: 50.99 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: -0.001 min
Response: 117126743
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.840 min
Delta R.T.: -0.002 min
Response: 194074465
Conc: 53.31 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 94467613
Conc: 50.55 ng/ml



#22 Mirex


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 154554699
Conc: 50.57 ng/ml



#24 Chlordane-2


R.T.: 5.257 min
Delta R.T.: 0.026 min
Response: 150920851
Conc: 1372.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.365 min
Delta R.T.: 0.015 min
Response: 1193739
Conc: 8.60 ng/ml




#25 Chlordane-3

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 129895423
Conc: 341.76 ng/ml



#25 Chlordane-3


R.T.: 4.978 min
Delta R.T.: 0.000 min
Response: 198522497
Conc: 467.82 ng/ml



#26 Chlordane-4


R.T.: 6.018 min
Delta R.T.: -0.004 min
Response: 130673619
Conc: 287.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.042 min
Delta R.T.: 0.000 min
Response: 195909589
Conc: 476.27 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.933 min
Delta R.T.: -0.005 min
Response: 172894005
Conc: 1298.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 95375351
Conc: 51.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.912 min
Delta R.T.: 0.000 min
Response: 146964262
Conc: 49.22 ng/ml