

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011425\
 Data File : PL093659.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Jan 2025 14:25
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 15 02:12:48 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122324.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 24 15:29:41 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.775	122.6E6	148.0E6	49.531	50.830
28)	SA Decachlor...	9.056	7.912	90491145	142.6E6	48.940	47.772
Target Compounds							
2)	A alpha-BHC	3.994	3.277	174.3E6	223.6E6	50.481	51.442
3)	MA gamma-BHC...	4.327	3.607	167.1E6	215.3E6	50.965	51.017
4)	MA Heptachlor	4.915	3.946	143.8E6	202.6E6	49.107	48.750
5)	MB Aldrin	5.256	4.226	147.4E6	207.6E6	50.663	50.615
6)	B beta-BHC	4.525	3.907	73476112	90927782	50.969	50.586
7)	B delta-BHC	4.773	4.137	160.6E6	217.9E6	52.455	51.538
8)	B Heptachlo...	5.684	4.729	130.9E6	189.9E6	49.691	49.601
9)	A Endosulfan I	6.069	5.098	117.2E6	167.5E6	49.689	47.932
10)	B gamma-Chl...	5.940	4.979	124.8E6	192.7E6	49.644	50.002
11)	B alpha-Chl...	6.019	5.042	125.3E6	189.2E6	50.047	49.704
12)	B 4,4'-DDE	6.192	5.231	115.0E6	186.8E6	51.239	50.811
13)	MA Dieldrin	6.344	5.362	124.4E6	191.8E6	49.866	49.776
14)	MA Endrin	6.574	5.638	104.0E6	160.9E6	48.339	48.638
15)	B Endosulfa...	6.794	5.933	107.2E6	166.2E6	47.174	51.150
16)	A 4,4'-DDD	6.710	5.786	95405897	155.1E6	54.333	54.804
17)	MA 4,4'-DDT	7.023	6.036	88461381	141.4E6	47.855	46.828
18)	B Endrin al...	6.924	6.112	87658009	132.8E6	49.398	49.307
19)	B Endosulfa...	7.159	6.335	100.4E6	156.6E6	49.748	49.639
20)	A Methoxychlor	7.500	6.612	48993445	73922747	49.009	45.925
21)	B Endrin ke...	7.644	6.840	113.9E6	185.5E6	50.762	50.953
22)	Mirex	8.117	7.020	89512727	143.6E6	47.901	46.982
24)	Chlordane-2	5.256f	4.366	147.4E6	3285322	1340.655	23.668 #
25)	Chlordane-3	5.940	4.979	124.8E6	192.7E6	328.251	453.998 #
26)	Chlordane-4	6.019	5.042	125.3E6	189.2E6	275.702	460.068 #
27)	Chlordane-5	0.000	5.933	0	166.2E6	N.D.	1248.146 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: -0.004 min
Response: 122623405
Conc: 49.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.775 min
Delta R.T.: -0.003 min
Response: 147975328
Conc: 50.83 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: -0.003 min
Response: 174279075
Conc: 50.48 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: -0.003 min
Response: 223609616
Conc: 51.44 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: -0.003 min
Response: 167135532
Conc: 50.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.607 min
Delta R.T.: -0.002 min
Response: 215258612
Conc: 51.02 ng/ml




#4 Heptachlor

R.T.: 4.915 min
Delta R.T.: -0.002 min
Response: 143800642
Conc: 49.11 ng/ml



#4 Heptachlor


R.T.: 3.946 min
Delta R.T.: -0.002 min
Response: 202602622
Conc: 48.75 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: -0.003 min
Response: 147370470
Conc: 50.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.226 min
Delta R.T.: -0.002 min
Response: 207635992
Conc: 50.61 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: -0.002 min
Response: 73476112
Conc: 50.97 ng/ml



#6 beta-BHC


R.T.: 3.907 min
Delta R.T.: -0.002 min
Response: 90927782
Conc: 50.59 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: -0.002 min
Response: 160646885
Conc: 52.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.137 min
Delta R.T.: -0.002 min
Response: 217948225
Conc: 51.54 ng/ml




#8 Heptachlor epoxide

R.T.: 5.684 min
Delta R.T.: -0.002 min
Response: 130904620
Conc: 49.69 ng/ml



#8 Heptachlor epoxide


R.T.: 4.729 min
Delta R.T.: -0.002 min
Response: 189908395
Conc: 49.60 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: -0.002 min
Response: 117229463
Conc: 49.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.098 min
Delta R.T.: -0.002 min
Response: 167472453
Conc: 47.93 ng/ml




#10 gamma-Chlordane

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 124759370
Conc: 49.64 ng/ml



#10 gamma-Chlordane


R.T.: 4.979 min
Delta R.T.: -0.002 min
Response: 192657278
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.019 min
Delta R.T.: -0.002 min
Response: 125262985
Conc: 50.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.042 min
Delta R.T.: -0.002 min
Response: 189243393
Conc: 49.70 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: -0.002 min
Response: 114973459
Conc: 51.24 ng/ml



#12 4,4'-DDE


R.T.: 5.231 min
Delta R.T.: -0.002 min
Response: 186843297
Conc: 50.81 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: -0.002 min
Response: 124420210
Conc: 49.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.362 min
Delta R.T.: -0.002 min
Response: 191829573
Conc: 49.78 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: -0.002 min
Response: 104046127
Conc: 48.34 ng/ml



#14 Endrin


R.T.: 5.638 min
Delta R.T.: -0.002 min
Response: 160910640
Conc: 48.64 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: -0.002 min
Response: 107238107
Conc: 47.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.933 min
Delta R.T.: -0.001 min
Response: 166182448
Conc: 51.15 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: -0.001 min
Response: 95405897
Conc: 54.33 ng/ml



#16 4,4'-DDD


R.T.: 5.786 min
Delta R.T.: -0.002 min
Response: 155103136
Conc: 54.80 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: -0.002 min
Response: 88461381
Conc: 47.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.036 min
Delta R.T.: -0.001 min
Response: 141435289
Conc: 46.83 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: -0.002 min
Response: 87658009
Conc: 49.40 ng/ml



#18 Endrin aldehyde


R.T.: 6.112 min
Delta R.T.: -0.001 min
Response: 132787344
Conc: 49.31 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 100442375
Conc: 49.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.335 min
Delta R.T.: -0.001 min
Response: 156582207
Conc: 49.64 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 48993445
Conc: 49.01 ng/ml



#20 Methoxychlor


R.T.: 6.612 min
Delta R.T.: 0.000 min
Response: 73922747
Conc: 45.93 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 113902359
Conc: 50.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.840 min
Delta R.T.: -0.001 min
Response: 185487086
Conc: 50.95 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 89512727
Conc: 47.90 ng/ml



#22 Mirex


R.T.: 7.020 min
Delta R.T.: -0.001 min
Response: 143601930
Conc: 46.98 ng/ml



#24 Chlordane-2


R.T.: 5.256 min
Delta R.T.: 0.025 min
Response: 147370470
Conc: 1340.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.366 min
Delta R.T.: 0.016 min
Response: 3285322
Conc: 23.67 ng/ml




#25 Chlordane-3

R.T.: 5.940 min
Delta R.T.: -0.002 min
Response: 124759370
Conc: 328.25 ng/ml



#25 Chlordane-3


R.T.: 4.979 min
Delta R.T.: 0.000 min
Response: 192657278
Conc: 454.00 ng/ml



#26 Chlordane-4


R.T.: 6.019 min
Delta R.T.: -0.004 min
Response: 125262985
Conc: 275.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.042 min
Delta R.T.: 0.000 min
Response: 189243393
Conc: 460.07 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.933 min
Delta R.T.: -0.005 min
Response: 166182448
Conc: 1248.15 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 90491145
Conc: 48.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.912 min
Delta R.T.: 0.000 min
Response: 142642446
Conc: 47.77 ng/ml