

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012020\
 Data File : PL055864.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jan 2020 19:16
 Operator : AJ\MA
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 21 01:09:24 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012020.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 01:02:11 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.490	3.967	488.4E6	141.4E6	50.000	50.000
28)	SA Decachlor...	8.233	8.952	534.5E6	113.5E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.927	4.350	842.5E6	216.9E6	50.000	50.000
3)	MA gamma-BHC...	4.210	4.630	792.7E6	201.7E6	50.000	50.000
4)	MA Heptachlor	4.511	5.129	765.5E6	169.4E6	50.000	50.000
5)	MB Aldrin	4.759	5.429	757.4E6	172.2E6	50.000	50.000
6)	B beta-BHC	4.459	4.798	319.6E6	80900277	50.000	50.000
7)	B delta-BHC	4.664	5.012	766.8E6	158.0E6	50.000	50.000
8)	B Heptachlor...	5.201	5.810	708.8E6	148.6E6	50.000	50.000
9)	A Endosulfan I	5.540	6.162	662.2E6	144.9E6	50.000	50.000
10)	B gamma-Chl...	5.428	6.041	722.4E6	153.8E6	50.000	50.000
11)	B alpha-Chl...	5.486	6.112	707.8E6	153.4E6	50.000	50.000
12)	B 4,4'-DDE	5.649	6.267	663.1E6	147.5E6	50.000	50.000
13)	MA Dieldrin	5.783	6.416	717.0E6	151.6E6	50.000	50.000
14)	MA Endrin	6.040	6.632	652.4E6	128.1E6	50.000	50.000
15)	B Endosulfa...	6.312	6.839	562.5E6	131.7E6	50.000	50.000
16)	A 4,4'-DDD	6.164	6.752	518.7E6	116.9E6	50.000	50.000
17)	MA 4,4'-DDT	6.403	7.047	539.7E6	114.3E6	50.000	50.000
18)	B Endrin al...	6.479	6.962	533.0E6	111.7E6	50.000	50.000
19)	B Endosulfa...	6.692	7.182	546.8E6	122.9E6	50.000	50.000
20)	A Methoxychlor	6.946	7.501	275.2E6	61003676	50.000	50.000
21)	B Endrin ke...	7.182	7.649	646.2E6	132.3E6	50.000	50.000
22)	Mirex	7.371	8.098	367.8E6	90715505	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012020\
Data File : PL055864.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jan 2020 19:16
Operator : AJ\MA
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 21 01:09:24 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012020.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 01:02:11 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.490 min
Delta R.T.: 0.000 min
Response: 488404386
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.967 min
Delta R.T.: 0.000 min
Response: 141416634
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.927 min
Delta R.T.: 0.000 min
Response: 842468670
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.350 min
Delta R.T.: 0.000 min
Response: 216933587
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 792689206
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.630 min
Delta R.T.: 0.000 min
Response: 201745917
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.511 min
Delta R.T.: 0.000 min
Response: 765515924
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 169430625
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.759 min
Delta R.T.: 0.000 min
Response: 757409345
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 172224521
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 319617603
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.798 min
Delta R.T.: 0.000 min
Response: 80900277
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 766758468
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.012 min
Delta R.T.: 0.000 min
Response: 158005503
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 708802008
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.810 min
Delta R.T.: 0.000 min
Response: 148627928
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.540 min
Delta R.T.: 0.000 min
Response: 662208822
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.162 min
Delta R.T.: 0.000 min
Response: 144885729
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 722413299
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 153794010
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.486 min
Delta R.T.: 0.000 min
Response: 707798393
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.112 min
Delta R.T.: 0.000 min
Response: 153357630
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.649 min
Delta R.T.: 0.000 min
Response: 663135308
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.267 min
Delta R.T.: 0.000 min
Response: 147533838
Conc: 50.00 ng/ml



#13 Dielddrin


R.T.: 5.783 min
Delta R.T.: 0.000 min
Response: 716956912
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dielddrin

R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 151562491
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 652387271
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.632 min
Delta R.T.: 0.000 min
Response: 128117725
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.312 min
Delta R.T.: 0.000 min
Response: 562497603
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.839 min
Delta R.T.: 0.000 min
Response: 131693556
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.164 min
Delta R.T.: 0.000 min
Response: 518676923
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.752 min
Delta R.T.: 0.000 min
Response: 116937365
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 539707559
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 114310827
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.479 min
Delta R.T.: 0.000 min
Response: 532969782
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 111712009
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.692 min
Delta R.T.: 0.000 min
Response: 546832522
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.182 min
Delta R.T.: 0.000 min
Response: 122915715
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.946 min
Delta R.T.: 0.000 min
Response: 275249614
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.501 min
Delta R.T.: 0.000 min
Response: 61003676
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.182 min
Delta R.T.: 0.000 min
Response: 646166256
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.649 min
Delta R.T.: 0.000 min
Response: 132259267
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.371 min
Delta R.T.: 0.000 min
Response: 367803489
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.098 min
Delta R.T.: 0.000 min
Response: 90715505
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.233 min
Delta R.T.: 0.000 min
Response: 534477256
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.952 min
Delta R.T.: 0.000 min
Response: 113476709
Conc: 50.00 ng/ml