

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011724\
 Data File : PL087839.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Jan 2024 20:03
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 17 21:51:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122823.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 29 03:17:47 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.419	2.673	156.9E6	66020680	52.426	54.502
28)	SA Decachlor...	8.983	7.862	150.3E6	70044927	52.786	55.292
Target Compounds							
2)	A alpha-BHC	3.876	3.177	243.0E6	101.4E6	54.153	55.002
3)	MA gamma-BHC...	4.210	3.508	234.3E6	99153563	53.729	54.562
4)	MA Heptachlor	4.802	3.850	230.5E6	95064195	52.459	53.377
5)	MB Aldrin	5.145	4.130	229.1E6	95011139	53.462	53.834
6)	B beta-BHC	4.409	3.810	100.2E6	41744834	53.848	54.580
7)	B delta-BHC	4.656	4.039	237.9E6	99928195	56.547	57.565
8)	B Heptachlo...	5.576	4.638	206.8E6	86724784	53.968	54.414
9)	A Endosulfan I	5.963	5.009	187.2E6	79314940	51.920	51.272
10)	B gamma-Chl...	5.835	4.891	206.2E6	87010382	53.338	53.907
11)	B alpha-Chl...	5.915	4.955	203.4E6	87081514	52.932	52.471
12)	B 4,4'-DDE	6.096	5.153	172.3E6	76266466	53.905	56.699
13)	MA Dieldrin	6.241	5.276	197.2E6	87234190	52.934	54.894
14)	MA Endrin	6.472	5.552	163.8E6	77412062	52.163	54.593
15)	B Endosulfa...	6.693	5.850	167.8E6	74320716	52.320	54.289
16)	A 4,4'-DDD	6.618	5.712	138.6E6	63472356	53.737	56.292
17)	MA 4,4'-DDT	6.935	5.964	153.3E6	69581312	53.627	55.907
18)	B Endrin al...	6.825	6.032	129.6E6	59025150	51.535	50.787
19)	B Endosulfa...	7.062	6.257	164.7E6	73894064	53.862	56.292
20)	A Methoxychlor	7.420	6.551	84140973	39875146	51.824	54.172
21)	B Endrin ke...	7.549	6.763	178.1E6	87517502	54.743	57.087
22)	Mirex	8.026	6.944	144.7E6	71217251	51.616	53.093
24)	Chlordane-2	5.145f	4.270	229.1E6	186814	1553.762	3.339 #
25)	Chlordane-3	5.835	4.891	206.2E6	87010382	370.667	549.806 #
26)	Chlordane-4	5.915	4.955	203.4E6	87081514	294.049	509.672 #
27)	Chlordane-5	0.000	5.628	0	69491	N.D.	1.476 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011724\
Data File : PL087839.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Jan 2024 20:03
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 17 21:51:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL122823.M
Quant Title : GC Extractables
QLast Update : Fri Dec 29 03:17:47 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.419 min
Delta R.T.: 0.000 min
Response: 156949911
Conc: 52.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.673 min
Delta R.T.: -0.002 min
Response: 66020680
Conc: 54.50 ng/ml




#2 alpha-BHC

R.T.: 3.876 min
Delta R.T.: 0.000 min
Response: 242981289
Conc: 54.15 ng/ml



#2 alpha-BHC


R.T.: 3.177 min
Delta R.T.: -0.002 min
Response: 101372770
Conc: 55.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 234348592
Conc: 53.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.508 min
Delta R.T.: -0.002 min
Response: 99153563
Conc: 54.56 ng/ml




#4 Heptachlor

R.T.: 4.802 min
Delta R.T.: -0.001 min
Response: 230512341
Conc: 52.46 ng/ml



#4 Heptachlor


R.T.: 3.850 min
Delta R.T.: -0.002 min
Response: 95064195
Conc: 53.38 ng/ml



#5 Aldrin


R.T.: 5.145 min
Delta R.T.: -0.002 min
Response: 229131095
Conc: 53.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.130 min
Delta R.T.: -0.002 min
Response: 95011139
Conc: 53.83 ng/ml




#6 beta-BHC

R.T.: 4.409 min
Delta R.T.: 0.000 min
Response: 100182517
Conc: 53.85 ng/ml



#6 beta-BHC


R.T.: 3.810 min
Delta R.T.: -0.001 min
Response: 41744834
Conc: 54.58 ng/ml



#7 delta-BHC


R.T.: 4.656 min
Delta R.T.: 0.000 min
Response: 237943767
Conc: 56.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.039 min
Delta R.T.: -0.002 min
Response: 99928195
Conc: 57.57 ng/ml




#8 Heptachlor epoxide

R.T.: 5.576 min
Delta R.T.: 0.000 min
Response: 206762309
Conc: 53.97 ng/ml



#8 Heptachlor epoxide


R.T.: 4.638 min
Delta R.T.: -0.002 min
Response: 86724784
Conc: 54.41 ng/ml



#9 Endosulfan I


R.T.: 5.963 min
Delta R.T.: 0.000 min
Response: 187222766
Conc: 51.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.009 min
Delta R.T.: -0.003 min
Response: 79314940
Conc: 51.27 ng/ml




#10 gamma-Chlordane

R.T.: 5.835 min
Delta R.T.: 0.000 min
Response: 206188999
Conc: 53.34 ng/ml



#10 gamma-Chlordane


R.T.: 4.891 min
Delta R.T.: -0.003 min
Response: 87010382
Conc: 53.91 ng/ml



#11 alpha-Chlordane


R.T.: 5.915 min
Delta R.T.: -0.001 min
Response: 203399389
Conc: 52.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.955 min
Delta R.T.: -0.003 min
Response: 87081514
Conc: 52.47 ng/ml




#12 4,4'-DDE

R.T.: 6.096 min
Delta R.T.: 0.000 min
Response: 172343699
Conc: 53.90 ng/ml



#12 4,4'-DDE


R.T.: 5.153 min
Delta R.T.: -0.003 min
Response: 76266466
Conc: 56.70 ng/ml



#13 Dieldrin


R.T.: 6.241 min
Delta R.T.: -0.002 min
Response: 197171003
Conc: 52.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.276 min
Delta R.T.: -0.003 min
Response: 87234190
Conc: 54.89 ng/ml




#14 Endrin

R.T.: 6.472 min
Delta R.T.: 0.000 min
Response: 163837608
Conc: 52.16 ng/ml



#14 Endrin


R.T.: 5.552 min
Delta R.T.: -0.002 min
Response: 77412062
Conc: 54.59 ng/ml



#15 Endosulfan II


R.T.: 6.693 min
Delta R.T.: -0.001 min
Response: 167791335
Conc: 52.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.850 min
Delta R.T.: -0.002 min
Response: 74320716
Conc: 54.29 ng/ml




#16 4,4'-DDD

R.T.: 6.618 min
Delta R.T.: 0.000 min
Response: 138564011
Conc: 53.74 ng/ml



#16 4,4'-DDD


R.T.: 5.712 min
Delta R.T.: -0.002 min
Response: 63472356
Conc: 56.29 ng/ml



#17 4,4'-DDT


R.T.: 6.935 min
Delta R.T.: 0.000 min
Response: 153349639
Conc: 53.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.964 min
Delta R.T.: -0.003 min
Response: 69581312
Conc: 55.91 ng/ml




#18 Endrin aldehyde

R.T.: 6.825 min
Delta R.T.: 0.000 min
Response: 129625166
Conc: 51.53 ng/ml



#18 Endrin aldehyde


R.T.: 6.032 min
Delta R.T.: -0.003 min
Response: 59025150
Conc: 50.79 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.062 min
Delta R.T.: 0.000 min
Response: 164736631
Conc: 53.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.257 min
Delta R.T.: -0.002 min
Response: 73894064
Conc: 56.29 ng/ml




#20 Methoxychlor

R.T.: 7.420 min
Delta R.T.: 0.000 min
Response: 84140973
Conc: 51.82 ng/ml



#20 Methoxychlor


R.T.: 6.551 min
Delta R.T.: -0.002 min
Response: 39875146
Conc: 54.17 ng/ml



#21 Endrin ketone


R.T.: 7.549 min
Delta R.T.: 0.000 min
Response: 178057438
Conc: 54.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.763 min
Delta R.T.: -0.002 min
Response: 87517502
Conc: 57.09 ng/ml




#22 Mirex

R.T.: 8.026 min
Delta R.T.: 0.000 min
Response: 144723357
Conc: 51.62 ng/ml



#22 Mirex


R.T.: 6.944 min
Delta R.T.: -0.003 min
Response: 71217251
Conc: 53.09 ng/ml



#24 Chlordane-2


R.T.: 5.145 min
Delta R.T.: 0.023 min
Response: 229131095
Conc: 1553.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.270 min
Delta R.T.: 0.011 min
Response: 186814
Conc: 3.34 ng/ml




#25 Chlordane-3

R.T.: 5.835 min
Delta R.T.: -0.003 min
Response: 206188999
Conc: 370.67 ng/ml



#25 Chlordane-3


R.T.: 4.891 min
Delta R.T.: -0.003 min
Response: 87010382
Conc: 549.81 ng/ml



#26 Chlordane-4


R.T.: 5.915 min
Delta R.T.: -0.005 min
Response: 203399389
Conc: 294.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 4.955 min
Delta R.T.: -0.001 min
Response: 87081514
Conc: 509.67 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.773 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 5.628 min
Delta R.T.: -0.002 min
Response: 69491
Conc: 1.48 ng/ml



#28 Decachlorobiphenyl


R.T.: 8.983 min

Delta R.T.: 0.001 min

Response: 150333761

Conc: 52.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.862 min

Delta R.T.: -0.002 min

Response: 70044927

Conc: 55.29 ng/ml