

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011821\
 Data File : PL064190.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Jan 2021 15:41
 Operator : AR\AJ
 Sample : M1141-21MS
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 T872-T871MS

Manual Integrations
 APPROVED

Ankita
 1/19/2021 1:33:17 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 19 07:58:07 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL011221.M
 Quant Title : GC Extractables
 QLast Update : Mon Jan 18 13:25:12 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.434	4.107	70749243	62267575	23.595	24.357
28)	SA Decachlor...	8.169	9.270	67663184	51555660	22.170	21.722
Target Compounds							
2)	A alpha-BHC	3.868	4.509	306.7E6	224.0E6	61.663	61.306
3)	MA gamma-BHC...	4.147	4.800	291.5E6	213.0E6	62.865m	60.479
4)	MA Heptachlor	4.448	5.314	276.7E6	221.6E6	63.159	61.686
5)	MB Aldrin	4.694	5.624	267.4E6	191.3E6	66.735	61.634
6)	B beta-BHC	4.398	4.977	113.6E6	97303799	61.734	61.242
7)	B delta-BHC	4.600	5.198	211.0E6	145.2E6	45.562	45.723
8)	B Heptachlo...	5.135	6.019	246.6E6	162.4E6	65.074	62.335
9)	A Endosulfan I	5.471	6.381	230.7E6	168.7E6	65.327	61.570
10)	B gamma-Chl...	5.361	6.254	253.2E6	185.9E6	65.371	61.854
11)	B alpha-Chl...	5.419	6.327	249.6E6	186.5E6	65.232	61.277
12)	B 4,4'-DDE	5.586	6.483	236.0E6	169.7E6	66.981	63.717
13)	MA Dieldrin	5.713	6.640	247.4E6	175.2E6	66.521	62.312m
14)	MA Endrin	5.968	6.864	226.9E6	147.5E6	65.344	64.603
15)	B Endosulfa...	6.240	7.077	218.0E6	147.8E6	64.308	58.523
16)	A 4,4'-DDD	6.098	6.982	190.1E6	134.6E6	65.177	60.726
17)	MA 4,4'-DDT	6.338	7.282	204.2E6	139.5E6	68.394	61.570
18)	B Endrin al...	6.408	7.202	180.8E6	129.0E6	63.039	59.480
19)	B Endosulfa...	6.620	7.425	204.5E6	137.3E6	60.285	55.583
20)	A Methoxychlor	6.885	7.741	102.0E6	78817815	61.044	58.334
21)	B Endrin ke...	7.107	7.905	227.4E6	147.7E6	63.309	59.221
22)	Mirex	7.294	8.358	172.0E6	116.3E6	63.220	57.348

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL011821\
Data File : PL064190.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Jan 2021 15:41
Operator : AR\AJ
Sample : M1141-21MS
Misc :
ALS Vial : 15 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 19 07:58:07 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL011221.M
Quant Title : GC Extractables
QLast Update : Mon Jan 18 13:25:12 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.434 min
Delta R.T.: 0.000 min
Response: 70749243
Conc: 23.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#1 Tetrachloro-m-xylene

R.T.: 4.107 min
Delta R.T.: 0.000 min
Response: 62267575
Conc: 24.36 ng/ml




#2 alpha-BHC

R.T.: 3.868 min
Delta R.T.: 0.000 min
Response: 306701192
Conc: 61.66 ng/ml



#2 alpha-BHC

R.T.: 4.509 min
Delta R.T.: 0.001 min
Response: 224044078
Conc: 61.31 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.147 min
Delta R.T.: -0.002 min
Response: 291471200
Conc: 62.86 ng/ml m

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#3 gamma-BHC (Lindane)

R.T.: 4.800 min
Delta R.T.: 0.001 min
Response: 213034745
Conc: 60.48 ng/ml




#4 Heptachlor

R.T.: 4.448 min
Delta R.T.: -0.001 min
Response: 276749125
Conc: 63.16 ng/ml



#4 Heptachlor

R.T.: 5.314 min
Delta R.T.: 0.002 min
Response: 221556947
Conc: 61.69 ng/ml




#5 Aldrin

R.T.: 4.694 min
Delta R.T.: 0.000 min
Response: 267406841
Conc: 66.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#5 Aldrin

R.T.: 5.624 min
Delta R.T.: 0.002 min
Response: 191300106
Conc: 61.63 ng/ml




#6 beta-BHC

R.T.: 4.398 min
Delta R.T.: 0.000 min
Response: 113559597
Conc: 61.73 ng/ml



#6 beta-BHC

R.T.: 4.977 min
Delta R.T.: 0.000 min
Response: 97303799
Conc: 61.24 ng/ml




#7 delta-BHC

R.T.: 4.600 min
Delta R.T.: 0.000 min
Response: 210992252
Conc: 45.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#7 delta-BHC

R.T.: 5.198 min
Delta R.T.: 0.001 min
Response: 145155728
Conc: 45.72 ng/ml




#8 Heptachlor epoxide

R.T.: 5.135 min
Delta R.T.: 0.000 min
Response: 246604957
Conc: 65.07 ng/ml



#8 Heptachlor epoxide

R.T.: 6.019 min
Delta R.T.: 0.002 min
Response: 162390837
Conc: 62.34 ng/ml




#9 Endosulfan I

R.T.: 5.471 min
Delta R.T.: -0.001 min
Response: 230746270
Conc: 65.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#9 Endosulfan I

R.T.: 6.381 min
Delta R.T.: 0.002 min
Response: 168748829
Conc: 61.57 ng/ml




#10 gamma-Chlordane

R.T.: 5.361 min
Delta R.T.: 0.000 min
Response: 253227030
Conc: 65.37 ng/ml



#10 gamma-Chlordane

R.T.: 6.254 min
Delta R.T.: 0.002 min
Response: 185860131
Conc: 61.85 ng/ml




#11 alpha-Chlordane

R.T.: 5.419 min
Delta R.T.: 0.000 min
Response: 249592983
Conc: 65.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#11 alpha-Chlordane

R.T.: 6.327 min
Delta R.T.: 0.002 min
Response: 186534812
Conc: 61.28 ng/ml




#12 4,4'-DDE

R.T.: 5.586 min
Delta R.T.: 0.000 min
Response: 235962788
Conc: 66.98 ng/ml



#12 4,4'-DDE

R.T.: 6.483 min
Delta R.T.: 0.002 min
Response: 169715743
Conc: 63.72 ng/ml




#13 Dieldrin

R.T.: 5.713 min
Delta R.T.: 0.000 min
Response: 247430335
Conc: 66.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#13 Dieldrin

R.T.: 6.640 min
Delta R.T.: 0.001 min
Response: 175216900
Conc: 62.31 ng/ml m




#14 Endrin

R.T.: 5.968 min
Delta R.T.: 0.000 min
Response: 226900674
Conc: 65.34 ng/ml



#14 Endrin

R.T.: 6.864 min
Delta R.T.: 0.003 min
Response: 147522903
Conc: 64.60 ng/ml




#15 Endosulfan II

R.T.: 6.240 min
Delta R.T.: -0.001 min
Response: 217983780
Conc: 64.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#15 Endosulfan II

R.T.: 7.077 min
Delta R.T.: 0.003 min
Response: 147839568
Conc: 58.52 ng/ml




#16 4,4'-DDD

R.T.: 6.098 min
Delta R.T.: 0.000 min
Response: 190093311
Conc: 65.18 ng/ml



#16 4,4'-DDD

R.T.: 6.982 min
Delta R.T.: 0.003 min
Response: 134603557
Conc: 60.73 ng/ml




#17 4,4'-DDT

R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 204180918
Conc: 68.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#17 4,4'-DDT

R.T.: 7.282 min
Delta R.T.: 0.002 min
Response: 139454456
Conc: 61.57 ng/ml




#18 Endrin aldehyde

R.T.: 6.408 min
Delta R.T.: -0.001 min
Response: 180828915
Conc: 63.04 ng/ml



#18 Endrin aldehyde

R.T.: 7.202 min
Delta R.T.: 0.002 min
Response: 128960492
Conc: 59.48 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.620 min
Delta R.T.: -0.001 min
Response: 204516462
Conc: 60.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#19 Endosulfan Sulfate

R.T.: 7.425 min
Delta R.T.: 0.002 min
Response: 137291283
Conc: 55.58 ng/ml




#20 Methoxychlor

R.T.: 6.885 min
Delta R.T.: 0.000 min
Response: 102012784
Conc: 61.04 ng/ml



#20 Methoxychlor

R.T.: 7.741 min
Delta R.T.: 0.004 min
Response: 78817815
Conc: 58.33 ng/ml




#21 Endrin ketone

R.T.: 7.107 min
Delta R.T.: 0.000 min
Response: 227363873
Conc: 63.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS


Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM




#21 Endrin ketone

R.T.: 7.905 min
Delta R.T.: 0.003 min
Response: 147708654
Conc: 59.22 ng/ml




#22 Mirex

R.T.: 7.294 min
Delta R.T.: 0.000 min
Response: 172000864
Conc: 63.22 ng/ml



#22 Mirex

R.T.: 8.358 min
Delta R.T.: 0.004 min
Response: 116339590
Conc: 57.35 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.169 min
Delta R.T.: 0.000 min
Response: 67663184
Conc: 22.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
T872-T871MS

Manual Integrations
APPROVED

Ankita
1/19/2021 1:33:17 PM



#28 Decachlorobiphenyl

R.T.: 9.270 min
Delta R.T.: 0.004 min
Response: 51555660
Conc: 21.72 ng/ml