

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012023\
 Data File : PL080410.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jan 2023 15:08
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 20 16:09:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Fri Jan 20 16:09:13 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.690	110.2E6	113.6E6	50.000	50.000
28)	SA Decachlor...	8.793	7.842	88021824	119.0E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.801	3.191	166.3E6	167.7E6	50.000	50.000
3)	MA gamma-BHC...	4.129	3.520	154.1E6	157.2E6	50.000	50.000
4)	MA Heptachlor	4.713	3.862	152.0E6	165.5E6	50.000	50.000
5)	MB Aldrin	5.052	4.141	140.4E6	154.2E6	50.000	50.000
6)	B beta-BHC	4.325	3.816	67847547	68358632	50.000	50.000
7)	B delta-BHC	4.568	4.046	150.6E6	152.7E6	50.000	50.000
8)	B Heptachlo...	5.477	4.644	130.9E6	143.6E6	50.000	50.000
9)	A Endosulfan I	5.859	5.013	120.4E6	134.8E6	50.000	50.000
10)	B gamma-Chl...	5.732	4.895	129.6E6	146.7E6	50.000	50.000
11)	B alpha-Chl...	5.811	4.959	129.1E6	147.4E6	50.000	50.000
12)	B 4,4'-DDE	5.989	5.152	115.1E6	123.7E6	50.000	50.000
13)	MA Dieldrin	6.133	5.279	123.3E6	140.7E6	50.000	50.000
14)	MA Endrin	6.361	5.554	109.7E6	120.8E6	50.000	50.000
15)	B Endosulfa...	6.580	5.848	108.5E6	110.9E6	50.000	50.000
16)	A 4,4'-DDD	6.504	5.706	94367278	98979716	50.000	50.000
17)	MA 4,4'-DDT	6.816	5.958	105.3E6	109.2E6	50.000	50.000
18)	B Endrin al...	6.709	6.028	84381242	92228794	50.000	50.000
19)	B Endosulfa...	6.943	6.251	105.6E6	119.4E6	50.000	50.000
20)	A Methoxychlor	7.294	6.536	56068977	62174204	50.000	50.000
21)	B Endrin ke...	7.424	6.756	113.2E6	132.2E6	50.000	50.000
22)	Mirex	7.896	6.940	86496872	115.1E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012023\
Data File : PL080410.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jan 2023 15:08
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 20 16:09:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
Quant Title : GC Extractables
QLast Update : Fri Jan 20 16:09:13 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 110182533
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.690 min
Delta R.T.: 0.000 min
Response: 113609334
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.801 min
Delta R.T.: 0.000 min
Response: 166306298
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.191 min
Delta R.T.: 0.000 min
Response: 167741682
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.129 min
Delta R.T.: 0.000 min
Response: 154121958
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.520 min
Delta R.T.: 0.000 min
Response: 157200885
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 152042448
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.862 min
Delta R.T.: 0.000 min
Response: 165481194
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.052 min
Delta R.T.: 0.000 min
Response: 140402888
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.141 min
Delta R.T.: 0.000 min
Response: 154227974
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.325 min
Delta R.T.: 0.000 min
Response: 67847547
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.816 min
Delta R.T.: 0.000 min
Response: 68358632
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 150582059
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.046 min
Delta R.T.: 0.000 min
Response: 152660059
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.477 min
Delta R.T.: 0.000 min
Response: 130856788
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.644 min
Delta R.T.: 0.000 min
Response: 143581230
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 120418999
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.013 min
Delta R.T.: 0.000 min
Response: 134849708
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.732 min
Delta R.T.: 0.000 min
Response: 129638075
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.895 min
Delta R.T.: 0.000 min
Response: 146671675
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.811 min
Delta R.T.: 0.000 min
Response: 129100882
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 4.959 min
Delta R.T.: 0.000 min
Response: 147365739
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.989 min
Delta R.T.: 0.000 min
Response: 115083594
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.152 min
Delta R.T.: 0.000 min
Response: 123732117
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.133 min
Delta R.T.: 0.000 min
Response: 123299293
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.279 min
Delta R.T.: 0.000 min
Response: 140712699
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.361 min
Delta R.T.: 0.000 min
Response: 109708025
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.554 min
Delta R.T.: 0.000 min
Response: 120819923
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.580 min
Delta R.T.: 0.000 min
Response: 108506679
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 5.848 min
Delta R.T.: 0.000 min
Response: 110913480
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.504 min
Delta R.T.: 0.000 min
Response: 94367278
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.706 min
Delta R.T.: 0.000 min
Response: 98979716
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.816 min
Delta R.T.: 0.000 min
Response: 105271114
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 5.958 min
Delta R.T.: 0.000 min
Response: 109199989
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 84381242
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.028 min
Delta R.T.: 0.000 min
Response: 92228794
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.943 min
Delta R.T.: 0.000 min
Response: 105554454
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.251 min
Delta R.T.: 0.000 min
Response: 119353198
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.294 min
Delta R.T.: 0.000 min
Response: 56068977
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.536 min
Delta R.T.: 0.000 min
Response: 62174204
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.424 min
Delta R.T.: 0.000 min
Response: 113156595
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 132199583
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.896 min
Delta R.T.: 0.000 min
Response: 86496872
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 115082299
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.793 min
Delta R.T.: 0.000 min
Response: 88021824
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 7.842 min
Delta R.T.: 0.000 min
Response: 118960444
Conc: 50.00 ng/ml