

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012120\
 Data File : PL055966.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Jan 2020 21:05
 Operator : AJ\MA
 Sample : PB126232BS
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 22 01:20:59 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012020.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 02:21:03 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.489	3.967	150.8E6	50066370	15.732	17.715
28)	SA Decachlor...	8.233	8.952	182.8E6	40811205	17.483	17.814
Target Compounds							
2)	A alpha-BHC	3.927	4.349	610.1E6	167.6E6	36.768	39.524
3)	MA gamma-BHC...	4.210	4.629	586.9E6	155.2E6	38.683	39.115
4)	MA Heptachlor	4.511	5.128	575.9E6	135.3E6	38.565	40.000
5)	MB Aldrin	4.760	5.428	594.1E6	139.6E6	40.594	40.724
6)	B beta-BHC	4.459	4.797	252.4E6	69494740	39.332	43.792
7)	B delta-BHC	4.664	5.011	521.8E6	109.4E6	35.599	36.599
8)	B Heptachlo...	5.201	5.809	551.1E6	119.0E6	39.952	39.832
9)	A Endosulfan I	5.540	6.162	516.1E6	116.2E6	39.775	39.896
10)	B gamma-Chl...	5.427	6.041	572.0E6	125.3E6	40.775	40.629
11)	B alpha-Chl...	5.486	6.112	543.9E6	122.4E6	39.342	39.640
12)	B 4,4'-DDE	5.649	6.267	531.6E6	117.9E6	40.699	40.267
13)	MA Dieldrin	5.783	6.416	557.2E6	121.8E6	40.285	40.313
14)	MA Endrin	6.039	6.631	477.1E6	94437690	37.766	37.272
15)	B Endosulfa...	6.312	6.839	448.2E6	104.5E6	40.136	38.960
16)	A 4,4'-DDD	6.163	6.753	406.2E6	95604902	40.790	41.471
17)	MA 4,4'-DDT	6.403	7.047	412.4E6	90720485	40.745	40.181
18)	B Endrin al...	6.478	6.962	394.2E6	89051362	37.929	39.448
19)	B Endosulfa...	6.692	7.182	439.4E6	98445432	40.626	39.766
20)	A Methoxychlor	6.946	7.501	203.2E6	46505596	38.947	38.975
21)	B Endrin ke...	7.181	7.649	606.9E6	110.2E6	48.205	41.716
22)	Mirex	7.371	8.098	328.4E6	72715452	46.762	39.851
24)	Chlordane-2	0.000	5.428f	0	139.6E6	N.D.	1266.222 #
25)	Chlordane-3	5.427	6.041	572.0E6	125.3E6	459.370	315.663 #
26)	Chlordane-4	5.486	6.112	543.9E6	122.4E6	527.451	260.728 #
27)	Chlordane-5	6.312	0.000	448.2E6	0	1145.995	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012120\
Data File : PL055966.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Jan 2020 21:05
Operator : AJ\MA
Sample : PB126232BS
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 22 01:20:59 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012020.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 02:21:03 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.489 min
Delta R.T.: 0.000 min
Response: 150778655
Conc: 15.73 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.967 min
Delta R.T.: 0.000 min
Response: 50066370
Conc: 17.71 ng/ml




#2 alpha-BHC

R.T.: 3.927 min
Delta R.T.: 0.000 min
Response: 610107504
Conc: 36.77 ng/ml



#2 alpha-BHC


R.T.: 4.349 min
Delta R.T.: 0.000 min
Response: 167613704
Conc: 39.52 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 586861357
Conc: 38.68 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.629 min
Delta R.T.: 0.000 min
Response: 155163984
Conc: 39.12 ng/ml




#4 Heptachlor

R.T.: 4.511 min
Delta R.T.: 0.000 min
Response: 575876011
Conc: 38.57 ng/ml



#4 Heptachlor


R.T.: 5.128 min
Delta R.T.: 0.000 min
Response: 135252643
Conc: 40.00 ng/ml



#5 Aldrin


R.T.: 4.760 min
Delta R.T.: 0.000 min
Response: 594119647
Conc: 40.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 139596479
Conc: 40.72 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 252405756
Conc: 39.33 ng/ml



#6 beta-BHC


R.T.: 4.797 min
Delta R.T.: 0.000 min
Response: 69494740
Conc: 43.79 ng/ml



#7 delta-BHC


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 521784002
Conc: 35.60 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 5.011 min
Delta R.T.: 0.000 min
Response: 109352870
Conc: 36.60 ng/ml




#8 Heptachlor epoxide

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 551100771
Conc: 39.95 ng/ml



#8 Heptachlor epoxide


R.T.: 5.809 min
Delta R.T.: -0.001 min
Response: 119021308
Conc: 39.83 ng/ml



#9 Endosulfan I


R.T.: 5.540 min
Delta R.T.: 0.000 min
Response: 516083526
Conc: 39.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.162 min
Delta R.T.: 0.000 min
Response: 116169441
Conc: 39.90 ng/ml




#10 gamma-Chlordane

R.T.: 5.427 min
Delta R.T.: 0.000 min
Response: 572048817
Conc: 40.78 ng/ml



#10 gamma-Chlordane


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 125292229
Conc: 40.63 ng/ml



#11 alpha-Chlordane


R.T.: 5.486 min
Delta R.T.: 0.000 min
Response: 543880223
Conc: 39.34 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.112 min
Delta R.T.: 0.000 min
Response: 122392165
Conc: 39.64 ng/ml




#12 4,4'-DDE

R.T.: 5.649 min
Delta R.T.: 0.000 min
Response: 531587490
Conc: 40.70 ng/ml



#12 4,4'-DDE


R.T.: 6.267 min
Delta R.T.: 0.000 min
Response: 117924248
Conc: 40.27 ng/ml



#13 Dieldrin


R.T.: 5.783 min
Delta R.T.: 0.000 min
Response: 557223276
Conc: 40.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 121831152
Conc: 40.31 ng/ml




#14 Endrin

R.T.: 6.039 min
Delta R.T.: -0.001 min
Response: 477113293
Conc: 37.77 ng/ml



#14 Endrin


R.T.: 6.631 min
Delta R.T.: 0.000 min
Response: 94437690
Conc: 37.27 ng/ml



#15 Endosulfan II


R.T.: 6.312 min
Delta R.T.: 0.000 min
Response: 448215993
Conc: 40.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.839 min
Delta R.T.: 0.000 min
Response: 104483694
Conc: 38.96 ng/ml




#16 4,4'-DDD

R.T.: 6.163 min
Delta R.T.: 0.000 min
Response: 406169289
Conc: 40.79 ng/ml



#16 4,4'-DDD


R.T.: 6.753 min
Delta R.T.: 0.000 min
Response: 95604902
Conc: 41.47 ng/ml



#17 4,4'-DDT


R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 412375262
Conc: 40.74 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 90720485
Conc: 40.18 ng/ml




#18 Endrin aldehyde

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 394181278
Conc: 37.93 ng/ml



#18 Endrin aldehyde


R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 89051362
Conc: 39.45 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.692 min
Delta R.T.: 0.000 min
Response: 439370636
Conc: 40.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.182 min
Delta R.T.: 0.000 min
Response: 98445432
Conc: 39.77 ng/ml




#20 Methoxychlor

R.T.: 6.946 min
Delta R.T.: 0.000 min
Response: 203241819
Conc: 38.95 ng/ml



#20 Methoxychlor


R.T.: 7.501 min
Delta R.T.: 0.000 min
Response: 46505596
Conc: 38.98 ng/ml



#21 Endrin ketone


R.T.: 7.181 min
Delta R.T.: 0.000 min
Response: 606864272
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.649 min
Delta R.T.: 0.000 min
Response: 110157221
Conc: 41.72 ng/ml




#22 Mirex

R.T.: 7.371 min
Delta R.T.: 0.000 min
Response: 328427474
Conc: 46.76 ng/ml



#22 Mirex


R.T.: 8.098 min
Delta R.T.: 0.000 min
Response: 72715452
Conc: 39.85 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.860 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 5.428 min
Delta R.T.: 0.025 min
Response: 139596479
Conc: 1266.22 ng/ml




#25 Chlordane-3

R.T.: 5.427 min
Delta R.T.: -0.002 min
Response: 572048817
Conc: 459.37 ng/ml



#25 Chlordane-3


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 125292229
Conc: 315.66 ng/ml



#26 Chlordane-4


R.T.: 5.486 min
Delta R.T.: 0.000 min
Response: 543880223
Conc: 527.45 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 6.112 min
Delta R.T.: -0.002 min
Response: 122392165
Conc: 260.73 ng/ml




#27 Chlordane-5

R.T.: 6.312 min
Delta R.T.: -0.010 min
Response: 448215993
Conc: 1145.99 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.910 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.233 min
Delta R.T.: 0.000 min
Response: 182794707
Conc: 17.48 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.952 min
Delta R.T.: 0.000 min
Response: 40811205
Conc: 17.81 ng/ml