

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012425\
 Data File : PL093793.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jan 2025 14:37
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 24 22:51:24 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 14:58:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.775	136.4E6	170.2E6	50.640	52.131
28)	SA Decachlor...	9.055	7.910	101.5E6	163.2E6	48.522	46.563
Target Compounds							
2)	A alpha-BHC	3.994	3.277	194.3E6	259.6E6	50.683	53.102
3)	MA gamma-BHC...	4.327	3.607	186.9E6	251.3E6	50.751	53.006
4)	MA Heptachlor	4.914	3.945	161.1E6	235.5E6	49.165	50.596
5)	MB Aldrin	5.256	4.224	162.4E6	237.5E6	49.637	52.065
6)	B beta-BHC	4.525	3.907	81410043	105.0E6	50.649	52.562
7)	B delta-BHC	4.772	4.135	179.3E6	252.7E6	51.157	53.183
8)	B Heptachlo...	5.683	4.727	144.0E6	217.8E6	48.437	52.096
9)	A Endosulfan I	6.068	5.097	129.3E6	201.0E6	48.923	51.852
10)	B gamma-Chl...	5.939	4.977	138.1E6	220.5E6	49.551	52.037
11)	B alpha-Chl...	6.017	5.040	137.8E6	217.4E6	49.436	51.922
12)	B 4,4'-DDE	6.191	5.229	127.2E6	213.7E6	52.251	53.287
13)	MA Dieldrin	6.343	5.361	136.2E6	219.6E6	49.052	51.122
14)	MA Endrin	6.573	5.636	112.3E6	183.5E6	47.897	49.692
15)	B Endosulfa...	6.793	5.932	116.1E6	191.2E6	48.194	51.618
16)	A 4,4'-DDD	6.709	5.784	103.9E6	179.5E6	54.671	56.857
17)	MA 4,4'-DDT	7.022	6.034	97675337	165.6E6	49.530	50.880
18)	B Endrin al...	6.923	6.110	95566815	152.8E6	49.158	50.174
19)	B Endosulfa...	7.158	6.333	110.3E6	180.8E6	48.743	50.692
20)	A Methoxychlor	7.498	6.609	53848707	85471981	51.609	47.799
21)	B Endrin ke...	7.643	6.838	125.5E6	215.3E6	49.741	51.317
22)	Mirex	8.116	7.018	98543725	163.3E6	47.320	48.284
23)	Chlordane-1	0.000	3.775	0	13962	N.D.	0.112 #
24)	Chlordane-2	5.256f	4.364	162.4E6	535844	1387.164	3.652 #
25)	Chlordane-3	5.939	4.977	138.1E6	220.5E6	352.103	507.132 #
26)	Chlordane-4	6.017	5.040	137.8E6	217.4E6	293.224	513.081 #
27)	Chlordane-5	0.000	5.932	0	191.2E6	N.D.	1248.248 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012425\
Data File : PL093793.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jan 2025 14:37
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 24 22:51:24 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 14:58:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: 0.000 min
Response: 136361927
Conc: 50.64 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.775 min
Delta R.T.: 0.000 min
Response: 170162254
Conc: 52.13 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: 0.000 min
Response: 194310687
Conc: 50.68 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: 0.000 min
Response: 259613832
Conc: 53.10 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: 0.000 min
Response: 186907295
Conc: 50.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.607 min
Delta R.T.: 0.000 min
Response: 251313196
Conc: 53.01 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: 0.000 min
Response: 161129791
Conc: 49.16 ng/ml



#4 Heptachlor


R.T.: 3.945 min
Delta R.T.: 0.000 min
Response: 235511745
Conc: 50.60 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: 0.000 min
Response: 162410074
Conc: 49.64 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.224 min
Delta R.T.: 0.000 min
Response: 237510208
Conc: 52.07 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 81410043
Conc: 50.65 ng/ml



#6 beta-BHC


R.T.: 3.907 min
Delta R.T.: 0.000 min
Response: 104989638
Conc: 52.56 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.000 min
Response: 179320517
Conc: 51.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.135 min
Delta R.T.: 0.000 min
Response: 252684746
Conc: 53.18 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: 0.000 min
Response: 144044173
Conc: 48.44 ng/ml



#8 Heptachlor epoxide


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 217775817
Conc: 52.10 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 129295550
Conc: 48.92 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.097 min
Delta R.T.: 0.000 min
Response: 201026155
Conc: 51.85 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 138117824
Conc: 49.55 ng/ml



#10 gamma-Chlordane


R.T.: 4.977 min
Delta R.T.: 0.000 min
Response: 220511680
Conc: 52.04 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: 0.000 min
Response: 137846747
Conc: 49.44 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 217376078
Conc: 51.92 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: 0.000 min
Response: 127211138
Conc: 52.25 ng/ml



#12 4,4'-DDE


R.T.: 5.229 min
Delta R.T.: 0.000 min
Response: 213651125
Conc: 53.29 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: 0.000 min
Response: 136161690
Conc: 49.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.361 min
Delta R.T.: 0.000 min
Response: 219601421
Conc: 51.12 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: 0.000 min
Response: 112310683
Conc: 47.90 ng/ml



#14 Endrin


R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 183498550
Conc: 49.69 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: 0.001 min
Response: 116116679
Conc: 48.19 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.932 min
Delta R.T.: 0.000 min
Response: 191185117
Conc: 51.62 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 103906389
Conc: 54.67 ng/ml



#16 4,4'-DDD


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 179472044
Conc: 56.86 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: 0.000 min
Response: 97675337
Conc: 49.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 165566919
Conc: 50.88 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 95566815
Conc: 49.16 ng/ml



#18 Endrin aldehyde


R.T.: 6.110 min
Delta R.T.: 0.000 min
Response: 152763263
Conc: 50.17 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 110342380
Conc: 48.74 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 180772575
Conc: 50.69 ng/ml




#20 Methoxychlor

R.T.: 7.498 min
Delta R.T.: 0.000 min
Response: 53848707
Conc: 51.61 ng/ml



#20 Methoxychlor


R.T.: 6.609 min
Delta R.T.: 0.000 min
Response: 85471981
Conc: 47.80 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 125477898
Conc: 49.74 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.838 min
Delta R.T.: 0.000 min
Response: 215286415
Conc: 51.32 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.001 min
Response: 98543725
Conc: 47.32 ng/ml



#22 Mirex


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 163290042
Conc: 48.28 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.700 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.775 min
Delta R.T.: 0.004 min
Response: 13962
Conc: 0.11 ng/ml




#24 Chlordane-2

R.T.: 5.256 min
Delta R.T.: 0.027 min
Response: 162410074
Conc: 1387.16 ng/ml



#24 Chlordane-2


R.T.: 4.364 min
Delta R.T.: 0.016 min
Response: 535844
Conc: 3.65 ng/ml



#25 Chlordane-3


R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 138117824
Conc: 352.10 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.977 min
Delta R.T.: 0.000 min
Response: 220511680
Conc: 507.13 ng/ml




#26 Chlordane-4

R.T.: 6.017 min
Delta R.T.: -0.004 min
Response: 137846747
Conc: 293.22 ng/ml



#26 Chlordane-4


R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 217376078
Conc: 513.08 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.870 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.932 min
Delta R.T.: -0.003 min
Response: 191185117
Conc: 1248.25 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.002 min
Response: 101503623
Conc: 48.52 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.910 min
Delta R.T.: 0.000 min
Response: 163160285
Conc: 46.56 ng/ml