

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012822\
 Data File : PL072306.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jan 2022 11:41
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 29 01:24:59 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL011722.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 18 10:53:59 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.556	5.492	30100339	90117612	54.217	55.487
28)	SA Decachlor...	10.318	11.386	39775564	75021600	44.770	46.496
Target Compounds							
2)	A alpha-BHC	5.263	6.074	43296988	133.7E6	55.996	55.411
3)	MA gamma-BHC...	5.686	6.470	42092898	122.4E6	55.824	54.378
4)	MA Heptachlor	6.091	7.116	47819526	121.0E6	55.430	52.199
5)	MB Aldrin	6.415	7.486	43253892	117.9E6	54.777	53.336
6)	B beta-BHC	6.071	6.729	16890688	53518686	51.097	54.053
7)	B delta-BHC	6.329	6.995	44619409	125.2E6	56.328	50.874
8)	B Heptachlo...	6.994	7.953	41384286	104.8E6	54.365	52.364
9)	A Endosulfan I	7.396	8.358	38602725	93604492	54.316	51.713
10)	B gamma-Chl...	7.271	8.223	42217491	105.2E6	53.731	52.074
11)	B alpha-Chl...	7.340	8.303	42006716	102.4E6	53.546	51.635
12)	B 4,4'-DDE	7.555	8.494	39788014	99909077	55.109	52.827
13)	MA Dieldrin	7.682	8.648	40944713	100.0E6	54.044	50.914
14)	MA Endrin	7.973	8.887	36323188	79391779	51.841	47.884
15)	B Endosulfa...	8.286	9.123	37936762	84485363	51.023	49.265
16)	A 4,4'-DDD	8.142	9.035	32960138	75878479	56.225	53.070
17)	MA 4,4'-DDT	8.402	9.352	33315427	73285538	50.169	46.367
18)	B Endrin al...	8.475	9.258	28675662	61736800	50.330	49.733
19)	B Endosulfa...	8.706	9.496	36947667	75206701	50.394	48.174
20)	A Methoxychlor	8.998	9.839	20390920	37811243	48.332	45.647
21)	B Endrin ke...	9.223	9.992	42296281	79582858	50.794	48.086
22)	Mirex	9.405	10.455	35035592	55591067	47.443	44.552
24)	Chlordane-2	0.000	7.486	0	117.9E6	N.D.	1687.379 #
25)	Chlordane-3	7.271	8.223	42217491	105.2E6	551.800	378.759 #
26)	Chlordane-4	7.340	8.303	42006716	102.4E6	509.148	308.316 #
27)	Chlordane-5	8.286	9.179f	37936762	73281	1301.720	1.201 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012822\
 Data File : PL072306.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jan 2022 11:41
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 29 01:24:59 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL011722.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 18 10:53:59 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.556 min
Delta R.T.: -0.002 min
Response: 30100339
Conc: 54.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 5.492 min
Delta R.T.: -0.002 min
Response: 90117612
Conc: 55.49 ng/ml




#2 alpha-BHC

R.T.: 5.263 min
Delta R.T.: -0.002 min
Response: 43296988
Conc: 56.00 ng/ml



#2 alpha-BHC


R.T.: 6.074 min
Delta R.T.: -0.002 min
Response: 133699970
Conc: 55.41 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.686 min
Delta R.T.: -0.003 min
Response: 42092898
Conc: 55.82 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 6.470 min
Delta R.T.: -0.003 min
Response: 122367026
Conc: 54.38 ng/ml




#4 Heptachlor

R.T.: 6.091 min
Delta R.T.: -0.004 min
Response: 47819526
Conc: 55.43 ng/ml



#4 Heptachlor


R.T.: 7.116 min
Delta R.T.: -0.004 min
Response: 121023259
Conc: 52.20 ng/ml



#5 Aldrin


R.T.: 6.415 min
Delta R.T.: -0.004 min
Response: 43253892
Conc: 54.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 7.486 min
Delta R.T.: -0.004 min
Response: 117938153
Conc: 53.34 ng/ml




#6 beta-BHC

R.T.: 6.071 min
Delta R.T.: -0.003 min
Response: 16890688
Conc: 51.10 ng/ml



#6 beta-BHC


R.T.: 6.729 min
Delta R.T.: -0.003 min
Response: 53518686
Conc: 54.05 ng/ml



#7 delta-BHC


R.T.: 6.329 min
Delta R.T.: -0.003 min
Response: 44619409
Conc: 56.33 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 6.995 min
Delta R.T.: -0.003 min
Response: 125165773
Conc: 50.87 ng/ml




#8 Heptachlor epoxide

R.T.: 6.994 min
Delta R.T.: -0.004 min
Response: 41384286
Conc: 54.36 ng/ml



#8 Heptachlor epoxide


R.T.: 7.953 min
Delta R.T.: -0.005 min
Response: 104847988
Conc: 52.36 ng/ml



#9 Endosulfan I


R.T.: 7.396 min
Delta R.T.: -0.004 min
Response: 38602725
Conc: 54.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 8.358 min
Delta R.T.: -0.006 min
Response: 93604492
Conc: 51.71 ng/ml




#10 gamma-Chlordane

R.T.: 7.271 min
Delta R.T.: -0.005 min
Response: 42217491
Conc: 53.73 ng/ml



#10 gamma-Chlordane


R.T.: 8.223 min
Delta R.T.: -0.005 min
Response: 105231642
Conc: 52.07 ng/ml



#11 alpha-Chlordane


R.T.: 7.340 min
Delta R.T.: -0.005 min
Response: 42006716
Conc: 53.55 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 8.303 min
Delta R.T.: -0.005 min
Response: 102382467
Conc: 51.64 ng/ml




#12 4,4'-DDE

R.T.: 7.555 min
Delta R.T.: -0.005 min
Response: 39788014
Conc: 55.11 ng/ml



#12 4,4'-DDE


R.T.: 8.494 min
Delta R.T.: -0.006 min
Response: 99909077
Conc: 52.83 ng/ml



#13 Dieldrin


R.T.: 7.682 min
Delta R.T.: -0.005 min
Response: 40944713
Conc: 54.04 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 8.648 min
Delta R.T.: -0.005 min
Response: 100025680
Conc: 50.91 ng/ml




#14 Endrin

R.T.: 7.973 min
Delta R.T.: -0.005 min
Response: 36323188
Conc: 51.84 ng/ml



#14 Endrin


R.T.: 8.887 min
Delta R.T.: -0.006 min
Response: 79391779
Conc: 47.88 ng/ml



#15 Endosulfan II


R.T.: 8.286 min
Delta R.T.: -0.005 min
Response: 37936762
Conc: 51.02 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 9.123 min
Delta R.T.: -0.006 min
Response: 84485363
Conc: 49.27 ng/ml




#16 4,4'-DDD

R.T.: 8.142 min
Delta R.T.: -0.005 min
Response: 32960138
Conc: 56.22 ng/ml



#16 4,4'-DDD


R.T.: 9.035 min
Delta R.T.: -0.004 min
Response: 75878479
Conc: 53.07 ng/ml



#17 4,4'-DDT


R.T.: 8.402 min
Delta R.T.: -0.005 min
Response: 33315427
Conc: 50.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 9.352 min
Delta R.T.: -0.005 min
Response: 73285538
Conc: 46.37 ng/ml




#18 Endrin aldehyde

R.T.: 8.475 min
Delta R.T.: -0.005 min
Response: 28675662
Conc: 50.33 ng/ml



#18 Endrin aldehyde


R.T.: 9.258 min
Delta R.T.: -0.007 min
Response: 61736800
Conc: 49.73 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.706 min
Delta R.T.: -0.006 min
Response: 36947667
Conc: 50.39 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 9.496 min
Delta R.T.: -0.006 min
Response: 75206701
Conc: 48.17 ng/ml




#20 Methoxychlor

R.T.: 8.998 min
Delta R.T.: -0.006 min
Response: 20390920
Conc: 48.33 ng/ml



#20 Methoxychlor


R.T.: 9.839 min
Delta R.T.: -0.006 min
Response: 37811243
Conc: 45.65 ng/ml



#21 Endrin ketone


R.T.: 9.223 min
Delta R.T.: -0.006 min
Response: 42296281
Conc: 50.79 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 9.992 min
Delta R.T.: -0.006 min
Response: 79582858
Conc: 48.09 ng/ml




#22 Mirex

R.T.: 9.405 min
Delta R.T.: -0.005 min
Response: 35035592
Conc: 47.44 ng/ml



#22 Mirex


R.T.: 10.455 min
Delta R.T.: -0.007 min
Response: 55591067
Conc: 44.55 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 6.574 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 7.486 min
Delta R.T.: 0.015 min
Response: 117938153
Conc: 1687.38 ng/ml




#25 Chlordane-3

R.T.: 7.271 min
Delta R.T.: -0.004 min
Response: 42217491
Conc: 551.80 ng/ml



#25 Chlordane-3


R.T.: 8.223 min
Delta R.T.: -0.006 min
Response: 105231642
Conc: 378.76 ng/ml



#26 Chlordane-4


R.T.: 7.340 min
Delta R.T.: -0.003 min
Response: 42006716
Conc: 509.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 8.303 min
Delta R.T.: -0.007 min
Response: 102382467
Conc: 308.32 ng/ml




#27 Chlordane-5

R.T.: 8.286 min
Delta R.T.: -0.008 min
Response: 37936762
Conc: 1301.72 ng/ml



#27 Chlordane-5


R.T.: 9.179 min
Delta R.T.: -0.019 min
Response: 73281
Conc: 1.20 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.318 min
Delta R.T.: -0.008 min
Response: 39775564
Conc: 44.77 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 11.386 min
Delta R.T.: -0.009 min
Response: 75021600
Conc: 46.50 ng/ml