

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012921\
 Data File : PL064488.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jan 2021 22:08
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 29 04:15:01 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012921.M
 Quant Title : GC Extractables
 QLast Update : Fri Jan 29 04:13:34 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.433	4.107	151.8E6	121.3E6	50.000	50.000
28)	SA Decachlor...	8.162	9.267	152.0E6	101.5E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.866	4.509	257.7E6	181.5E6	50.000	50.000
3)	MA gamma-BHC...	4.146	4.800	239.9E6	171.7E6	50.000	50.000
4)	MA Heptachlor	4.445	5.313	234.8E6	176.0E6	50.000	50.000
5)	MB Aldrin	4.691	5.624	216.0E6	153.3E6	50.000	50.000
6)	B beta-BHC	4.395	4.977	95800807	79086902	50.000	50.000
7)	B delta-BHC	4.597	5.199	236.4E6	155.7E6	50.000	50.000
8)	B Heptachlo...	5.131	6.017	204.8E6	133.1E6	50.000	50.000
9)	A Endosulfan I	5.467	6.380	189.8E6	135.4E6	50.000	50.000
10)	B gamma-Chl...	5.357	6.253	207.4E6	148.0E6	50.000	50.000
11)	B alpha-Chl...	5.415	6.326	205.3E6	149.4E6	50.000	50.000
12)	B 4,4'-DDE	5.582	6.482	191.3E6	133.6E6	50.000	50.000
13)	MA Dieldrin	5.709	6.640	202.3E6	140.5E6	50.000	50.000
14)	MA Endrin	5.963	6.862	182.2E6	116.6E6	50.000	50.000
15)	B Endosulfa...	6.235	7.075	179.2E6	124.4E6	50.000	50.000
16)	A 4,4'-DDD	6.094	6.980	159.6E6	115.1E6	50.000	50.000
17)	MA 4,4'-DDT	6.334	7.280	158.9E6	108.1E6	50.000	50.000
18)	B Endrin al...	6.403	7.201	152.0E6	107.5E6	50.000	50.000
19)	B Endosulfa...	6.616	7.424	180.7E6	120.9E6	50.000	50.000
20)	A Methoxychlor	6.881	7.740	90743220	64812847	50.000	50.000
21)	B Endrin ke...	7.103	7.903	196.0E6	124.0E6	50.000	50.000
22)	Mirex	7.289	8.356	146.1E6	95352171	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL012921\
Data File : PL064488.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Jan 2021 22:08
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 29 04:15:01 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012921.M
Quant Title : GC Extractables
QLast Update : Fri Jan 29 04:13:34 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.433 min
Delta R.T.: 0.000 min
Response: 151752121
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.107 min
Delta R.T.: 0.000 min
Response: 121319522
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.866 min
Delta R.T.: 0.000 min
Response: 257721288
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.509 min
Delta R.T.: 0.000 min
Response: 181467407
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 239896149
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 171710782
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.445 min
Delta R.T.: 0.000 min
Response: 234754898
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.313 min
Delta R.T.: 0.000 min
Response: 175990767
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.691 min
Delta R.T.: 0.000 min
Response: 216022600
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.624 min
Delta R.T.: 0.000 min
Response: 153328080
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.395 min
Delta R.T.: 0.000 min
Response: 95800807
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.977 min
Delta R.T.: 0.000 min
Response: 79086902
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.597 min
Delta R.T.: 0.000 min
Response: 236411501
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 5.199 min
Delta R.T.: 0.000 min
Response: 155680108
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.131 min
Delta R.T.: 0.000 min
Response: 204752255
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 6.017 min
Delta R.T.: 0.000 min
Response: 133085273
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 189819464
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.380 min
Delta R.T.: 0.000 min
Response: 135411573
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.357 min
Delta R.T.: 0.000 min
Response: 207367822
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.253 min
Delta R.T.: 0.000 min
Response: 148013023
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.415 min
Delta R.T.: 0.000 min
Response: 205325710
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.326 min
Delta R.T.: 0.000 min
Response: 149390165
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.582 min
Delta R.T.: 0.000 min
Response: 191345491
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.482 min
Delta R.T.: 0.000 min
Response: 133638286
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.709 min
Delta R.T.: 0.000 min
Response: 202283963
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.640 min
Delta R.T.: 0.000 min
Response: 140498870
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.963 min
Delta R.T.: 0.000 min
Response: 182161251
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.862 min
Delta R.T.: 0.000 min
Response: 116597403
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.235 min
Delta R.T.: 0.000 min
Response: 179169134
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 7.075 min
Delta R.T.: 0.000 min
Response: 124382329
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.094 min
Delta R.T.: 0.000 min
Response: 159603285
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.980 min
Delta R.T.: 0.000 min
Response: 115076993
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.334 min
Delta R.T.: 0.000 min
Response: 158864711
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.280 min
Delta R.T.: 0.000 min
Response: 108149491
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 151954879
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.201 min
Delta R.T.: 0.000 min
Response: 107465387
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.616 min
Delta R.T.: 0.000 min
Response: 180719589
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.424 min
Delta R.T.: 0.000 min
Response: 120868771
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.881 min
Delta R.T.: 0.000 min
Response: 90743220
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.740 min
Delta R.T.: 0.000 min
Response: 64812847
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.103 min
Delta R.T.: 0.000 min
Response: 196018914
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.903 min
Delta R.T.: 0.000 min
Response: 124034173
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.289 min
Delta R.T.: 0.000 min
Response: 146097306
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.356 min
Delta R.T.: 0.000 min
Response: 95352171
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.162 min
Delta R.T.: 0.000 min
Response: 151950063
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.267 min
Delta R.T.: 0.000 min
Response: 101533018
Conc: 50.00 ng/ml