

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL013025\
 Data File : PL093926.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Jan 2025 23:57
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 31 01:44:47 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 21 14:58:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	2.774	118.6E6	151.8E6	44.033	46.497
28)	SA Decachlor...	9.054	7.910	75591663	133.1E6	36.135	37.980
Target Compounds							
2)	A alpha-BHC	3.994	3.276	169.1E6	228.9E6	44.109	46.812
3)	MA gamma-BHC...	4.327	3.606	159.2E6	214.2E6	43.233	45.182
4)	MA Heptachlor	4.915	3.945	140.3E6	205.2E6	42.821	44.090
5)	MB Aldrin	5.257	4.224	137.5E6	202.3E6	42.009	44.351
6)	B beta-BHC	4.525	3.906	71740400	93997532	44.633	47.059
7)	B delta-BHC	4.772	4.135	152.6E6	213.2E6	43.539	44.879
8)	B Heptachlo...	5.683	4.727	122.9E6	185.3E6	41.330	44.331
9)	A Endosulfan I	6.068	5.096	110.5E6	165.3E6	41.819	42.631
10)	B gamma-Chl...	5.939	4.976	126.7E6	195.1E6	45.461	46.051
11)	B alpha-Chl...	6.018	5.040	119.6E6	190.8E6	42.901	45.567
12)	B 4,4'-DDE	6.192	5.229	108.6E6	192.0E6	44.614	47.880
13)	MA Dieldrin	6.344	5.361	113.8E6	191.8E6	40.984	44.659
14)	MA Endrin	6.573	5.636	93866126	157.1E6	40.031	42.547
15)	B Endosulfa...	6.793	5.931	96673600	164.2E6	40.124	44.332
16)	A 4,4'-DDD	6.709	5.784	90237374	160.0E6	47.479	50.682
17)	MA 4,4'-DDT	7.023	6.034	73619665	127.0E6	37.331	39.042
18)	B Endrin al...	6.923	6.110	77602264	123.7E6	39.918	40.614
19)	B Endosulfa...	7.158	6.333	88817789	152.4E6	39.235	42.733
20)	A Methoxychlor	7.499	6.609	38475324	67093416	36.875	37.521
21)	B Endrin ke...	7.643	6.838	101.4E6	172.3E6	40.198	41.080
22)	Mirex	8.116	7.018	74996736	126.1E6	36.013	37.272
24)	Chlordane-2	5.257f	4.362	137.5E6	4583237	1174.007	31.238 #
25)	Chlordane-3	5.939	4.976	126.7E6	195.1E6	323.039	448.793 #
26)	Chlordane-4	6.018	5.040	119.6E6	190.8E6	254.464	450.275 #
27)	Chlordane-5	0.000	5.931	0	164.2E6	N.D.	1072.053 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL013025\
Data File : PL093926.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Jan 2025 23:57
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 31 01:44:47 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012125.M
Quant Title : GC Extractables
QLast Update : Tue Jan 21 14:58:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 118570447
Conc: 44.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: 0.000 min
Response: 151773272
Conc: 46.50 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: 0.000 min
Response: 169106431
Conc: 44.11 ng/ml



#2 alpha-BHC


R.T.: 3.276 min
Delta R.T.: 0.000 min
Response: 228862518
Conc: 46.81 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: 0.000 min
Response: 159221931
Conc: 43.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.606 min
Delta R.T.: 0.000 min
Response: 214218694
Conc: 45.18 ng/ml




#4 Heptachlor

R.T.: 4.915 min
Delta R.T.: 0.000 min
Response: 140338075
Conc: 42.82 ng/ml



#4 Heptachlor


R.T.: 3.945 min
Delta R.T.: 0.000 min
Response: 205229028
Conc: 44.09 ng/ml



#5 Aldrin


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 137453568
Conc: 42.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.224 min
Delta R.T.: 0.000 min
Response: 202319439
Conc: 44.35 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 71740400
Conc: 44.63 ng/ml



#6 beta-BHC


R.T.: 3.906 min
Delta R.T.: 0.000 min
Response: 93997532
Conc: 47.06 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.000 min
Response: 152618352
Conc: 43.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.135 min
Delta R.T.: 0.000 min
Response: 213232597
Conc: 44.88 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: 0.000 min
Response: 122908395
Conc: 41.33 ng/ml



#8 Heptachlor epoxide


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 185313039
Conc: 44.33 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: 0.001 min
Response: 110522090
Conc: 41.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.096 min
Delta R.T.: 0.000 min
Response: 165276778
Conc: 42.63 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 126717004
Conc: 45.46 ng/ml



#10 gamma-Chlordane


R.T.: 4.976 min
Delta R.T.: 0.000 min
Response: 195144670
Conc: 46.05 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 119625417
Conc: 42.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 190767255
Conc: 45.57 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: 0.001 min
Response: 108615941
Conc: 44.61 ng/ml



#12 4,4'-DDE


R.T.: 5.229 min
Delta R.T.: 0.000 min
Response: 191975047
Conc: 47.88 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 113766430
Conc: 40.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.361 min
Delta R.T.: 0.000 min
Response: 191841238
Conc: 44.66 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: 0.000 min
Response: 93866126
Conc: 40.03 ng/ml



#14 Endrin


R.T.: 5.636 min
Delta R.T.: 0.000 min
Response: 157114303
Conc: 42.55 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: 0.001 min
Response: 96673600
Conc: 40.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.931 min
Delta R.T.: 0.000 min
Response: 164198709
Conc: 44.33 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 90237374
Conc: 47.48 ng/ml



#16 4,4'-DDD


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 159978208
Conc: 50.68 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 73619665
Conc: 37.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 127044413
Conc: 39.04 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 77602264
Conc: 39.92 ng/ml



#18 Endrin aldehyde


R.T.: 6.110 min
Delta R.T.: 0.000 min
Response: 123654294
Conc: 40.61 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.001 min
Response: 88817789
Conc: 39.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 152389936
Conc: 42.73 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: 0.001 min
Response: 38475324
Conc: 36.88 ng/ml



#20 Methoxychlor


R.T.: 6.609 min
Delta R.T.: 0.000 min
Response: 67093416
Conc: 37.52 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.001 min
Response: 101405773
Conc: 40.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.838 min
Delta R.T.: -0.001 min
Response: 172341029
Conc: 41.08 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.001 min
Response: 74996736
Conc: 36.01 ng/ml



#22 Mirex


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 126050958
Conc: 37.27 ng/ml



#24 Chlordane-2


R.T.: 5.257 min
Delta R.T.: 0.028 min
Response: 137453568
Conc: 1174.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.362 min
Delta R.T.: 0.015 min
Response: 4583237
Conc: 31.24 ng/ml




#25 Chlordane-3

R.T.: 5.939 min
Delta R.T.: 0.000 min
Response: 126717004
Conc: 323.04 ng/ml



#25 Chlordane-3


R.T.: 4.976 min
Delta R.T.: 0.000 min
Response: 195144670
Conc: 448.79 ng/ml



#26 Chlordane-4


R.T.: 6.018 min
Delta R.T.: -0.003 min
Response: 119625417
Conc: 254.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 190767255
Conc: 450.27 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.870 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.931 min
Delta R.T.: -0.003 min
Response: 164198709
Conc: 1072.05 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.001 min
Response: 75591663
Conc: 36.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.910 min
Delta R.T.: 0.000 min
Response: 133084996
Conc: 37.98 ng/ml