

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL013123\
 Data File : PL080625.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jan 2023 14:45
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 31 20:36:32 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
 Quant Title : GC Extractables
 QLast Update : Sun Jan 22 23:56:48 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.351	2.689	108.0E6	111.6E6	50.358	50.790
2)	SA Decachlor...	8.787	7.835	85267231	110.8E6	48.703	46.492
Target Compounds							
2)	A alpha-BHC	3.799	3.189	164.2E6	163.2E6	51.817	51.308
3)	MA gamma-BHC...	4.127	3.518	152.5E6	152.4E6	51.864	51.005
4)	MA Heptachlor	4.711	3.858	147.6E6	155.6E6	49.940	48.885
5)	MB Aldrin	5.049	4.138	136.1E6	145.9E6	49.759	49.454
6)	B beta-BHC	4.323	3.814	67223533	66238232	49.247	49.630
7)	B delta-BHC	4.566	4.043	149.2E6	146.6E6	51.531	50.823
8)	B Heptachlo...	5.474	4.640	126.4E6	135.2E6	48.875	48.590
9)	A Endosulfan I	5.856	5.009	116.0E6	124.4E6	49.128	47.836
10)	B gamma-Chl...	5.729	4.891	125.9E6	132.8E6	49.839	46.869
11)	B alpha-Chl...	5.808	4.955	124.3E6	134.7E6	49.234	47.033
12)	B 4,4'-DDE	5.986	5.148	110.1E6	114.4E6	49.441	48.488
13)	MA Dieldrin	6.130	5.275	118.7E6	129.5E6	49.587	47.874
14)	MA Endrin	6.357	5.549	107.2E6	112.1E6	49.549	48.315
15)	B Endosulfa...	6.576	5.843	97550399	107.0E6	42.555	51.348
16)	A 4,4'-DDD	6.500	5.701	91382884	95274422	49.882	50.699
17)	MA 4,4'-DDT	6.813	5.953	95600322	100.7E6	46.013	47.915
18)	B Endrin al...	6.705	6.023	78803487	86687936	47.375	47.471
19)	B Endosulfa...	6.939	6.246	101.6E6	112.8E6	49.089	48.502
20)	A Methoxychlor	7.290	6.531	51562413	53636853	46.735	44.201
21)	B Endrin ke...	7.419	6.751	110.7E6	127.0E6	50.190	49.730
22)	Mirex	7.891	6.934	83522257	108.0E6	48.565	47.423
23)	Chlordane-1	0.000	3.688	0	30586	N.D.	0.376 #
24)	Chlordane-2	5.049f	4.268	136.1E6	376483	1411.400	4.176 #
25)	Chlordane-3	5.729	4.891	125.9E6	132.8E6	372.522	503.659 #
26)	Chlordane-4	5.808	4.955	124.3E6	134.7E6	288.077	500.312 #
27)	Chlordane-5	0.000	5.622	0	644349	N.D.	9.055 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL013123\
Data File : PL080625.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jan 2023 14:45
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 31 20:36:32 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012023.M
Quant Title : GC Extractables
QLast Update : Sun Jan 22 23:56:48 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.351 min
Delta R.T.: -0.001 min
Response: 108008489
Conc: 50.36 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.689 min
Delta R.T.: -0.001 min
Response: 111558284
Conc: 50.79 ng/ml




#2 alpha-BHC

R.T.: 3.799 min
Delta R.T.: -0.001 min
Response: 164158776
Conc: 51.82 ng/ml



#2 alpha-BHC


R.T.: 3.189 min
Delta R.T.: -0.002 min
Response: 163180537
Conc: 51.31 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.127 min
Delta R.T.: -0.002 min
Response: 152467243
Conc: 51.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.518 min
Delta R.T.: -0.003 min
Response: 152367227
Conc: 51.00 ng/ml




#4 Heptachlor

R.T.: 4.711 min
Delta R.T.: -0.002 min
Response: 147584470
Conc: 49.94 ng/ml



#4 Heptachlor


R.T.: 3.858 min
Delta R.T.: -0.003 min
Response: 155569308
Conc: 48.88 ng/ml



#5 Aldrin


R.T.: 5.049 min
Delta R.T.: -0.003 min
Response: 136128744
Conc: 49.76 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.138 min
Delta R.T.: -0.003 min
Response: 145868269
Conc: 49.45 ng/ml




#6 beta-BHC

R.T.: 4.323 min
Delta R.T.: -0.002 min
Response: 67223533
Conc: 49.25 ng/ml



#6 beta-BHC


R.T.: 3.814 min
Delta R.T.: -0.003 min
Response: 66238232
Conc: 49.63 ng/ml



#7 delta-BHC


R.T.: 4.566 min
Delta R.T.: -0.002 min
Response: 149181094
Conc: 51.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.043 min
Delta R.T.: -0.003 min
Response: 146595195
Conc: 50.82 ng/ml




#8 Heptachlor epoxide

R.T.: 5.474 min
Delta R.T.: -0.003 min
Response: 126441826
Conc: 48.87 ng/ml



#8 Heptachlor epoxide


R.T.: 4.640 min
Delta R.T.: -0.004 min
Response: 135195234
Conc: 48.59 ng/ml



#9 Endosulfan I


R.T.: 5.856 min
Delta R.T.: -0.003 min
Response: 116013683
Conc: 49.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.009 min
Delta R.T.: -0.004 min
Response: 124436863
Conc: 47.84 ng/ml




#10 gamma-Chlordane

R.T.: 5.729 min
Delta R.T.: -0.003 min
Response: 125879539
Conc: 49.84 ng/ml



#10 gamma-Chlordane


R.T.: 4.891 min
Delta R.T.: -0.004 min
Response: 132837620
Conc: 46.87 ng/ml



#11 alpha-Chlordane


R.T.: 5.808 min
Delta R.T.: -0.003 min
Response: 124280842
Conc: 49.23 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.955 min
Delta R.T.: -0.004 min
Response: 134733071
Conc: 47.03 ng/ml




#12 4,4'-DDE

R.T.: 5.986 min
Delta R.T.: -0.003 min
Response: 110122030
Conc: 49.44 ng/ml



#12 4,4'-DDE


R.T.: 5.148 min
Delta R.T.: -0.004 min
Response: 114374158
Conc: 48.49 ng/ml



#13 Dieldrin


R.T.: 6.130 min
Delta R.T.: -0.003 min
Response: 118678956
Conc: 49.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.275 min
Delta R.T.: -0.004 min
Response: 129498585
Conc: 47.87 ng/ml




#14 Endrin

R.T.: 6.357 min
Delta R.T.: -0.004 min
Response: 107158827
Conc: 49.55 ng/ml



#14 Endrin


R.T.: 5.549 min
Delta R.T.: -0.005 min
Response: 112146732
Conc: 48.31 ng/ml



#15 Endosulfan II


R.T.: 6.576 min
Delta R.T.: -0.004 min
Response: 97550399
Conc: 42.56 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.843 min
Delta R.T.: -0.005 min
Response: 106995636
Conc: 51.35 ng/ml




#16 4,4'-DDD

R.T.: 6.500 min
Delta R.T.: -0.004 min
Response: 91382884
Conc: 49.88 ng/ml



#16 4,4'-DDD


R.T.: 5.701 min
Delta R.T.: -0.005 min
Response: 95274422
Conc: 50.70 ng/ml



#17 4,4'-DDT


R.T.: 6.813 min
Delta R.T.: -0.004 min
Response: 95600322
Conc: 46.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.953 min
Delta R.T.: -0.006 min
Response: 100692494
Conc: 47.91 ng/ml




#18 Endrin aldehyde

R.T.: 6.705 min
Delta R.T.: -0.004 min
Response: 78803487
Conc: 47.37 ng/ml



#18 Endrin aldehyde


R.T.: 6.023 min
Delta R.T.: -0.005 min
Response: 86687936
Conc: 47.47 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.939 min
Delta R.T.: -0.003 min
Response: 101609467
Conc: 49.09 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.246 min
Delta R.T.: -0.005 min
Response: 112799605
Conc: 48.50 ng/ml




#20 Methoxychlor

R.T.: 7.290 min
Delta R.T.: -0.004 min
Response: 51562413
Conc: 46.74 ng/ml



#20 Methoxychlor


R.T.: 6.531 min
Delta R.T.: -0.006 min
Response: 53636853
Conc: 44.20 ng/ml



#21 Endrin ketone


R.T.: 7.419 min
Delta R.T.: -0.005 min
Response: 110737520
Conc: 50.19 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.751 min
Delta R.T.: -0.005 min
Response: 126972141
Conc: 49.73 ng/ml




#22 Mirex

R.T.: 7.891 min
Delta R.T.: -0.005 min
Response: 83522257
Conc: 48.57 ng/ml



#22 Mirex


R.T.: 6.934 min
Delta R.T.: -0.006 min
Response: 107969200
Conc: 47.42 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.500 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.688 min
Delta R.T.: 0.000 min
Response: 30586
Conc: 0.38 ng/ml




#24 Chlordane-2

R.T.: 5.049 min
Delta R.T.: 0.023 min
Response: 136128744
Conc: 1411.40 ng/ml



#24 Chlordane-2


R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 376483
Conc: 4.18 ng/ml



#25 Chlordane-3


R.T.: 5.729 min
Delta R.T.: -0.004 min
Response: 125879539
Conc: 372.52 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.891 min
Delta R.T.: -0.004 min
Response: 132837620
Conc: 503.66 ng/ml




#26 Chlordane-4

R.T.: 5.808 min
Delta R.T.: -0.007 min
Response: 124280842
Conc: 288.08 ng/ml



#26 Chlordane-4


R.T.: 4.955 min
Delta R.T.: -0.002 min
Response: 134733071
Conc: 500.31 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.656 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.622 min
Delta R.T.: -0.003 min
Response: 644349
Conc: 9.06 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.787 min
Delta R.T.: -0.006 min
Response: 85267231
Conc: 48.70 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.835 min
Delta R.T.: -0.007 min
Response: 110769631
Conc: 46.49 ng/ml