

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020422\
 Data File : PL072475.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Feb 2022 19:46
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 05 01:34:51 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL011722.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 18 10:53:59 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.555	5.491	27854543	95149194	50.171m	58.585
2)	SA Decachlor...	10.318	11.384	40848412	84011112	45.978	52.068
Target Compounds							
2)	A alpha-BHC	5.263	6.073	40185395	140.9E6	51.971	58.398
3)	MA gamma-BHC...	5.686	6.468	38990528	130.4E6	51.710	57.934m
4)	MA Heptachlor	6.092	7.115	42434650	122.8E6	49.189	52.980
5)	MB Aldrin	6.415	7.485	40749122	123.5E6	51.605	55.831
6)	B beta-BHC	6.072	6.729	16322822	57181626	49.379	57.753
7)	B delta-BHC	6.329	6.995	42058728	133.1E6	53.095	54.092
8)	B Heptachlo...	6.993	7.953	39333515	110.2E6	51.671	55.053
9)	A Endosulfan I	7.395	8.358	36778820	99214043	51.749	54.812
10)	B gamma-Chl...	7.271	8.223	40219119	110.9E6	51.188	54.894
11)	B alpha-Chl...	7.340	8.303	39964472	107.8E6	50.943	54.352
12)	B 4,4'-DDE	7.555	8.494	38794563	106.2E6	53.733	56.150
13)	MA Dieldrin	7.682	8.647	39659327	106.3E6	52.347	54.092
14)	MA Endrin	7.973	8.886	33816630	82794955	48.264	49.936
15)	B Endosulfa...	8.285	9.121	36747338	90376617	49.423	52.700m
16)	A 4,4'-DDD	8.142	9.034	33615195	85649318	57.342	59.904
17)	MA 4,4'-DDT	8.401	9.350	27834726	69885188	41.915	44.216
18)	B Endrin al...	8.474	9.258	28037741	67661979	49.211	54.506
19)	B Endosulfa...	8.706	9.495	36172774	83096054	49.337	53.227
20)	A Methoxychlor	8.997	9.839	17548381	36318643	41.594	43.845
21)	B Endrin ke...	9.223	9.992	43426373	91750548	52.152	55.438
22)	Mirex	9.405	10.454	35057561	63234671	47.472	50.678



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020422\
Data File : PL072475.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Feb 2022 19:46
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 05 01:34:51 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL011722.M
Quant Title : GC Extractables
QLast Update : Tue Jan 18 10:53:59 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.555 min
Delta R.T.: -0.003 min
Response: 27854543
Conc: 50.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.491 min
Delta R.T.: -0.003 min
Response: 95149194
Conc: 58.59 ng/ml




#2 alpha-BHC

R.T.: 5.263 min
Delta R.T.: -0.002 min
Response: 40185395
Conc: 51.97 ng/ml



#2 alpha-BHC


R.T.: 6.073 min
Delta R.T.: -0.003 min
Response: 140906273
Conc: 58.40 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.686 min
Delta R.T.: -0.002 min
Response: 38990528
Conc: 51.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.468 min
Delta R.T.: -0.005 min
Response: 130369957
Conc: 57.93 ng/ml m




#4 Heptachlor

R.T.: 6.092 min
Delta R.T.: -0.004 min
Response: 42434650
Conc: 49.19 ng/ml



#4 Heptachlor


R.T.: 7.115 min
Delta R.T.: -0.005 min
Response: 122833545
Conc: 52.98 ng/ml



#5 Aldrin


R.T.: 6.415 min
Delta R.T.: -0.004 min
Response: 40749122
Conc: 51.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.485 min
Delta R.T.: -0.005 min
Response: 123455163
Conc: 55.83 ng/ml




#6 beta-BHC

R.T.: 6.072 min
Delta R.T.: -0.002 min
Response: 16322822
Conc: 49.38 ng/ml



#6 beta-BHC


R.T.: 6.729 min
Delta R.T.: -0.003 min
Response: 57181626
Conc: 57.75 ng/ml



#7 delta-BHC


R.T.: 6.329 min
Delta R.T.: -0.003 min
Response: 42058728
Conc: 53.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.995 min
Delta R.T.: -0.003 min
Response: 133082678
Conc: 54.09 ng/ml




#8 Heptachlor epoxide

R.T.: 6.993 min
Delta R.T.: -0.005 min
Response: 39333515
Conc: 51.67 ng/ml



#8 Heptachlor epoxide


R.T.: 7.953 min
Delta R.T.: -0.005 min
Response: 110231474
Conc: 55.05 ng/ml



#9 Endosulfan I


R.T.: 7.395 min
Delta R.T.: -0.005 min
Response: 36778820
Conc: 51.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.358 min
Delta R.T.: -0.006 min
Response: 99214043
Conc: 54.81 ng/ml




#10 gamma-Chlordane

R.T.: 7.271 min
Delta R.T.: -0.005 min
Response: 40219119
Conc: 51.19 ng/ml



#10 gamma-Chlordane


R.T.: 8.223 min
Delta R.T.: -0.006 min
Response: 110929970
Conc: 54.89 ng/ml



#11 alpha-Chlordane


R.T.: 7.340 min
Delta R.T.: -0.005 min
Response: 39964472
Conc: 50.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.303 min
Delta R.T.: -0.006 min
Response: 107769773
Conc: 54.35 ng/ml




#12 4,4'-DDE

R.T.: 7.555 min
Delta R.T.: -0.005 min
Response: 38794563
Conc: 53.73 ng/ml



#12 4,4'-DDE


R.T.: 8.494 min
Delta R.T.: -0.006 min
Response: 106193593
Conc: 56.15 ng/ml



#13 Dieldrin


R.T.: 7.682 min
Delta R.T.: -0.005 min
Response: 39659327
Conc: 52.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.647 min
Delta R.T.: -0.006 min
Response: 106268131
Conc: 54.09 ng/ml




#14 Endrin

R.T.: 7.973 min
Delta R.T.: -0.006 min
Response: 33816630
Conc: 48.26 ng/ml



#14 Endrin


R.T.: 8.886 min
Delta R.T.: -0.007 min
Response: 82794955
Conc: 49.94 ng/ml



#15 Endosulfan II


R.T.: 8.285 min
Delta R.T.: -0.005 min
Response: 36747338
Conc: 49.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.121 min
Delta R.T.: -0.008 min
Response: 90376617
Conc: 52.70 ng/ml m




#16 4,4'-DDD

R.T.: 8.142 min
Delta R.T.: -0.005 min
Response: 33615195
Conc: 57.34 ng/ml



#16 4,4'-DDD


R.T.: 9.034 min
Delta R.T.: -0.005 min
Response: 85649318
Conc: 59.90 ng/ml



#17 4,4'-DDT


R.T.: 8.401 min
Delta R.T.: -0.006 min
Response: 27834726
Conc: 41.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.350 min
Delta R.T.: -0.007 min
Response: 69885188
Conc: 44.22 ng/ml




#18 Endrin aldehyde

R.T.: 8.474 min
Delta R.T.: -0.006 min
Response: 28037741
Conc: 49.21 ng/ml



#18 Endrin aldehyde


R.T.: 9.258 min
Delta R.T.: -0.007 min
Response: 67661979
Conc: 54.51 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.706 min
Delta R.T.: -0.006 min
Response: 36172774
Conc: 49.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.495 min
Delta R.T.: -0.007 min
Response: 83096054
Conc: 53.23 ng/ml




#20 Methoxychlor

R.T.: 8.997 min
Delta R.T.: -0.007 min
Response: 17548381
Conc: 41.59 ng/ml



#20 Methoxychlor


R.T.: 9.839 min
Delta R.T.: -0.007 min
Response: 36318643
Conc: 43.84 ng/ml



#21 Endrin ketone


R.T.: 9.223 min
Delta R.T.: -0.006 min
Response: 43426373
Conc: 52.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.992 min
Delta R.T.: -0.006 min
Response: 91750548
Conc: 55.44 ng/ml




#22 Mirex

R.T.: 9.405 min
Delta R.T.: -0.006 min
Response: 35057561
Conc: 47.47 ng/ml



#22 Mirex


R.T.: 10.454 min
Delta R.T.: -0.009 min
Response: 63234671
Conc: 50.68 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.318 min
Delta R.T.: -0.009 min
Response: 40848412
Conc: 45.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.384 min
Delta R.T.: -0.011 min
Response: 84011112
Conc: 52.07 ng/ml