

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020619\
 Data File : PL044454.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Feb 2019 10:44
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 07 01:29:46 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
 Quant Title : GC Extractables
 QLast Update : Thu Feb 07 01:28:18 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.366	3.985	362.2E6	117.9E6	50.000	50.000
28)	SA Decachlor...	8.049	9.043	357.5E6	109.3E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.796	4.375	558.1E6	157.1E6	50.000	50.000
3)	MA gamma-BHC...	4.074	4.659	514.7E6	147.9E6	50.000	50.000
4)	MA Heptachlor	4.362	5.167	529.4E6	151.8E6	50.000	50.000
5)	MB Aldrin	4.603	5.472	503.5E6	140.4E6	50.000	50.000
6)	B beta-BHC	4.326	4.831	211.4E6	67015168	50.000	50.000
7)	B delta-BHC	4.523	5.047	425.9E6	96312734	50.000	50.000
8)	B Heptachlo...	5.040	5.857	476.3E6	124.0E6	50.000	50.000
9)	A Endosulfan I	5.372	6.213	448.6E6	125.9E6	50.000	50.000
10)	B gamma-Chl...	5.263	6.091	494.4E6	138.6E6	50.000	50.000
11)	B alpha-Chl...	5.320	6.164	488.0E6	138.0E6	50.000	50.000
12)	B 4,4'-DDE	5.487	6.322	453.3E6	121.1E6	50.000	50.000
13)	MA Dieldrin	5.612	6.470	488.6E6	129.8E6	50.000	50.000
14)	MA Endrin	5.865	6.688	454.2E6	112.9E6	50.000	50.000
15)	B Endosulfa...	6.139	6.897	431.7E6	115.8E6	50.000	50.000
16)	A 4,4'-DDD	5.998	6.811	376.9E6	97811555	50.000	50.000
17)	MA 4,4'-DDT	6.233	7.109	382.2E6	100.6E6	50.000	50.000
18)	B Endrin al...	6.306	7.021	354.1E6	100.5E6	50.000	50.000
19)	B Endosulfa...	6.517	7.243	367.3E6	104.3E6	50.000	50.000
20)	A Methoxychlor	6.778	7.567	203.8E6	59619568	50.000	50.000
21)	B Endrin ke...	7.001	7.713	431.1E6	114.7E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020619\
Data File : PL044454.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Feb 2019 10:44
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 07 01:29:46 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
Quant Title : GC Extractables
QLast Update : Thu Feb 07 01:28:18 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 362206426
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.985 min
Delta R.T.: 0.000 min
Response: 117915484
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.796 min
Delta R.T.: 0.000 min
Response: 558087592
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.375 min
Delta R.T.: 0.000 min
Response: 157144487
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.074 min
Delta R.T.: 0.000 min
Response: 514742811
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.659 min
Delta R.T.: 0.000 min
Response: 147916777
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.362 min
Delta R.T.: 0.000 min
Response: 529379098
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 151767632
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.603 min
Delta R.T.: 0.000 min
Response: 503456256
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.472 min
Delta R.T.: 0.000 min
Response: 140392918
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 211366092
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.831 min
Delta R.T.: 0.000 min
Response: 67015168
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.523 min
Delta R.T.: 0.000 min
Response: 425929563
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.047 min
Delta R.T.: 0.000 min
Response: 96312734
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 476337940
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.857 min
Delta R.T.: 0.000 min
Response: 123979240
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 448591725
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.213 min
Delta R.T.: 0.000 min
Response: 125947844
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 494435291
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.091 min
Delta R.T.: 0.000 min
Response: 138561492
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.320 min
Delta R.T.: 0.000 min
Response: 487994213
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.164 min
Delta R.T.: 0.000 min
Response: 137961103
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.487 min
Delta R.T.: 0.000 min
Response: 453347049
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.322 min
Delta R.T.: 0.000 min
Response: 121108803
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 488586203
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.470 min
Delta R.T.: 0.000 min
Response: 129789513
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.865 min
Delta R.T.: 0.000 min
Response: 454206760
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.688 min
Delta R.T.: 0.000 min
Response: 112914778
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.139 min
Delta R.T.: 0.000 min
Response: 431686992
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.897 min
Delta R.T.: 0.000 min
Response: 115817784
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 376850631
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.811 min
Delta R.T.: 0.000 min
Response: 97811555
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.233 min
Delta R.T.: 0.000 min
Response: 382209132
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.109 min
Delta R.T.: 0.000 min
Response: 100594595
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.306 min
Delta R.T.: 0.000 min
Response: 354073948
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 100508339
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.517 min
Delta R.T.: 0.000 min
Response: 367268982
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.243 min
Delta R.T.: 0.000 min
Response: 104313591
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.778 min
Delta R.T.: 0.000 min
Response: 203815144
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 59619568
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.001 min
Delta R.T.: 0.000 min
Response: 431051739
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.713 min
Delta R.T.: 0.000 min
Response: 114656373
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.049 min
Delta R.T.: 0.000 min
Response: 357464479
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.043 min
Delta R.T.: 0.000 min
Response: 109324472
Conc: 50.00 ng/ml