

Data Path : X:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020619\
 Data File : PL044453.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Feb 2019 10:30
 Operator : AJ\SJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 07 01:33:27 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
 Quant Title : GC Extractables
 QLast Update : Thu Feb 07 01:28:18 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.366	3.985	538.1E6	175.1E6	74.855	74.925
28)	SA Decachlor...	8.050	9.043	528.0E6	157.8E6	75.316	75.038
Target Compounds							
2)	A alpha-BHC	3.796	4.375	841.5E6	240.3E6	75.036	75.210
3)	MA gamma-BHC...	4.074	4.659	772.0E6	224.5E6	74.932	75.150
4)	MA Heptachlor	4.361	5.167	793.9E6	227.6E6	75.139	75.122
5)	MB Aldrin	4.602	5.471	759.3E6	211.9E6	75.111	75.162
6)	B beta-BHC	4.326	4.831	312.7E6	98434364	74.892	74.939
7)	B delta-BHC	4.522	5.047	647.5E6	151.9E6	75.215	75.908
8)	B Heptachlor...	5.040	5.857	709.8E6	188.4E6	75.122	75.617
9)	A Endosulfan I	5.372	6.213	669.3E6	186.6E6	75.170	75.110
10)	B gamma-Chl...	5.263	6.091	743.0E6	206.0E6	75.183	75.102
11)	B alpha-Chl...	5.319	6.163	729.5E6	204.0E6	75.152	75.025
12)	B 4,4'-DDE	5.487	6.321	692.1E6	183.8E6	75.521	75.400
13)	MA Dieldrin	5.612	6.470	736.5E6	195.5E6	75.282	75.257
14)	MA Endrin	5.865	6.688	685.0E6	170.4E6	75.309	75.277
15)	B Endosulfa...	6.139	6.897	642.8E6	171.7E6	75.298	75.147
16)	A 4,4'-DDD	5.998	6.811	570.7E6	147.9E6	75.432	75.332
17)	MA 4,4'-DDT	6.234	7.109	587.4E6	152.8E6	75.658	75.472
18)	B Endrin al...	6.307	7.021	522.5E6	146.8E6	75.181	75.025
19)	B Endosulfa...	6.518	7.243	544.2E6	152.9E6	75.110	74.986
20)	A Methoxychlor	6.779	7.567	302.9E6	87219733	75.303	75.192
21)	B Endrin ke...	7.001	7.713	641.6E6	169.1E6	75.198	75.061



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : X:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020619\
Data File : PL044453.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Feb 2019 10:30
Operator : AJ\SJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 07 01:33:27 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
Quant Title : GC Extractables
QLast Update : Thu Feb 07 01:28:18 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 538147868
Conc: 74.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 3.985 min
Delta R.T.: 0.000 min
Response: 175108123
Conc: 74.93 ng/ml




#2 alpha-BHC

R.T.: 3.796 min
Delta R.T.: 0.000 min
Response: 841509127
Conc: 75.04 ng/ml



#2 alpha-BHC


R.T.: 4.375 min
Delta R.T.: 0.000 min
Response: 240323145
Conc: 75.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.074 min
Delta R.T.: 0.000 min
Response: 771961081
Conc: 74.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 4.659 min
Delta R.T.: 0.000 min
Response: 224542920
Conc: 75.15 ng/ml




#4 Heptachlor

R.T.: 4.361 min
Delta R.T.: 0.000 min
Response: 793853184
Conc: 75.14 ng/ml



#4 Heptachlor


R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 227550261
Conc: 75.12 ng/ml



#5 Aldrin


R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 759265076
Conc: 75.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 5.471 min
Delta R.T.: 0.000 min
Response: 211942336
Conc: 75.16 ng/ml




#6 beta-BHC

R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 312695307
Conc: 74.89 ng/ml



#6 beta-BHC


R.T.: 4.831 min
Delta R.T.: 0.000 min
Response: 98434364
Conc: 74.94 ng/ml



#7 delta-BHC


R.T.: 4.522 min
Delta R.T.: 0.000 min
Response: 647482896
Conc: 75.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 5.047 min
Delta R.T.: 0.000 min
Response: 151868963
Conc: 75.91 ng/ml




#8 Heptachlor epoxide

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 709841090
Conc: 75.12 ng/ml



#8 Heptachlor epoxide


R.T.: 5.857 min
Delta R.T.: 0.000 min
Response: 188357079
Conc: 75.62 ng/ml



#9 Endosulfan I


R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 669264856
Conc: 75.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 6.213 min
Delta R.T.: 0.000 min
Response: 186565452
Conc: 75.11 ng/ml




#10 gamma-Chlordane

R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 743047612
Conc: 75.18 ng/ml



#10 gamma-Chlordane


R.T.: 6.091 min
Delta R.T.: 0.000 min
Response: 205981486
Conc: 75.10 ng/ml



#11 alpha-Chlordane


R.T.: 5.319 min
Delta R.T.: 0.000 min
Response: 729491932
Conc: 75.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 6.163 min
Delta R.T.: 0.000 min
Response: 203965639
Conc: 75.03 ng/ml




#12 4,4'-DDE

R.T.: 5.487 min
Delta R.T.: 0.000 min
Response: 692095162
Conc: 75.52 ng/ml



#12 4,4'-DDE


R.T.: 6.321 min
Delta R.T.: 0.000 min
Response: 183847809
Conc: 75.40 ng/ml



#13 Dieldrin


R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 736531792
Conc: 75.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 6.470 min
Delta R.T.: 0.000 min
Response: 195462671
Conc: 75.26 ng/ml




#14 Endrin

R.T.: 5.865 min
Delta R.T.: 0.000 min
Response: 685002267
Conc: 75.31 ng/ml



#14 Endrin


R.T.: 6.688 min
Delta R.T.: 0.000 min
Response: 170378094
Conc: 75.28 ng/ml



#15 Endosulfan II


R.T.: 6.139 min
Delta R.T.: 0.000 min
Response: 642810435
Conc: 75.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#15 Endosulfan II

R.T.: 6.897 min
Delta R.T.: 0.000 min
Response: 171721481
Conc: 75.15 ng/ml




#16 4,4'-DDD

R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 570739140
Conc: 75.43 ng/ml



#16 4,4'-DDD


R.T.: 6.811 min
Delta R.T.: 0.000 min
Response: 147944272
Conc: 75.33 ng/ml



#17 4,4'-DDT


R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 587449883
Conc: 75.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#17 4,4'-DDT

R.T.: 7.109 min
Delta R.T.: 0.000 min
Response: 152767683
Conc: 75.47 ng/ml




#18 Endrin aldehyde

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 522521258
Conc: 75.18 ng/ml



#18 Endrin aldehyde


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 146849284
Conc: 75.03 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.518 min
Delta R.T.: 0.000 min
Response: 544170832
Conc: 75.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 7.243 min
Delta R.T.: 0.000 min
Response: 152863716
Conc: 74.99 ng/ml




#20 Methoxychlor

R.T.: 6.779 min
Delta R.T.: 0.000 min
Response: 302921336
Conc: 75.30 ng/ml



#20 Methoxychlor


R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 87219733
Conc: 75.19 ng/ml



#21 Endrin ketone


R.T.: 7.001 min
Delta R.T.: 0.000 min
Response: 641551382
Conc: 75.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 7.713 min
Delta R.T.: 0.000 min
Response: 169096094
Conc: 75.06 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.050 min
Delta R.T.: 0.000 min
Response: 527993579
Conc: 75.32 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.043 min
Delta R.T.: 0.000 min
Response: 157831032
Conc: 75.04 ng/ml