

Data Path : X:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020619\
 Data File : PL044456.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Feb 2019 11:12
 Operator : AJ\SJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC005

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 07 01:37:29 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
 Quant Title : GC Extractables
 QLast Update : Thu Feb 07 01:28:18 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.366	3.985	35069863	12146618	4.928	5.171
28)	SA Decachlor...	8.049	9.043	40811555	12485808	5.596	5.637
Target Compounds							
2)	A alpha-BHC	3.796	4.374	46937722	13742553	4.395	4.511
3)	MA gamma-BHC...	4.073	4.659	43416962	13685842	4.413	4.724
4)	MA Heptachlor	4.362	5.166	48538616	15887457	4.712	5.216
5)	MB Aldrin	4.602	5.471	42001547	13568542	4.363	4.896
6)	B beta-BHC	4.326	4.831	22201293	6774540	5.254	5.113
7)	B delta-BHC	4.522	5.047	33130553	6752534	4.116	3.693
8)	B Heptachlor...	5.040	5.857	44977117	12666769	4.834	5.066
9)	A Endosulfan I	5.372	6.213	41579671	13447236	4.765	5.315
10)	B gamma-Chl...	5.263	6.091	45815316	14561628	4.747	5.245
11)	B alpha-Chl...	5.319	6.164	46343735	14748866	4.847	5.323
12)	B 4,4'-DDE	5.487	6.321	37246303	11549680	4.295	4.837
13)	MA Dieldrin	5.612	6.470	42055835	12968982	4.481	5.027
14)	MA Endrin	5.865	6.687	39840470	11221273	4.548	4.994
15)	B Endosulfa...	6.139	6.897	41775079	11877939	4.941	5.089
16)	A 4,4'-DDD	5.998	6.811	32324886	9181415	4.468	4.782
17)	MA 4,4'-DDT	6.234	7.109	28074135	9081231	3.915	4.629
18)	B Endrin al...	6.307	7.021	36222397	11165282	5.167	5.503
19)	B Endosulfa...	6.517	7.243	37145330	11600552	5.111	5.498
20)	A Methoxychlor	6.779	7.567	19925977	6375868	4.965	5.337
21)	B Endrin ke...	7.001	7.714	39055188	11647927	4.694	5.132



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : X:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020619\
Data File : PL044456.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Feb 2019 11:12
Operator : AJ\SJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC005

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 07 01:37:29 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020619.M
Quant Title : GC Extractables
QLast Update : Thu Feb 07 01:28:18 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.366 min
Delta R.T.: 0.000 min
Response: 35069863
Conc: 4.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#1 Tetrachloro-m-xylene

R.T.: 3.985 min
Delta R.T.: 0.000 min
Response: 12146618
Conc: 5.17 ng/ml




#2 alpha-BHC

R.T.: 3.796 min
Delta R.T.: 0.000 min
Response: 46937722
Conc: 4.39 ng/ml



#2 alpha-BHC


R.T.: 4.374 min
Delta R.T.: 0.000 min
Response: 13742553
Conc: 4.51 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.073 min
Delta R.T.: 0.000 min
Response: 43416962
Conc: 4.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#3 gamma-BHC (Lindane)

R.T.: 4.659 min
Delta R.T.: 0.000 min
Response: 13685842
Conc: 4.72 ng/ml




#4 Heptachlor

R.T.: 4.362 min
Delta R.T.: 0.000 min
Response: 48538616
Conc: 4.71 ng/ml



#4 Heptachlor


R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 15887457
Conc: 5.22 ng/ml



#5 Aldrin


R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 42001547
Conc: 4.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#5 Aldrin

R.T.: 5.471 min
Delta R.T.: 0.000 min
Response: 13568542
Conc: 4.90 ng/ml




#6 beta-BHC

R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 22201293
Conc: 5.25 ng/ml



#6 beta-BHC


R.T.: 4.831 min
Delta R.T.: 0.000 min
Response: 6774540
Conc: 5.11 ng/ml



#7 delta-BHC


R.T.: 4.522 min
Delta R.T.: 0.000 min
Response: 33130553
Conc: 4.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#7 delta-BHC

R.T.: 5.047 min
Delta R.T.: 0.000 min
Response: 6752534
Conc: 3.69 ng/ml




#8 Heptachlor epoxide

R.T.: 5.040 min
Delta R.T.: 0.000 min
Response: 44977117
Conc: 4.83 ng/ml



#8 Heptachlor epoxide


R.T.: 5.857 min
Delta R.T.: 0.000 min
Response: 12666769
Conc: 5.07 ng/ml



#9 Endosulfan I


R.T.: 5.372 min
Delta R.T.: 0.000 min
Response: 41579671
Conc: 4.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#9 Endosulfan I

R.T.: 6.213 min
Delta R.T.: 0.000 min
Response: 13447236
Conc: 5.32 ng/ml




#10 gamma-Chlordane

R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 45815316
Conc: 4.75 ng/ml



#10 gamma-Chlordane


R.T.: 6.091 min
Delta R.T.: 0.000 min
Response: 14561628
Conc: 5.25 ng/ml



#11 alpha-Chlordane


R.T.: 5.319 min
Delta R.T.: 0.000 min
Response: 46343735
Conc: 4.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#11 alpha-Chlordane

R.T.: 6.164 min
Delta R.T.: 0.000 min
Response: 14748866
Conc: 5.32 ng/ml




#12 4,4'-DDE

R.T.: 5.487 min
Delta R.T.: 0.000 min
Response: 37246303
Conc: 4.29 ng/ml



#12 4,4'-DDE


R.T.: 6.321 min
Delta R.T.: 0.000 min
Response: 11549680
Conc: 4.84 ng/ml



#13 Dielddrin


R.T.: 5.612 min
Delta R.T.: 0.000 min
Response: 42055835
Conc: 4.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#13 Dielddrin

R.T.: 6.470 min
Delta R.T.: 0.000 min
Response: 12968982
Conc: 5.03 ng/ml




#14 Endrin

R.T.: 5.865 min
Delta R.T.: 0.000 min
Response: 39840470
Conc: 4.55 ng/ml



#14 Endrin


R.T.: 6.687 min
Delta R.T.: 0.000 min
Response: 11221273
Conc: 4.99 ng/ml



#15 Endosulfan II


R.T.: 6.139 min
Delta R.T.: 0.000 min
Response: 41775079
Conc: 4.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#15 Endosulfan II

R.T.: 6.897 min
Delta R.T.: 0.001 min
Response: 11877939
Conc: 5.09 ng/ml




#16 4,4'-DDD

R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 32324886
Conc: 4.47 ng/ml



#16 4,4'-DDD


R.T.: 6.811 min
Delta R.T.: 0.000 min
Response: 9181415
Conc: 4.78 ng/ml



#17 4,4'-DDT


R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 28074135
Conc: 3.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#17 4,4'-DDT

R.T.: 7.109 min
Delta R.T.: 0.000 min
Response: 9081231
Conc: 4.63 ng/ml




#18 Endrin aldehyde

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 36222397
Conc: 5.17 ng/ml



#18 Endrin aldehyde


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 11165282
Conc: 5.50 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.517 min
Delta R.T.: 0.000 min
Response: 37145330
Conc: 5.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC005




#19 Endosulfan Sulfate

R.T.: 7.243 min
Delta R.T.: 0.000 min
Response: 11600552
Conc: 5.50 ng/ml




#20 Methoxychlor

R.T.: 6.779 min
Delta R.T.: 0.000 min
Response: 19925977
Conc: 4.97 ng/ml



#20 Methoxychlor


R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 6375868
Conc: 5.34 ng/ml



#21 Endrin ketone


R.T.: 7.001 min
Delta R.T.: 0.000 min
Response: 39055188
Conc: 4.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC005




#21 Endrin ketone

R.T.: 7.714 min
Delta R.T.: 0.000 min
Response: 11647927
Conc: 5.13 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.049 min
Delta R.T.: 0.000 min
Response: 40811555
Conc: 5.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.043 min
Delta R.T.: 0.000 min
Response: 12485808
Conc: 5.64 ng/ml