

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020921\
 Data File : PL064683.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Feb 2021 11:03
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 10 02:07:07 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020821.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 09 04:41:29 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.426	4.102	61322255	47284081	21.796	21.889
28)	SA Decachlor...	8.149	9.260	53296065	40369159	23.700	21.254
Target Compounds							
2)	A alpha-BHC	3.860	4.505	46916485	28956363	10.117	9.560
3)	MA gamma-BHC...	4.140	4.797	41629344	27492768	9.629	9.679
6)	B beta-BHC	4.391	4.977	21367382	18392559	12.502	11.143
14)	MA Endrin	5.955	6.858	153.7E6	90117278	51.188	49.849
16)	A 4,4'-DDD	6.085	6.978	4133459	3195983	1.632	1.844
17)	MA 4,4'-DDT	6.324	7.277	257.0E6	164.0E6	113.962	107.556
18)	B Endrin al...	6.396	0.000	1622096	0	0.665	N.D. #
20)	A Methoxychlor	6.871	7.739	338.9E6	234.1E6	261.768	258.987
21)	B Endrin ke...	7.094	7.902	4943677	2137714	1.724	1.118 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL020921\
Data File : PL064683.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Feb 2021 11:03
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 10 02:07:07 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL020821.M
Quant Title : GC Extractables
QLast Update : Tue Feb 09 04:41:29 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.426 min
Delta R.T.: 0.000 min
Response: 61322255
Conc: 21.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 4.102 min
Delta R.T.: 0.000 min
Response: 47284081
Conc: 21.89 ng/ml




#2 alpha-BHC

R.T.: 3.860 min
Delta R.T.: 0.000 min
Response: 46916485
Conc: 10.12 ng/ml



#2 alpha-BHC


R.T.: 4.505 min
Delta R.T.: 0.000 min
Response: 28956363
Conc: 9.56 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 41629344
Conc: 9.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.797 min
Delta R.T.: 0.000 min
Response: 27492768
Conc: 9.68 ng/ml




#6 beta-BHC

R.T.: 4.391 min
Delta R.T.: 0.000 min
Response: 21367382
Conc: 12.50 ng/ml



#6 beta-BHC


R.T.: 4.977 min
Delta R.T.: 0.001 min
Response: 18392559
Conc: 11.14 ng/ml



#14 Endrin


R.T.: 5.955 min
Delta R.T.: 0.000 min
Response: 153735689
Conc: 51.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.858 min
Delta R.T.: 0.000 min
Response: 90117278
Conc: 49.85 ng/ml




#16 4,4'-DDD

R.T.: 6.085 min
Delta R.T.: 0.000 min
Response: 4133459
Conc: 1.63 ng/ml



#16 4,4'-DDD


R.T.: 6.978 min
Delta R.T.: 0.001 min
Response: 3195983
Conc: 1.84 ng/ml



#17 4,4'-DDT


R.T.: 6.324 min
Delta R.T.: 0.000 min
Response: 256981274
Conc: 113.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.277 min
Delta R.T.: 0.000 min
Response: 163987060
Conc: 107.56 ng/ml




#18 Endrin aldehyde

R.T.: 6.396 min
Delta R.T.: 0.000 min
Response: 1622096
Conc: 0.67 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 7.200 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.871 min
Delta R.T.: 0.002 min
Response: 338949644
Conc: 261.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 7.739 min
Delta R.T.: 0.000 min
Response: 234113123
Conc: 258.99 ng/ml




#21 Endrin ketone

R.T.: 7.094 min
Delta R.T.: 0.000 min
Response: 4943677
Conc: 1.72 ng/ml



#21 Endrin ketone


R.T.: 7.902 min
Delta R.T.: 0.000 min
Response: 2137714
Conc: 1.12 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.149 min
Delta R.T.: 0.002 min
Response: 53296065
Conc: 23.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 9.260 min
Delta R.T.: 0.000 min
Response: 40369159
Conc: 21.25 ng/ml