

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021020\
 Data File : PL056443.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Feb 2020 16:06
 Operator : AJ\MA
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 10 16:20:03 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012820.M
 Quant Title : GC Extractables
 QLast Update : Tue Jan 28 13:10:37 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.497	4.016	226.5E6	67812764	21.630	23.191
28)	SA Decachlor...	8.250	9.091	205.5E6	42461976	19.516	18.772
Target Compounds							
2)	A alpha-BHC	3.935	4.406	183.9E6	49603863	10.320	11.332
3)	MA gamma-BHC...	4.220	4.691	162.6E6	45325763	9.931	11.053
6)	B beta-BHC	4.469	4.863	70599227	18953905	10.718	11.561
8)	B Heptachlo...	0.000	5.889	0	22834511	N.D.	7.336 #
12)	B 4,4'-DDE	5.683f	0.000	69290126	0	4.781	N.D. #
14)	MA Endrin	6.052	6.724	697.2E6	155.5E6	49.617	59.348
16)	A 4,4'-DDD	6.176	0.000	37305621	0	3.471	N.D. #
17)	MA 4,4'-DDT	6.417	7.147	1112.3E6	260.2E6	101.781	113.344
20)	A Methoxychlor	6.961	7.606	1400.1E6	312.1E6	263.565	254.549



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL021020\
Data File : PL056443.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Feb 2020 16:06
Operator : AJ\MA
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 10 16:20:03 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL012820.M
Quant Title : GC Extractables
QLast Update : Tue Jan 28 13:10:37 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.497 min
Delta R.T.: 0.000 min
Response: 226533350
Conc: 21.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 4.016 min
Delta R.T.: 0.000 min
Response: 67812764
Conc: 23.19 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 183897438
Conc: 10.32 ng/ml



#2 alpha-BHC


R.T.: 4.406 min
Delta R.T.: 0.000 min
Response: 49603863
Conc: 11.33 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.220 min
Delta R.T.: 0.000 min
Response: 162614323
Conc: 9.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.691 min
Delta R.T.: 0.001 min
Response: 45325763
Conc: 11.05 ng/ml




#6 beta-BHC

R.T.: 4.469 min
Delta R.T.: -0.001 min
Response: 70599227
Conc: 10.72 ng/ml



#6 beta-BHC


R.T.: 4.863 min
Delta R.T.: 0.001 min
Response: 18953905
Conc: 11.56 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T. : 5.214 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#8 Heptachlor epoxide

R.T.: 5.889 min
Delta R.T.: 0.000 min
Response: 22834511
Conc: 7.34 ng/ml




#12 4,4'-DDE

R.T.: 5.683 min
Delta R.T.: 0.020 min
Response: 69290126
Conc: 4.78 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T. : 6.355 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 6.052 min
Delta R.T.: -0.002 min
Response: 697203903
Conc: 49.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.724 min
Delta R.T.: 0.001 min
Response: 155531189
Conc: 59.35 ng/ml




#16 4,4'-DDD

R.T.: 6.176 min
Delta R.T.: -0.002 min
Response: 37305621
Conc: 3.47 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T. : 6.847 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.417 min
Delta R.T.: -0.002 min
Response: 1112345693
Conc: 101.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.147 min
Delta R.T.: 0.001 min
Response: 260212019
Conc: 113.34 ng/ml




#20 Methoxychlor

R.T.: 6.961 min
Delta R.T.: -0.002 min
Response: 1400116311
Conc: 263.56 ng/ml



#20 Methoxychlor


R.T.: 7.606 min
Delta R.T.: -0.001 min
Response: 312101038
Conc: 254.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.250 min
Delta R.T.: -0.002 min
Response: 205464242
Conc: 19.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 9.091 min
Delta R.T.: -0.005 min
Response: 42461976
Conc: 18.77 ng/ml